

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



HOLMES HM500 Owner's Manual

[Shop genuine replacement parts for HOLMES HM500](#)



[Find Your HOLMES Humidifier Parts - Select From 153 Models](#)

----- Manual continues below -----

TROUBLESHOOTING FREQUENTLY ASKED QUESTIONS

TROUBLE	PROBABLE CAUSE	SOLUTION
Power light not illuminated	Unit not plugged in	Plug in Unit
Water Leaks from tank	Tank rubber ring is missing	Remove tank cap and replace or reposition ring
	Cap not tight enough	Tighten the cap
	Tank water is Hot	Fill with cool water only
Crack in Tank	Hot water will cause tank to pressurize Tanks will crack if hit or dropped	Fill with cool water only Handle tank with Care
Film on tank	Mineral deposits	Clean/disinfect tank as instructed in weekly cleaning instructions

FREQUENTLY ASKED QUESTIONS

QUESTIONS	ANSWER
What are the variables that affect run time?	The estimated run time for this humidifier is based on average room conditions. The actual run time of your humidifier is dependent on numerous variables such as: <ol style="list-style-type: none"> Air exchange in the room where the humidifier is placed. Room construction where the humidifier is placed. Temperature of the room where the humidifier is placed. Humidity levels in the room where the humidifier is placed. Movement of occupants and the opening and closing of doors in the room where the humidifier is placed. Home furnishings in the room where the humidifier is placed.
How do I remove film on water tank?	See Daily Maintenance instructions. Regular cleaning is recommended.
How can I extend the run time?	<ol style="list-style-type: none"> Run your unit on the lowest setting. If your unit has electronics, set it to your desired humidity level. The unit will turn on and off, which will extend the run time. Fill the tank all the way full, place it on the base, let the water empty into the base until it stops bubbling, then refill the tank full again. This ensures maximum water capacity and will extend run time.

DÉPANNAGE QUESTIONS FRÉQUEMMENT DEMANDÉES

PROBLÈME	CAUSE PROBABLE	SOLUTION
Témoin d'alimentation éteint	L'appareil n'est pas branché	Branchez l'appareil
De l'eau s'écoule du réservoir	Un anneau de caoutchouc est manquant	Retirez le bouchon du réservoir et remplacez l'anneau
	Le bouchon n'est pas assez serré	Serrez le bouchon
	L'eau du réservoir est chaude	Remplissez d'eau froide seulement
Le réservoir est fendu	L'eau chaude entraîne la pressurisation du réservoir	Remplissez d'eau froide seulement
	Le réservoir fendra s'il est frappé ou échappé	Manipulez le réservoir avec soin
Pellicule sur le réservoir	Dépôts minéraux	Nettoyez/désinfectez le réservoir selon les consignes de nettoyage hebdomadaire

QUESTIONS FRÉQUEMMENT DEMANDÉES

QUESTIONS	RÉPONSE
-----------	---------

REPLACEMENT SERVICE

REPLACEMENT ACCESSORIES

To order the replacement accessories you can do the following:

- Fill out the accessory card found with the product.
- Visit your local retailer
- Go to www.holmesproducts.com

SERVICE INSTRUCTIONS

1. DO NOT attempt to repair or adjust any electrical components without the assistance of a qualified electrician. If you have any questions regarding this unit, please contact our Consumer Service Department.
2. If you have any questions regarding this unit, please contact our Consumer Service Department.
3. If you need to exchange the unit, please return it to the retailer you purchased it. If you are returning the unit to the manufacturer, please include the enclosed warranty.
4. If you have any other questions or comments, please contact us at www.holmesproducts.com.

SUNBEAM PRODUCTS, INC.
303 NELSON AVENUE
NEOSHO, MO 64850

For your own records, staple or attach your sales receipt to the enclosed warranty. Please include store name/location and date purchase below.

STORE NAME: _____

LOCATION: _____

DATE PURCHASED: _____

© 2007 Sunbeam Products, Inc. doing business as Jarde
Sunbeam Products, Inc. doing business as Jarde

ACCESSOIRES INSTRUCTIONS

ACCESSOIRES DE RECHANGE

Pour commander des accessoires de rechange, vous pouvez faire les choses suivantes:

- Remplissez la carte d'accessoire fournie avec le produit.
- Visitez votre détaillant local
- Rendez vous au www.holmesproducts.com

INSTRUCTIONS RELATIVES AU SERVICE

1. Ne tentez PAS de réparer ou d'ajuster les composants électriques sans l'aide d'un électricien qualifié. Si vous avez des questions concernant cet appareil, veuillez contacter notre service client.
2. Si vous avez des questions au sujet du fonctionnement de cet appareil, veuillez contacter notre service client.
3. Si vous devez échanger l'appareil, veuillez le retourner au magasin où vous en avez fait l'achat. Si vous le retournez au fabricant, veuillez inclure la Garantie ci-incluse.
4. Pour toute question ou commentaire au sujet de cet appareil, veuillez nous contacter à www.holmesproducts.com.

SUNBEAM PRODUCTS, INC. FAISANT

PLEASE READ AND SAVE THESE IMPORTANT SAFETY INSTRUCTIONS

Thank you for purchasing this Holmes® product. We understand the value of quality and are committed to making superior products that stand the test of time. We trust this product will exceed your expectations of quality and reliability. We hope that you enjoy this product and will consider purchasing another Holmes® product in the future.


To see our full product line or if you have any questions or comments about this product, please visit our website at: www.holmesproducts.com.

When using electrical appliances, basic safety precautions should always be followed to reduce the risk of fire, electric shock, and injury to persons, including the following:

1. Read all instructions before using the appliance.
2. To avoid fire or shock hazard, plug the appliance directly into a 120V AC electrical outlet.
3. Keep the cord out of heavy traffic areas. To avoid fire hazard, NEVER put the cord under rugs or near heat registers.
4. DO NOT place humidifier near heat sources such as stoves, radiators, and heaters. DO locate your humidifier on an inside wall near an electrical outlet. The humidifier should be at least 4 inch away from the wall for best results.
5. NEVER place humidifier in an area where it is accessible to children. NEVER use humidifier in a closed room, particularly where a child may be sleeping, resting, or playing (a closed room may result in excessive humidity).
6. **WARNING:** Do not attempt to refill humidifier without first unplugging the unit from its electrical outlet. Failure to heed this warning may cause personal injury. Be sure to unplug the unit by pulling on the plug and not the cord.
7. Never place anything over moisture outlet when the unit is running.
8. NEVER drop or insert any object into any openings.
9. DO NOT operate any appliance with a damaged cord or plug, after the appliance malfunctions, or if it has been dropped or damaged in any manner. Return appliance to manufacturer for examination, electrical or mechanical adjustment, or repair.
10. Use appliance only for intended household use as described in this manual. Any other use not recommended by the manufacturer may cause fire, electric shock, or injury to persons. The use of attachments not recommended or sold by the manufacturer may cause hazards.
11. DO NOT use outdoors.
12. Always place humidifier on a firm, flat, level surface. A waterproof mat or pad is recommended for use under the humidifier. NEVER place it on a rug or carpet, or on a finished floor that may be damaged by exposure to water or moisture.
13. DO NOT allow the Moisture Outlet to directly face the wall. Moisture could cause damage, particularly to wall paper.
14. Humidifier should be unplugged when not in use.
15. NEVER tilt, move, or attempt to empty unit while it is operating. Shut off and unplug before removing the water tank and moving the unit.

PLEASE READ AND SAVE THESE IMPORTANT SAFETY INSTRUCTIONS

16. This humidifier requires daily and weekly maintenance to operate appropriately. Refer to the manual for daily and weekly cleaning procedures. Use only the cleaning agents and additives recommended by the manufacturer.
17. NEVER use detergents, gasoline, glass cleaner, furniture polish, paint thinner, or other household solvents to clean any part of the humidifier.
18. Excessive humidity in a room can cause water condensation on windows and some furniture. If condensation happens, turn the humidifier OFF.
19. Do not use humidifier in an area where humidity level is in excess of 50%. Use a hygrometer, if available at your local retailer or through the manufacturer, to measure the humidity.
20. DO NOT attempt to repair or adjust any electrical or mechanical functions on this unit. Doing so may void your warranty. The inside of the unit contains non-serviceable parts. All servicing should be performed by qualified personnel only.
21. Never place housing under water flow or in contact with liquids.
22. Do not plug in the cord with wet hands: electric shock could result.
23. Do not pour water in any openings other than the water tank.
24. To prevent damage to surfaces, do not place humidifier under overhanging surfaces.
25. NEVER operate unit without water in the tank.
26. Do not move unit after it has been used unless the unit has cooled completely.
27. Use both hands when carrying full tank of water.



THIS APPLIANCE HAS A POLARIZED PLUG (one blade is wider than the other). To reduce the risk of electric shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician to install the proper outlet.

DO NOT ATTEMPT TO MODIFY THIS PLUG OR DEFEAT THIS SAFETY FEATURE IN ANY WAY.

VEUILLEZ LIRE ET CONSERVER CES CONSIGNES DE SÉCURITÉ IMPORTANTES

Merci d'avoir acheté ce produit Holmes^{MD}. Nous connaissons la valeur que vous accordez à la qualité. C'est pourquoi nous nous engageons à fabriquer des produits de qualité supérieure qui résisteront au temps. Nous savons que ce produit rencontrera vos attentes en terme de qualité et de fiabilité. Nous espérons que vous apprécierez ce produit et que vous achèterez à nouveau des produits Holmes^{MD}. Si vous avez des questions ou si vous souhaitez découvrir notre gamme de produits, visitez notre site Web: www.holmesproducts.com.

Lors de l'usage de tout appareil électrique, des précautions fondamentales doivent être observées pour réduire le risque d'incendie, de choc électrique, et de blessure, y compris celles-ci:

1. Lisez toutes les directives avant d'utiliser cet appareil.
2. Pour éviter le risque de choc électrique, branchez l'humidificateur directement dans une prise électrique CA 120 V.
3. Tenez le cordon d'alimentation éloigné des aires achalandées. Pour éviter tout risque d'incendie, ÉVITEZ de placer le cordon d'alimentation sous des objets ou sur des surfaces chaudes. (une pièce fermée peut donner lieu à un niveau excessif d'humidité).
6. **AVERTISSEMENT:** ne pas tenter de remplir l'humidificateur sans tout d'abord le débrancher. Le fait de manquer d'observer cette consigne peut causer des blessures. Assurez-vous de débrancher l'appareil en tirant sur la fiche plutôt que sur le cordon.
7. Ne jamais placer quoi que ce soit sur les sorties d'air pendant que l'humidificateur est en marche.
8. Ne JAMAIS échapper ou insérer d'objets dans les ouvertures. Ne PAS placer les mains, le visage ou le corps directement au-dessus de la sortie d'humidité ou près de celle-ci pendant que l'appareil est en marche. Ne PAS couvrir la sortie d'humidité pendant que l'appareil est en marche.
9. Évitez d'utiliser l'appareil si sa fiche ou son cordon est endommagé, après un mauvais fonctionnement de l'appareil ou si celui-ci a été échappé ou endommagé de quelque façon. Retournez l'appareil au fabricant à des fins d'examen, de mise au point électrique ou mécanique ou de réparation.

VEUILLEZ LIRE ET CONSERVER CES CONSIGNES DE SÉCURITÉ IMPORTANTES

l'appareil. Ne PAS placer l'humidificateur sur un sol ou plancher fini pouvant être endommagé par l'humidité.

13. Ne pas permettre à la sortie d'humidité de se diriger directement face à un mur. L'humidité peut causer des dommages, surtout au papier peint.
14. L'humidificateur doit être débranché s'il n'est pas utilisé pendant qu'il est en marche. Arrêtez et débranchez avant de retirer le réservoir et de déplacer l'appareil. Si vous avez un humidificateur à buée chaude, n'essayez PAS de retirer le réservoir dans les 10 minutes suivant l'arrêt de l'humidificateur. Des blessures graves pourraient survenir.
16. Pour fonctionner convenablement, cet appareil nécessite des procédures d'entretien quotidiennes et hebdomadaires. Consultez les procédures de nettoyage quotidien et hebdomadaire. N'utilisez que les nettoyants et additifs recommandés par le fabricant. Évitez d'utiliser de l'essence, du nettoyant pour meubles, du diluant à peinture ou d'autres produits chimiques.