

This Owner's Manual is provided and hosted by [Appliance Factory Parts](http://www.appliancefactoryparts.com).



KAZ V745-A Owner's Manual

[Shop genuine replacement parts for KAZ V745-A](#)



[Find Your KAZ Humidifier Parts - Select From 32 Models](#)

----- Manual continues below -----

Use and Ca

IMPORTANT!
READ AND
SAVE THESE
INSTRUCTIONS

- ▶ Relief from dry indoor air
- ▶ Whisper quiet
- ▶ 2 Comfort settings
- ▶ Nightlight
- ▶ Auto shut-off

If you have any questions about the operation of your Vicks Humidifier, call our toll-free Consumer Service line at 1-800-VAPOR-1-2



kaz *Manufacturing Quality Healthcare Products for Over 75 Years*

Kaz, Incorporated
One Vapor Trail
Hudson, NY • 12534 • USA
www.kaz.com • consumerservice@kaz.com

©2003, Kaz, Incorporated
Made and printed in China

The Vicks® Cool Mist Humidifier is distributed by Kaz, Inc. under license from The Procter & Gamble Company, Cincinnati, OH 45202. Vicks is a registered trademark of The Procter & Gamble Company.

kaz
Manufacturing Quality Healthcare Products

Important Safety Instructions

READ ALL INSTRUCTIONS BEFORE USING HUMIDIFIER, ESPECIALLY THESE BASIC SAFETY PRECAUTIONS:

- 1.** Before using the humidifier, extend the cord and inspect for any signs of damage. **Do not** use product if cord has been damaged.
- 2. Always** place humidifier on a firm, flat, level surface. Keep cord away from heated surfaces and out of the way, where it cannot be stepped on or tripped over.
- 3. Do not** place the humidifier directly on wood furniture or other surfaces that could be damaged by water. Protect by placing the humidifier on a non-metallic waterproof surface.
- 4.** Place humidifier in an area that is out of the reach of children.
- 5. Do not** operate outdoors; this appliance is intended for indoor use.
- 6. Do not** remove the Water Tank or Cooling Chamber during operation or within 15 minutes after the humidifier is turned off and unplugged. Serious injury may result.
- 7. Do not** touch the steam vapor. Steam can cause burns. **Do not** operate without the Medicine Cup in place on top the Cooling Chamber.
- 8. Do not** operate without water. Turn off unit when tank is empty.
- 9. Do not** add any medications (e.g., **do not** add Kaz Inhalant or Vicks VapoSteam) directly into the Heating Chamber or Water Tank. **Do not** cover, or insert objects into, any openings on the unit.
- 10. Do not** immerse the base in water or other liquid. **Do not** pour water in the outlet.
- 11.** Humidifier should always be unplugged and emptied when not in operation or while being cleaned. Shut off and unplug humidifier before moving. **Do not** move or tilt humidifier while it is operating. **Plug and unplug unit with dry hands.**
- 12.** The humidifier should not be left unattended in a closed room since air could become saturated and leave condensation on walls or furniture. Leave room door partly open. **Do not** aim outlet directly at children, walls or furniture.
- 13.** This product has a polarized plug (one blade is wider than the other) as a safety feature. This plug will fit into a polarized outlet only one way. If the plug does not fit fully into the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. **Do not** attempt to defeat this safety feature.
- 14. Caution:** To avoid the risk of fire, shock or personal injury, **do not** use an extension cord.
- 15.** The humidifier requires regular cleaning. Refer to and follow cleaning instructions.
- 16.** When moving or lifting the Tank, use one hand on the Top Tank Handle and the other on the Bottom Tank Handle.

Vicks® Warm Mist Humidifier (Model V745A)


Medicine Cup



Cooling Chamber



Removable Tray Handle



Heating Chamber
Night Light



Base



Using Your Vicks Warm Mist Humidifier

First Time Use

Read all instructions before using this appliance. With proper care and maintenance, the humidifier should be able to provide at least 12 hours of operation for each tank.

Unpack and remove all packing material from the Water Tank and Base. Completely unravel power cord and place unit on a flat, stable surface at least 5 inches away from walls and heat sources. Do not use product if cord has been damaged. Place cord out of the way where it cannot be pulled or stepped on. Follow the directions below to fill and operate the Humidifier.

Filling the Water Tank

Always UNPLUG the humidifier before filling.

1. Remove the Water Tank from the Base and turn it upside down. Turn the Tank Cap counterclockwise to open.
2. Fill the Water Tank with clean, cool, tap water and replace the Tank Cap by firmly turning clockwise. Turn the tank upright and check Tank Cap for leaks. If any water drips from Tank Cap, remove it and re-tighten.
3. Carry Water Tank using one hand on the top handle and one on the bottom of the Tank.
4. Be sure the Removable Water Tray and Cooling Chamber are in place and the Cooling Chamber Interlock is engaged.
5. Replace the Water Tank on the Base by aligning the Tank Cap into the Water Tray.

Caution:

Do not add any medication or other additives to the water.

Do not pour any water into the outlet.

Operating Instructions

1. **Do not** operate the humidifier without water in the Water Tray, Cooling Chamber and Medicin
2. After filling the humidifier, be sure the Pow power cord into a 120 volt AC wall outlet. **HANDS; ELECTRIC SHOCK COULD R**
3. You can use Kaz Inhalant or Vicks VapoSte Remove the Medicine Cup from the unit fo Cooling Chamber. Be careful not to overfill Cooling Chamber.
4. Turn the Switch to either the Hi or Low pos heater will start. It may take several minute
5. Direct Outlet away from walls and furniture or if indoor relative humidity exceeds 50% to room where humidifier is operating, or t
6. Turn the humidifier off before removing an

Reset Procedure

NOTE: When the water tank is empty and the w up, the Heater will automatically shut off. The Re humidifier is out of water. The humidifier will no humidifier is reset.

1. Turn the Power Switch to the Off position. f fully cool for at least 15 minutes.
2. Remove and refill the Water Tank as instruc above.
3. After filling the humidifier, plug the power **PLUG IN THE CORD WITH WET HAN**
4. The Reset Light should now be off. Some r Button on those models to re-engage the h
5. Turn the Switch to either the Hi or Low poi heater will start. It might take several minut

Care and Cleaning

CAUTION: ALWAYS TURN OFF THE POWER SWITCH AND DISCONNECT THE POWER CORD FROM THE ELECTRICAL OUTLET BEFORE CLEANING.

Humidifiers provide comfort by adding moisture to dry indoor air. For maximized benefit from your Vicks Warm Mist Humidifier, follow instructions carefully. Please note that this is an electric appliance and requires careful attention when in use.

Tap water may contain pollutants and minerals (scale) that can deposit on the inner surfaces of the Humidifier and adhere to the Heater. Such scale can accelerate the growth of microorganisms and can impair the performance of the Heater.

Daily Maintenance

1. Turn switch to off (0) position and unplug the cord from wall outlet.
2. Be sure the unit has cooled for at least 15 minutes, then lift the Water Tank from Base. Remove the Tank Cap and drain any water from the Water Tank. Rinse the Water Tank with lukewarm water after each use. Wipe accessible surfaces of the Water Tank clean with a soft, damp cloth.
3. Remove the Medicine Cup from the Cooling Chamber. Using the Cooling Chamber Interlock, release the Cooling Chamber from the Base. Carefully remove the Cooling Chamber and Removable Water Tray from the base. Wipe the Medicine Cup, Cooling Chamber and Removable Water Tray clean with a soft, damp cloth.
4. Be sure the heater is completely cool and then wipe the Heater and Heating Chamber clean with a soft, damp cloth.
5. **Do not** leave water in the Water Tank or Heating Chamber when unit is not in use as it may result in the build up of mineral deposits and bacteria that can inhibit the output efficiency of the humidifier. Please note that if water remains in the Water Tank for more than a day or two, bacterial growth is possible.
6. **Do not** immerse the Base in water. For storage, wipe dry with a soft, clean cloth.
7. Replace Removable Water Tray, Cooling Chamber, Medicine Cup then the Tank. Humidifier is now ready for use.

Weekly Maintenance

Removing Scale

1. Remove the Water Tank and empty any remaining water.
2. Turn switch to the OFF (0) position and unplug the cord from wall outlet.
3. Remove the Medicine Cup from the Cooling Chamber. Using the Cooling Chamber Interlock, release the Cooling Chamber from the Base. Carefully remove the Cooling Chamber and Removable Water Tray from the base. Wipe the Medicine Cup, Cooling Chamber and Removable Water Tray clean with a soft, damp cloth.
4. Soak the Removable Water Tray in a solution of 1 part white vinegar to 3 parts water. Rinse thoroughly and then wipe dry with a soft, clean cloth.
5. Fill the Heating Chamber with undiluted white vinegar. Soak for 15 minutes. Dampen soft, clean cloth or sponge with undiluted white vinegar. Use to clean Heating Chamber to remove scale. **Do not** use soap or detergent.
6. Rinse the Heating Chamber using clean water. Wipe dry with a soft, clean cloth. Do not immerse the Base in water.
7. The Water Tray, Medicine Cup, and Cooling Chamber are now ready for use.

Disinfecting the Removable Water Tray

1. Fill tank with 1 teaspoon of household bleach per gallon of water. Soak for 15 minutes, shaking vigorously every few minutes. Rinse thoroughly until the bleach smell is gone. Dry with a clean cloth.
2. Wipe the Removable Water Tray with a soft, clean cloth. The Removable Water Tray may also be disinfected using the dishwasher.
3. Wipe all exterior surfaces of the Base with a soft, clean cloth. Do not immerse the Base in water or use water to clean the base. An electrical plug or cord may be damaged.

End of Season Maintenance

1. Follow above weekly cleaning procedure at least once a week. If the humidifier will not be used for several days, remove the Water Tank to air dry before storing. **Do not** store the humidifier with water in the Water Tank.
2. Leave Tank Cap partially loosened during storage to prevent the cap from sticking together. This will prolong the life of the humidifier.
3. Store in a cool dry location.

Troubleshooting

If your Humidifier is not working properly, refer to the following:

Problem	Possible Cause	Solution
<ul style="list-style-type: none">• Power Switch is set to "On" and Power Indicator is off	<ul style="list-style-type: none">• Unit not plugged in• No power at outlet	<ul style="list-style-type: none">• Plug unit in• Check circuits, fuses, test outlet.
<ul style="list-style-type: none">• Little or no mist is produced	<ul style="list-style-type: none">• No water in tank• Unit is not level• Mineral deposits on Heater or Removable Water Tray• Water Tank was washed with detergent	<ul style="list-style-type: none">• Fill Water Tank.• Place on a level surface.• Clean Heater and Removable Water Tray• Rinse thoroughly with clean water.
<ul style="list-style-type: none">• Reset Light illuminated	<ul style="list-style-type: none">• Water Tank is empty• Unit not reset after refill	<ul style="list-style-type: none">• Refill Water Tank• Follow Reset Procedure
<ul style="list-style-type: none">• Water overflows from Reservoir	<ul style="list-style-type: none">• Tank may be leaking• Tank Cap is not tight	<ul style="list-style-type: none">• Check the Tank for leaks and replace if necessary• Tighten Tank Cap
<ul style="list-style-type: none">• Condensation forms around humidifier or windows	<ul style="list-style-type: none">• Mist Intensity is set too high for room size or pre-existing humidity level.	<ul style="list-style-type: none">• Decrease mist output to low or open door to the room.

NOTE: Failure to keep this unit clean from mineral deposits normally contained in any water supply will affect the efficiency of operation of this unit. Customer failure to follow these instructions may void the warranty.

Limited Warranty

This Vicks Warm Mist Humidifier (Model V74) is warranted against defects in workmanship for a period of one year from the date of purchase, at the discretion of Kaz, Incorporated, repaired or replaced, if found to be defective, tampered with and has been used according to the instructions in this warranty. This Warranty gives you specific legal rights that vary by state to state.

If you experience unsatisfactory operation, first determine if the problem is due to care or cleaning.

If you have any questions or comments, call the toll-free number 1-800-VAPOR-1-2 or, e-mail consumerservice@kaz.com. Consumer Service Department, P.O. Box 544, Hudson, NY 12534. Specify model number. Our Consumer Service Representative will attempt to solve your problem yourself, or will ask you to return the product to the place of purchase.