


Item	Description	Qty.	Model 726 000	Model 7370	Model 737 600	Model 736 200
1	Grille	1	3345301GRY	3345301GRY	3345301GRY	3345301GNT
2	Fan Blade	1	5060230	5060230	5060230	5060230
3	Wiring Cover	1	3345201GRY	3345201GRY	3345201GRY	3345201GNT
4	Cup Washer	1	5460020	5460020	5460020	5460020
5	Spring	1	5460970	5460970	5460970	5460970
6	Pin	1	3344120GRN	3344120GRN	3344120GRN	3344020BLU
7	Water Bottle - Replacement	1	3344120GRN	3344120GRN	3344120GRN	3344020BLU
8	Bottle Cap	1	5060100	5060100	5060100	5060100
9	Motor	1	5560590	5560680*	5560680*	5560900
10	Motor Mount	1	3345101GRY	3345101GRY	3345101GRY	3345101GNT
11	Lamp	1	None	5560850*	5560850*	None
12	Air Filter	1	None	1052	1052	None
13	Speed Switch Knob	1	5060940	5060940	5060920	5061300
14	Switch	1	5560230	5560230	5560230	5560230
15	Control Panel Decal	1	5863410	5863420	5863390	5861690
16	Evaporative Wick	1	1040	1040	1040	1040
17	Motor Nut	2	5461380	5461380	5461380	5461380
18	Top Housing	1	3343120WHT	3343120WHT	3343120GRY	3343120GNT
19	Base	1	3340020WHT	3340020WHT	3340020GRY	3340020GNT
20	Cord	1	5560920	5560920	5560960	5561160
21	Strain Relief	1	5460670	5460670	5460670	5460670
22	Rubber Foot	4	5460040	5460040	5460040	5460040
23	Lead Wire	1	None	5561090	5561090	None
24	Wire Connector	2	None	5561050	5561050	None
25	Humidistat Knob	1	None	None	None	5061310
26	Humidistat	1	None	None	None	5561220
27	Motor Screw	1	None	None	None	5461750

6\* Pin 5060070 not sold separately after 10/1/97, use 3344020GRN or 3344020BLU Water Bottle

9\* Motor - units made after 6/01/95 use 5560730


11\* Lamp - units made after 6/01/95 use 5560830

23 Lead and 24 Connector are used with 5560730 Motor and 5560830 Lamp after 6/01/95




# Wiring Schematic


MODEL SERIES 726 XXX  
THREE SPEED



MODEL SERIES 736 XXX  
THREE SPEED



MODEL SERIES 737 XXX  
THREE SPEED



**Certified Humidifier Performance**

This information is provided to assist consumers in comparing products. These values represent performance but are to be repeated within the first 22 hours of operation. Independent performance may vary with use.

**CERTIFIED RATING**  
WATER OUTPUT & AREA HUMIDIFIER  
Water Output Per 24 Hours = 2.0 Gallons  
Required Fuel Humidifier = 100%

**AHAM**  
Association of Home Appliance Manufacturers  
Manufacturer Certified in ASSOCIATION OF HOME APPLIANCE MANUFACTURERS  
AHAM No. 1 - 1987

This humidifier can provide appropriate humidity control levels for an area up to 550 square feet.

Certified humidifier performance is verified by independent laboratory product testing in accordance with AHAM standard H4 - 1 - 1987. Certified product performance is based on storage, residential construction. Further program details are available from the AHAM website at <http://www.aham.org> and AHAM, Chicago, IL.



**Bemis Manufacturing Company**

300 Mill Street  
Sheboygan Falls, WI 53085

