

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



# LG LT1430CR Owner's Manual

[Shop genuine replacement parts for LG LT1430CR](#)



[Find Your LG Air Conditioner Parts - Select From 2328 Models](#)

----- Manual continues below -----

# THROUGH-THE-WALL AIR CONDITIONERS

LG's Through-The-Wall models offer versatile, energy efficient solutions for residential and light commercial applications.

Some of LG's Through-The-Wall models are ENERGY STAR® qualified, an important feature for energy conscious customers. All feature Gold Fin™ Technology which protects the unit from the corrosive effects of the salt air and extend the operating life.

BTU sizes range from 8,000 - 14,000, and both cooling only and heat/cool models are offered. Also, the standard size chassis fits into any competitive wall sleeve, allowing for an easy upgrade for an existing system.

## TTW Features™ & Benefits

### Gold Fin™ Anti-Corrosive Treatment

Protects the unit from the corrosive effects of outside air and extends the operating life of TTW models.

### Push Button Shift Mode

Allows you to switch between cool and heat with ease.

### 12 Hour On/Off Timer

Allows you to set the number of hours up to 12 Hours, you'd like the unit to run.

### Auto Sleep Mode.

Automatically increases the temperature setting 2° F twice (after 1/2 hour and one hour). The interior unit shuts off when the timer setting is reached.

### Auto Restart.

Automatically restarts a unit to programmed setting when the electricity comes on after a power failure.



### Remote Control

Easy to use Wireless Remote Control.

### Trim Kit.

Unit has a nice finished look when placed into an existing wall sleeve.



1-year full system warranty, parts and labor. Warranty on unit for years 2-5: parts only, exclusive of the refrigeration system. Warranty on sealed refrigeration system: 5 year, parts and labor. See page 38 for electrical specifications and accessories.

# 10,000-12,000 BTUs

- C H** **LT1030HR** (H/C Model)  
10,000 BTUs **Cooling & Heating**
- LT1230HR** (H/C Model)  
11,500 BTUs **Cooling & Heating**




### Standard Features:

- Gold Fin™ anti-corrosion treatment
- Cooling mode
- Heating mode
- Fan mode
- Auto sleep mode
- Auto restart
- 12-Hour on/off timer

### System Includes:

- Wall unit
- Remote control and batteries
- Installation manual
- Trim Kit

System Model #	LT1030HR	LT1230HR
<b>Performance</b>		
Capacity (BTUs)	<b>C</b> 10,000/9,800 <b>H</b> 11,200/9,200	11,500/11,200
EER	9.4/9.4	8.8/8.8
Energy Star		
Air Circulation (CFM H/L)	285/225	290/230
Fan Speeds (Cooling/Heating/Fan)	2/2/2	2/2/2
Dehumidification (pts/hr)	3.2	3.8
Indoor dB(A)*	51/48	52/49
Outdoor dB(A)*	60	61
<b>Electrical</b>		
Rated Voltage	230/208-60-1	230/208-60-1
Circuit Breaker (A)	20	20
<b>Dimensions</b>		
W x H x D (inches)	24 21/32 x 14 13/32 x 19 21/32	24 21/32 x 14 13/32 x 19 21/32
Weight (lbs.)	78.0	80.0
<b>Thermostat Range</b>		
Cooling/Heating (°F)	60-86/54-86	60-86/54-86

\*LG verified sound rating