

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



# BEMIS D46720 Owner's Manual

[Shop genuine replacement parts for BEMIS D46720](#)



[Find Your BEMIS Humidifier Parts - Select From 274 Models](#)

----- Manual continues below part list -----

## Available Replacement Parts for BEMIS D46720

|                            |                            |
|----------------------------|----------------------------|
| <a href="#">7V1040</a>     | FILTER                     |
| <a href="#">esk1B71663</a> | WATER TANK                 |
| <a href="#">1B71664</a>    | WATER TANK CAP             |
| <a href="#">1B71877</a>    | CLIP W/SCREW, D46 GRILLE   |
| <a href="#">1B72089</a>    | Two bottle release latches |



# ESSICK AIR PRODUCTS



2010  
HUMIDIFIER CATALOG

## Why Humidify?

During winter, indoor air is dryer than at other times of the year. Furnaces may warm the air, but as the heated air expands, the limited moisture is spread even more thinly, causing the air to suck the moisture out of everything it comes in contact with: walls, furniture, plants, pets and even your skin.

In the summer we are used to hearing about the "heat index" as a means of taking the humidity level into account on a hot day. In the winter, the converse is true: the arid nature of heated indoor air makes it seem cooler than otherwise because the dry air rapidly evaporates body moisture. That's where humidifiers come in.

Since humidifiers increase the moisture level in the air, the "heat index" in your home is raised, allowing you to comfortably reduce the thermostat setting. And that leads to savings.

In addition to reducing energy bills, extra moisture in the home has many benefits: lessening cold symptoms, diminishing static electricity and replenishing lost moisture into all those things that need it: plants, furniture, pets, and especially you and your family.

## What is the Best Type of Humidifier?

Because all humidifiers use water, any minerals or contaminants in the water must be taken into account. Most types of humidifiers end up releasing these impurities into the air, causing white dust residue.

Evaporative humidifiers with replaceable wicks provide the cleanest, most effective means of replenishing moisture in your home's air. As evaporation occurs inside the unit, the mineral residue from the water remains on the paper surface of the wick, which is removed and discarded with the wick.

As an additional benefit, several of our humidifiers have optional air filters to further enhance the air quality and comfort of your home. From our convenient tabletop units, our extensive array of whole-house evaporative humidifiers, and our high quality air filters and humidifier wicks, we at Essick Air Products take great pride in offering a variety of superior products that enhance your health and improve your home environment.



**Essick Air humidifiers  
come with a two-year warranty  
on motors and a one-year  
warranty on all other components,  
except wicks**



# ESSICK'S NEWEST HUMIDIFIER

## EP9 500 PEDESTAL

Our newest humidifier performs double duty, adding healthy moisture and elegance to your home at the same time.

Boasting 9 gallons of output per day, this humidifier's rich mahogany tone and decorative tile inset create a stylish pedestal for plant, vase or figurine. Tile can be replaced with any standard 12" x 12" tile to fit your decor.

Pour-in fill and casters allow easy filling without the hassle of removing the items on top.

- ◊ Humidifies 2000 sq. ft.
- ◊ 9 Gallon output per day
- ◊ Digital Control
- ◊ Variable Speed Motor
- ◊ Auto Humidistat
- ◊ AutoShut-off
- ◊ Reservoir holds 3.5 gallons
- ◊ Four caster wheels
- ◊ Front Pour-in opening for easy filling
- ◊ Interchangeable top tile
- ◊ Uses 1043 Wick
- ◊ Measures 22"L x 22"D x 29"H



Uses Replaceable 1043 Superwick®



Easy Pour-in Fill

EP9 500 Mahogany  
UPC 043129-25659-0

**2000 sq. ft.; 9 gal. per day ◊ Pedestal Style**

# WHOLE-HOUSE CREDENZA STYLE HUMIDIFIERS

Whole-house humidification is provided in the clean, classic lines of this wood grain styled credenza.

Holding over 5 gallons, this handsome unit boasts 12 gallons output per day, effectively humidifying up to 2,500 square feet.



2-Stage AirCare®  
Filter #1051

Traps airborne impurities  
Prolongs life of wick

Variable Speed  
Analog Control



Replaceable SuperWick # 1041  
High output, long-lasting



E-Z Roll  
Casters

Makes moving  
the unit easy



697 500 Cherry  
UPC 043129-12107-2

696 400 Light Oak  
UPC 043129-05061-7

Easy-fill dual  
water bottles  
with refill hose



- ◇ Automatic humidistat allows you to set a target humidity, and the unit will maintain the selected humidity
- ◇ Variable speed motor with quiet nighttime setting
- ◇ Separate left and right refill bottle indicators
- ◇ Automatic shutoff

- ◇ Easy-fill dual water bottles w/refill hose
- ◇ 5.2 Gallon Total Water Capacity
- ◇ Uses patented Super Wick #1041
- ◇ Accommodates 2-Stage AirCare® Filter (standard on 697-500; optional on 696-400)
- ◇ Measures 28<sup>1</sup>/<sub>4</sub>"L x 14<sup>1</sup>/<sub>2</sub>"D x 23"H

# WHOLE-HOUSE CONSOLE HUMIDIFIERS 400 SERIES

This console style humidifier provides maximum humidification for the whole house in a contemporary cabinet. The 4D7 series is capable of servicing a 2700 sq. ft. house with an output of 13 gallons per day. The 427 unit humidifies 2100 sq. ft. and delivers 10 gallons per day.

4D7 800 White  
UPC 043129-12106-5



4D7 300 Light Oak  
UPC 043129-25547-0



Replaceable  
SuperWick # 1041  
High output, long-lasting

- ◊ Automatic humidistat allows you to set a target humidity, and the unit will maintain the selected humidity
- ◊ Variable speed motor with quiet nighttime setting
- ◊ Separate left and right refill bottle indicators
- ◊ Automatic shutoff
- ◊ Easy-fill dual water bottles w/refill hose
- ◊ 5.5 Gallon Total Water Capacity
- ◊ Uses patented Super Wick #1041
- ◊ Includes 2-Stage AirCare® Filter
- ◊ Measures 28" L x 13<sup>7</sup>/<sub>8</sub>" D x 22<sup>3</sup>/<sub>8</sub>" H



Easy-fill dual  
water bottles  
with refill hose



E-Z Roll  
Casters for  
moving the unit



2-Stage  
AirCare® Filter #1051  
Traps airborne impurities.



Same features as above,  
except for the following:

- ◊ 2-speeds
- ◊ 10 gallon output
- ◊ 2100 sq. ft. coverage

427 300 Oak Burl  
UPC 043129-04613-9

# CONSOLE STYLE HUMIDIFIERS H12 SERIES

Although this is a midsize unit, it is sufficient to humidify an entire 2500 sq. ft. house. It also accomodates an optional air filter to increase indoor air quality.




Easy-fill single water bottle with refill hose

- ◊ Automatic humidistat
- ◊ 3-speed motor
- ◊ 12 Gallon output per day
- ◊ 5 Gallon Total Water Capacity
- ◊ E-Z Roll Casters for easy movement
- ◊ Uses Super Wick #1045
- ◊ Measures 21 3/4"L x 13 3/4"D x 22 1/4"H



Replaceable SuperWick # 1045



Optional 2-Stage AirCare® Filter #1051



H12 300  
UPC 043129-09193-1  
Light Oak



H12 400  
UPC 043129-09800-8  
Oak Burl

**2500 sq. ft.; 12 gal. per day ◊ Console Style**

## ED11 EURO-STYLE

These stylish European-inspired console units offer humidification for up to 2300 sq. ft.

- ◊ Automatic humidistat & built-in hygrometer
- ◊ Variable speed motor with quiet nighttime setting
- ◊ 11 Gallon output per day
- ◊ 3 Gallon Total Water Capacity
- ◊ Uses Super Wick #1041
- ◊ Optional 2-Stage AirCare® Filter #1051
- ◊ Measures 24 1/2"L x 15"D x 18" H



Easy-fill Side Reservoir



Replaceable SuperWick # 1041

ED11 910  
UPC 043129-25594-4  
Charcoal, Titanium



ED11 800  
UPC 043129-25595-1  
Khaki, White



Optional 2-Stage AirCare® Filter #1051

**2300 sq. ft.; 11 gal. per day ◊ Euro-console Style**

# SPACESAVER HUMIDIFIERS

## 821 000

Our spacesaver unit provides whole-house humidification in a compact cabinet that easily fits into a corner.



- ◇ 9 Gallon output per day
- ◇ Humidifies 1900 sq. ft.
- ◇ Digital Control
- ◇ 2-speed motor with quiet nighttime setting
- ◇ Refill light and Auto shutoff
- ◇ Hygrometer measures precise room humidity
- ◇ Measures 13"L x 17<sup>3</sup>/<sub>4</sub>"D x 22"H

E-Z Roll Casters for moving the unit



Uses Super Wick # 1043



Wick frame sold separately

821 000 White  
UPC 043129-11603-0

Easy Pour-in Reservoir



**1900 sq. ft.; 9gal. per day ◇ Spacesaver Style**

## D46 720 TOWER

This attractive tower unit is capable of humidifying multiple rooms while taking up minimal space. Its digital controls offer precise humidity monitoring and control.



- ◇ Automatic humidistat
- ◇ 4-speed motor with quiet nighttime setting
- ◇ Built-in hygrometer
- ◇ 6 Gallon output per day
- ◇ Humidifies 1300 sq. ft.
- ◇ Dual Water Tanks
- ◇ 3 Gallon Total Water Capacity
- ◇ Measures 15"L x 15" D x 26 <sup>1</sup>/<sub>2</sub>" H



Easy-fill Dual Water Tanks with handles and locking clips



Uses Dual SuperWick # 1040  
High output, long-lasting



D46 720 Charcoal, Titanium  
UPC 043129-25599-9

**1300 sq. ft.; 6 gal. per day ◇ Tower-Style**


## MINI-CONSOLE HUMIDIFIERS

### 3D6 100

This handsome addition to our mini-console category has an impressive output of 5.5 gallons per day and utilizes dual wicks to provide coverage for a surprisingly large area of 1200 sq. ft. Dual bottles hold a total of 3 gallons for extended run time.



- ◊ Automatic humidistat
- ◊ Digital control
- ◊ 4-speed motor with quiet nighttime setting
- ◊ Easy-fill dual bottles
- ◊ 5.5 Gallon output per day
- ◊ 3 Gallon Total Water Capacity
- ◊ Uses Dual Super Wicks #1040
- ◊ Measures 19<sup>1</sup>/<sub>4</sub>"L x 12<sup>1</sup>/<sub>2</sub>" D x 14<sup>1</sup>/<sub>4</sub>"H



3D6 100

White, Midnight Blue, UPC 043129-25652-1


**1200 sq. ft; 5.5 gal. per day ◊ Mini-Console Style**

### 5D6 700

This midsize humidifier offers good looks, compact design and maximum humidification for up to 1100 sq. ft. The digital control panel provides precise humidity monitoring and control. The easy pour-in design makes refilling worry-free.



Optional 2-Stage AirCare® Filter #1050



Uses Dual SuperWick # 1040

- ◊ 5 Gallon output per day
- ◊ Auto humidistat
- ◊ 4-speed motor with quiet nighttime setting
- ◊ Built-in hygrometer
- ◊ Easy pour-in fill method
- ◊ 3 Gallon Total Water Capacity
- ◊ Uses two patented Super Wicks #1040
- ◊ Accomodates 2-Stage AirCare® Filter # 1050
- ◊ Measures 17<sup>3</sup>/<sub>4</sub>"L x 9<sup>1</sup>/<sub>4</sub>"D x 13<sup>3</sup>/<sub>4</sub>"H

Easy Pour-in Fill Method



5D6 700 White  
UPC 043129-25597-5

**1100 sq. ft; 5 gal. per day ◊ Mini-Console Style**

# TABLETOP HUMIDIFIERS

Tabletop units provide big humidification in a small package. Convenient for travel, apartments or children's bedrooms, tabletop units bring all the benefits of humidification with smaller price tag and footprint.

## 7D6 100 White, Midnight Blue

UPC 043129-25598-2

Uses SuperWick #SGL 1040



- ◊ Humidifies 700 sq. ft.
- ◊ 3 Gallon output per day
- ◊ Digital humidistat & built-in hygrometer
- ◊ 4-speed motor with quiet nighttime setting
- ◊ 2 Gallon Total Water Capacity
- ◊ Uses Super Wick SGL 1040
- ◊ Measures 12<sup>1</sup>/<sub>2</sub>"L x 17<sup>3</sup>/<sub>4</sub>"D x 13"H



## E27 000, White UPC 043129-25655-2



## E35 000, White UPC 043129-25656-9

- ◊ Humidifies up to 800 sq. ft.
- ◊ 3.5 gallon output per day
- ◊ Analog hygrometer
- ◊ Adjustable humidity level
- ◊ 2-speed motor
- ◊ 2 Gallon Total Water Capacity
- ◊ Measures 11"L x 11"D x 10<sup>1</sup>/<sub>2</sub>"H



- ◊ Humidifies 640 sq. ft.
- ◊ 2.7 gallon output per day
- ◊ 2-speed motor
- ◊ 2 Gallon Total Water Capacity
- ◊ Dishwasher-safe base
- ◊ Measures 11"L x 11"D x 10<sup>1</sup>/<sub>2</sub>"H

Both the E27 000 and E35 000 have easy pour-in bases and use the SGL 1040 Super Wick for replacement.



| MODEL/<br>UPC   | DESCRIPTION  | MSTR<br>PAK/<br>WT/<br>CUBE |
|---|--|-----------------------------|
| SGL1040<br><br>0 43129 05776-0       | Replacement wick - Single Pack<br>(1 tabletop wick per carton)<br><ul style="list-style-type: none"><li>Fits 300, 500, 700, DP3, 5D6, 7D6, B23, E35000 and E27000</li></ul>                  | 6<br>4.0 lbs/<br>0.543      |
| 1040<br><br>0 43129 04467-8          | Replacement wick - Twin Pack<br>(2 table top wicks per carton)<br><ul style="list-style-type: none"><li>Fits 300, 500, 700 DP3, D46, B23, E35000 and E27000</li></ul>                        | 6<br>5.5 lbs/<br>0.891      |
| 1041<br><br>0 43129 04468-5          | Replacement Console Wick<br><ul style="list-style-type: none"><li>Fits 400, 600 and ED-11 Series</li></ul>   | 6<br>17.1 lbs/<br>3.15      |
| 1043<br><br>0 43129 08259-7          | Replacement Pedestal and Space Saver Wick<br><ul style="list-style-type: none"><li>Fits EP9 500 and 600 Series</li></ul>   | 3<br>5.2 lbs/<br>1.14       |
| 3398020GRYP<br><br>0 43129 07487-3 | Wick frame only for 1043<br><ul style="list-style-type: none"><li>Fits 800 Series</li></ul>  | 6<br>3 lbs/<br>0.53         |
| 1044<br><br>0 43129 07487-3        | Replacement Tabletop wick<br><ul style="list-style-type: none"><li>Fits 900 Series</li></ul>   | 6<br>3 lbs/<br>0.53         |
| 1045<br><br>0 43129 09208-8         | Replacement Console Wick<br><ul style="list-style-type: none"><li>Fits H12 series</li></ul>  | 3<br>9.52 lbs/<br>1.83      |
| 1050<br><br>0 43129 03462-4        | AirCare® Filter - Tabletops - Two stage air cleaning filter removes dust, pollen, smoke and odors<br><ul style="list-style-type: none"><li>Fits 500 Series</li></ul>                         | 6<br>1.9 lbs/<br>0.27       |
| 1051<br><br>0 43129 04466-1         | AirCare® Filter - Two stage air cleaning filter removes dust, pollen, smoke and odors<br><ul style="list-style-type: none"><li>Fits 400 and 600 Series</li><li>Fits H and E Series</li></ul> | 6<br>5.5 lbs/<br>0.91       |

| MODEL/<br>UPC   | DESCRIPTION   | MSTR<br>PAK/<br>WT/<br>CUBE |
|---|---|-----------------------------|
| 1101<br><br>0 43129 08187-1   | Replacement HEPA Air Purifier Filter<br><ul style="list-style-type: none"><li>Fits Model 200 001</li></ul>  | 3<br>17.2 lbs/<br>0.97      |
| 1103<br><br>0 43129 09821-3   | Replacement HEPA Air Purifier Filter<br><ul style="list-style-type: none"><li>Fits model 127 001</li></ul>  | 3<br>4.2 lbs/<br>0.36       |
| 1104<br><br>0 43129 09888-6   | Replacement Carbon Prefilter for HEPA Air Filter<br><ul style="list-style-type: none"><li>Fits Model 127 001</li></ul>  | 6<br>3 lbs/<br>0.23         |
| 1202<br><br>0 43129 09647-9    | Replacement Air Purifier Filter<br><ul style="list-style-type: none"><li>Fits model DP3 200 2 in 1</li></ul>  | 3<br>4.6 lbs/<br>0.91       |
| 1301<br><br>0 43129 10757-1   | Replacement MEGA Air Purifier Filter<br><ul style="list-style-type: none"><li>Fits model 129 900</li></ul>  | 3<br>2.6 lbs/<br>0.39       |
| 1960<br><br>0 43129 01127-4  | 1 Quart Water Treatment<br><ul style="list-style-type: none"><li>Prevents Lime scale build-up</li><li>Keeps water smelling clean</li><li>For Water Wheel units only</li></ul>   | 12<br>28.9 lbs/<br>1.02     |
| 1970<br><br>0 43129 04629-0  | 32 oz. Bacteria Treatment - EPA registered. Only treatment required for evaporative humidifiers<br><ul style="list-style-type: none"><li>Helps control bacteria and algae buildup.</li><li>Keeps water smelling clean</li></ul> | 6<br>14 lbs/<br>.52         |
| 1980<br><br>0 43129 10756-4 | Bottle Cap Replacement Pack - Contains two caps<br><ul style="list-style-type: none"><li>Fits 400, 600, and H12 Series bottles</li></ul>  | 6<br>3 lbs/<br>0.22         |
| 1990<br><br>0 43129 09491-8  | Digital Hygrometer/Thermometer<br><ul style="list-style-type: none"><li>Digitally measures humidity and temperature</li><li>Min/Max memory</li><li>Fahrenheit/Centigrade switch</li></ul>                                       | 6<br>1.55 lbs/<br>1.99      |
| 4400<br><br>0 43129 25646-0 | Universal Fill Tube<br><ul style="list-style-type: none"><li>44 inches total length</li><li>Fits most faucet heads</li></ul>  | 1<br>2.1 lbs/<br>0.39       |

# PRODUCT SHIPPING SPECIFICATIONS

| EP9 500 Pedestal                |                            |                  | 600 Series Traditional Credenza |                            |                    | 400 Series Traditional Console |                            |                    |
|---------------------------------|----------------------------|------------------|---------------------------------|----------------------------|--------------------|--------------------------------|----------------------------|--------------------|
| Output per 24 hr                | 9 gallons                  | 34 Liters        | Output per 24 hr                | 12 gallons                 | 45.4 Liters        | Output per 24 hr               | 13 Gallons                 | 49.2 L             |
| Coverage                        | 2688 sq feet               |                  | Coverage                        | 2368 sq feet               |                    | Coverage                       | 2788 sq ft                 |                    |
| Capacity                        | 3.5 gallons                | 13.2 Liters      | Capacity                        | 5.2 gallons                | 19.7 Liters        | Capacity                       | 5.5 gallons                | 20.8 L             |
| Dim. L x B x H                  | 19.7 x 19.7 x 27.6         | 50 x 50 x 68     | Unit Dimensions in/cm           | 28.25 x 14.5 x 22          | 71.8x 36.8 x 58.4  | Unit Dimensions in/cm          | 26.5 x 12.5 x 26           | 67.3 x 31.8 x 50.8 |
| Unit weight                     | 25.5 lbs                   | 11.34 kg         | Unit weight                     | 27.3 lbs                   | 12.38 kg           | Unit weight                    | 21 lbs                     | 9.53 kg            |
| Electrical specs:               | 120 VDC/60 Hertz/Watts:135 |                  | Electrical specs:               | 120 VDC/60 Hertz/Watts:135 |                    | Electrical specs:              | 120VDC/ 60 Hertz/135 Watts |                    |
| Electrical Listing              | ETL                        | CETL             | Electrical Listing              | ETL                        | CETL               | Electrical Listing             | ETL                        | CETL               |
| <b>EP9 500 — Shipping</b>       |                            |                  | <b>600 Series — Shipping</b>    |                            |                    | <b>400 Series — Shipping</b>   |                            |                    |
| Carton Qty                      | 1                          |                  | Carton Qty                      | 1                          |                    | Carton Qty                     | 1                          |                    |
| UPS Reship                      | YES                        |                  | UPS Reship                      | YES                        |                    | UPS Reship                     | YES                        |                    |
| Carton Size in/cm               | 32" x 22" x 29"            | 56 x 56 x 70     | Carton Size in/cm               | 29 x 15 x 25               | 73.7 x 39.4 x 63.5 | Carton Size in/cm              | 27.25 x 13.5 x 21          | 69.2 x 34.3 x      |
| Carton Weight                   | 25 lbs                     | 11.3 kg          | Carton Weight                   | 22.2 lbs                   | 14.6 kg            | Carton Weight                  | 25 lbs                     | 11.3 kg            |
| Carton Cube                     | 3.8                        |                  | Carton Cube                     | 6.5                        |                    | Carton Cube                    | 4.58                       |                    |
| Nat. Freight Class              | 60273                      |                  | Nat. Freight Class              | 60273                      |                    | Nat. Freight Class             | 60273                      |                    |
| LTL Freight Class               | 150                        |                  | LTL Freight Class               | 150                        |                    | LTL Freight Class              | 160                        |                    |
| <b>H12 Series Console Style</b> |                            |                  | <b>ED11 Euro-Console Style</b>  |                            |                    | <b>821 000 Spacesaver</b>      |                            |                    |
| Output per 24 hr                | 12 gallons                 | 45.4 L           | Output per 24 hr                | 11 gallons                 | 41.6               | Output per 24 hr               | 9 gallons                  | 34 L               |
| Coverage                        | 2588 sq ft                 |                  | Coverage                        | 2368 sq ft                 |                    | Coverage                       | 1988 sq ft                 |                    |
| Capacity                        | 5 gallons                  | 19 L             | Capacity                        | 3 gallons                  | 11.4 L             | Capacity                       | 6 gallons                  | 22.7 L             |
| Unit Dimensions in/cm           | 21.75 x 12.75 x 22.25      | 55.25 x 32.5 x   | Unit Dimensions in/cm           | 24.5 x 15 x 18             | 62.2 x 38 x 45.7   | Unit Dimensions in/cm          | 12 x 17.75 x 22            | 30 x 45 x 55.9     |
| Unit weight                     | 22.4 lbs                   | 10.16 kg         | Unit weight                     | 20.12 lbs                  | 9.13 kg            | Unit weight                    | 15.5 lbs                   | 7.03 kg            |
| Electrical specs:               | 120 VDC/60 Hertz/170 Watts |                  | Electrical specs:               | 120 VDC/60 Hertz/160 Watts |                    | Electrical specs:              | 120 VDC/60 Hertz/90 Watts  |                    |
| Electrical Listing              | ETL                        | CETL             | Electrical Listing              | ETL                        | CETL               | Electrical Listing             | ETL                        | CETL               |
| <b>H12 Series — Shipping</b>    |                            |                  | <b>ED-11 Series — Shipping</b>  |                            |                    | <b>821 — Shipping</b>          |                            |                    |
| Carton Qty                      | 1                          |                  | Carton Qty                      | 1                          |                    | Carton Qty                     | 1                          |                    |
| UPS Reship                      | YES                        |                  | UPS Reship                      | YES                        |                    | UPS Reship                     | YES                        |                    |
| Carton Size in/cm               | 22 x 15 x 23.5             | 58.4 x 38 x 59.7 | Carton Size in/cm               | 26.75 x 18.5 x             | 68 x 47 x 50.2     | Carton Size in/cm              | 12.5 x 19 x 22.75          | 34.3 x 48.3 x      |
| Carton Weight                   | 25.5 lbs                   | 11.57 kg         | Carton Weight                   | 22.42 lbs                  | 10.62 kg           | Carton Weight                  | 18.30 lbs                  | 8.30 kg            |
| Carton Cube                     | 4.89                       |                  | Carton Cube                     | 5.66                       |                    | Carton Cube                    | 3.38                       |                    |
| Nat. Freight Class              | 60273                      |                  | Nat. Freight Class              | 60278-04                   |                    | Nat. Freight Class             | 60278-04                   |                    |
| LTL Freight Class               | 110                        |                  | LTL Freight Class               | 150                        |                    | LTL Freight Class              | 150                        |                    |
| <b>D46 720 Tower</b>            |                            |                  | <b>3D6 100 Mini-Console</b>     |                            |                    | <b>5D6 700 Mini-Console</b>    |                            |                    |
| Output per 24 hr                | 6 gallons                  | 22.7L            | Output per 24 hr                | 5.5 gallons                | 20.82 L            | Output per 24 hr               | 5 Gallons                  | 19 L               |
| Coverage                        | 1288 sq ft                 |                  | Coverage                        | 1288 sq ft                 |                    | Coverage                       | 1188 sq ft                 |                    |
| Capacity                        | 3 gallons                  | 11.4 L           | Capacity                        | 3 gallons                  | 11.36 L            | Capacity                       | 3 gallons                  | 11.4 L             |
| Unit Dimensions in/cm           | 15 x 10 x 26.5             | 38x 25.4 x 67.3  | Unit Dimensions in/cm           | 14.25 x 15.5 x 12.5        | 36.3 x 49.5 x 31.8 | Unit Dimensions in/cm          | 18 x 18.25 x 14.25         | 25.4 x 46.4 x 36.2 |
| Unit weight                     | 11.30 lbs                  | 5.13 kg          | Unit weight                     | 15.5 lbs                   | 7.03 kg            | Unit weight                    | 2.7 lbs                    | 1.67 kg            |
| Electrical specs:               | 120 VDC/60 Hertz/65 Watts  |                  | Electrical specs:               | 120 VDC/60 Hertz/60 Watts  |                    | Electrical specs:              | 120VDC/ 60 Hertz/135 Watts |                    |
| Electrical Listing              | ETL                        | CETL             | Electrical Listing              | ETL                        | CETL               | Electrical Listing             | ETL                        | CETL               |
| <b>D46 720 — Shipping</b>       |                            |                  | <b>3D6 100 — Shipping</b>       |                            |                    | <b>5D6 — Shipping</b>          |                            |                    |
| Carton Qty                      | 1                          |                  | Carton Qty                      | 1                          |                    | Carton Qty                     | 1                          |                    |
| UPS Reship                      | YES                        |                  | UPS Reship                      | YES                        |                    | UPS Reship                     | YES                        |                    |
| Carton Size in/cm               | 17.75 x 12.75 x 29         | 45.1 x 32.4 x 74 | Carton Size in/cm               | 16.25 x 21.25 x 15         | 41.3 x 54 x 38.1   | Carton Size in/cm              | 11 1/4 x 19 1/2 x 15       | 28.6 x 49.5 x 39.4 |
| Carton Weight                   | 15.30 lbs                  | 6.9 kg           | Carton Weight                   | 19.5 lbs                   | 8.8 kg             | Carton Weight                  | 5.9 lbs                    | 2.7 kg             |
| Carton Cube                     | 4.87                       |                  | Carton Cube                     | 3                          |                    | Carton Cube                    | 1.97                       |                    |
| Nat. Freight Class              | 60278-04                   |                  | Nat. Freight Class              | 60278-03                   |                    | Nat. Freight Class             | 60273                      |                    |
| LTL Freight Class               | 150                        |                  | LTL Freight Class               | 150                        |                    | LTL Freight Class              | 160                        |                    |
| <b>7D6 100 Tabletop Style</b>   |                            |                  | <b>E35 800 Tabletop</b>         |                            |                    | <b>E27 800 Tabletop</b>        |                            |                    |
| Output per 24 hr                | 3 gallons                  | 11.36            | Output per 24 hr                | 2.5 gallons                | 13.25 L            | Output per 24 hr               | 2.7 gallons                | 10.22 L            |
| Coverage                        | 780 sq ft                  |                  | Coverage                        | 880 sq ft                  |                    | Coverage                       | 670 sq ft                  |                    |
| Capacity                        | 2 gallons                  | 7.6 L            | Capacity                        | 2 gallons                  | 7.2 L              | Capacity                       | 2 gallons                  | 7.6 L              |
| Unit Dimensions in/cm           | 12.5 x 17.75 x 13          | 31.8 x 45 x 33   | Unit Dimensions in/cm           | 11 x 11 x 18.5             | 28 x 28 x 27       | Capacity                       | 11 x 11 x 18.5             | 28 x 28 x 27       |
| Unit weight                     | 7.10 lbs                   | 3.22 kg          | Unit weight                     | 6.25                       | 2.83 kg            | Unit weight                    | 6.25                       | 2.83 kg            |
| Electrical specs:               | 120 VDC/60 Hertz/160 Watts |                  | Electrical specs:               | 120 VDC/60 Hertz/90 Watts  |                    | Electrical specs:              | 120 VDC/60 Hertz/60 Watts  |                    |
| Electrical Listing              | ETL                        | CETL             | Electrical Listing              | ETL                        | CETL               | Electrical Listing             | ETL                        | CETL               |
| <b>7D6 — Shipping</b>           |                            |                  | <b>E35 800 — Shipping</b>       |                            |                    | <b>E27 800 — Shipping</b>      |                            |                    |
| Carton Qty                      | 1                          |                  | Carton Qty                      | 1                          |                    | Carton Qty                     | 1                          |                    |
| UPS Reship                      | YES                        |                  | UPS Reship                      | YES                        |                    | UPS Reship                     | YES                        |                    |
| Carton Size in/cm               | 13.5 x 20 x 15             | 34.3 x 50.8 x    | Carton Size in/cm               | 15 x 14 x 11.75            | 38 x 35.6 x 30     | Carton Size in/cm              | 15 x 14 x 11.75            | 38 x 35.6 x 30     |
| Carton Weight                   | 9.39 lbs                   | 4.22 kg          | Carton Weight                   | 7lbs                       | 3.2 kg             | Carton Weight                  | 7 lbs                      | 3.2 kg             |
| Carton Cube                     | 3.34                       |                  | Carton Cube                     | 1.35                       |                    | Carton Cube                    | 1.35                       |                    |
| Nat. Freight Class              | 60278-04                   |                  | Nat. Freight Class              | 60278-03                   |                    | Nat. Freight Class             | 60278-03                   |                    |
| LTL Freight Class               | 150                        |                  | LTL Freight Class               | 150                        |                    | LTL Freight Class              | 150                        |                    |



ESSICK AIR PRODUCTS  
5800 MURRAY ST.  
LITTLE ROCK, AR.  
72209

[www.essickair.com](http://www.essickair.com)  
1-800-547-3888