

This Owner's Manual is provided and hosted by [Appliance Factory Parts](http://www.appliancefactoryparts.com).



# SEA BREEZE PAHS127 Owner's Manual

[Shop genuine replacement parts for SEA BREEZE  
PAHS127](#)



[Find Your SEA BREEZE Air Conditioner Parts - Select From 23 Models](#)

----- Manual continues below -----

*As Refreshing As A...*



## **PORTABLE AIR CONDITIONERS**



**PAS12/PAHS127**

### **FEATURES:**

- **Functions: Air Conditioner, Dehumidifier, Ventilator & Heating (on PAHS127)**
- **3 Speed Fan Selection - Low/Medium/High**
- **Top Mounted Electronic Controls**
- **Digital Display**
- **24 Hour ON/OFF Timer**
- **Low Power Consumption**

***Quiet Operation***

***Sleek Compact Design***

***Moves From Room to Room  
as Needed***

***Wireless Remote Control***

***24 Hour Programming***

- **Caster Wheels**
- **Slide-Out Washable Filter**
- **Adjustable Vertical Louvers**
- **Includes Flexible Vent Hose and Window Adapter**
- **Up to 13+ Gallons Dehumidification Capacity a Day**
- **Single and Dual Pipe Available**

Specifications listed on back



**IRP - International Refrigeration Products**  
700 Corporate Circle  
Toms River, NJ 08755  
Phone: 732-736-5699 Fax: 732-736-7495



# PORTABLE AIR CONDITIONING UNIT SPECIFICATIONS

## PERFORMANCE DATA

MODEL #	PAS12	PAHS127	PAD9
	COOLING	COOLING/HEATING	COOLING
	Single Pipe	Single Pipe	Dual Pipe
Cooling Capacity	12000 BTU	12000 BTU	9000 BTU
Heating Capacity	n/a	7000BTU	n/a
Rated Voltage	115vac, 60HZ	115Vac, 60HZ	115vac, 60HZ
Rated Cooling Current	12 amps	12 amps	11.2 amps
Maximum Cooling Input Current	14.6 amps	14.6 amps	11.6 amps
Rated Cooling Power	1200W	1200W	1260W
Rated Heating Power	n/a	950W	n/a
Maximum Input Power	1500W	1500W	1420W
Cycling Airflow	164.8 cfm	164.8 cfm	206 cfm
Refrigerant	R22, 1.21 lbs	R22, 1.21 lbs	R22
Noise (class)	56 dB(A)	56 dB(A)	58 dB(A)
Weight (net wt)	99.2 lbs	99.2 lbs	88 lbs
Unit Dimensions (W/H/D)	17 <sup>3</sup> / <sub>4</sub> " x 33 <sup>3</sup> / <sub>4</sub> " x 14 <sup>1</sup> / <sub>2</sub> "	17 <sup>3</sup> / <sub>4</sub> " x 33 <sup>3</sup> / <sub>4</sub> " x 14 <sup>1</sup> / <sub>2</sub> "	22 <sup>1</sup> / <sub>2</sub> " x 33 <sup>3</sup> / <sub>4</sub> " x 17 <sup>3</sup> / <sub>4</sub> "
Dehumidifying Volume	13.9 Gallons/Day	13.9 Gallons/Day	5.6 Gallons/Day
Fuse Size	15A	15A	15
Power Cord Length	6 ft	6 ft	6 ft
Clock & 24 hr Timer	yes	yes	yes
Filter	Washable	Washable	Washable



**Easy To Remove Washable Filter**



**PAD9 DUAL PIPE**

