

ESPAÑOL

OWNER'S MANUAL

Please read this manual carefully before operating your set and retain it for future reference.

TYPE : Ceiling Concealed Duct- High Static

P/NO : MFL42803016

www.lg.com

MULTI V. Ceiling Concealed Duct – High Static Type Indoor Unit Owner's Manual

TABLE OF CONTENTS

Safety Precautions......3 Prior to Operation8 Operating Instructions......9 Name and Function of Remote

Controller9

Maintenance and Service11

Before you Call for Service......13

$\sqrt{4}$ For your records

Write the model and serial numbers here:

Model

Serial #

You can find them on a label on the side of each unit.

Dealer's Name

Date Purchased

Staple your receipt to this page in the event you need to prove date of purchase or to issue warranty.

O READ THIS MANUAL

Inside you will find many helpful hints on how to use and maintain your air conditioner properly. Just a little preventive care on your part can save you a great deal of time and money over the life of your air conditioner.

You'll find many answers to common problems in the chart of troubleshooting tips. If you review our chart of

Troubleshooting Tips first, you may not need to call for service at all.

PRECAUTION


- Contact the authorized service technician for repair or maintenance of this unit.
- Contact the installer for installation of this unit.
- The air conditioner is not intended for use by young children or invalids without supervision.
- Young children should be supervised to ensure that they do not play with the air conditioner.
- When the power cord is to be replaced, replacement work shall be performed by authorized personnel only using only genuine replacement parts.
- Installation work must be performed in accordance with the National Electric Code by qualified and authorized personnel only.



Safety Precautions

To prevent injury to the user or other people and property damage, the following instructions must be followed.

Incorrect operation due to ignoring instruction will cause harm or damage. The seriousness is classified by the following indications.



Do not modify or extend the power cable.

• There is risk of fire or electric shock.



For installation, always contact the dealer or an Authorized Service Center.

• There is risk of fire, electric shock, explosion, or injury.



Do not let the air conditioner run for a long time when the humidity is very high and a door or a window is left open.

• Moisture may condense and wet or damage furniture.



Do not plug or unplug the power supply plug during operation.

There is risk of fire or electric shock.



Do not install, remove, or re-install the unit by yourself (customer).

• There is risk of fire, electric shock, explosion, or injury.



Do not install the product on a defective installation stand.

• It may cause injury, accident, or damage to the product.



Operation

Take care to ensure that power cable could not be pulled out or damaged during operation.

There is risk of fire or electric shock



Do not touch(operate) the product with wet hands.

• There is risk of fire or electrical shock.



Be cautious when unpacking and installing the product.

• Sharp edges could cause injury. Be especially careful of the case edges and the fins on the condenser and evaporator.



Be sure the installation area does not deteriorate with age.

• If the base collapses, the air conditioner could fall with it, causing property damage, product failure, and personal injury.



Do not place anything on the power cable.

• There is risk of fire or electric shock.



Do not place a heater or other appliances near the power cable.

• There is risk of fire and electric shock.



Do not allow water to run into electric parts.

• It may cause There is risk of fire, failure of the product, or electric shock.



When flammable gas leaks, turn off the gas and open a window for ventilation before turn the product on.

• Do not use the telephone or turn switches on or off. There is risk of explosion or fire



Do not open the inlet grill of the product during operation. (Do not touch the electrostatic filter, if the unit is so equipped.)

• There is risk of physical injury, electric shock, or product failure.



Ventilate the product from time to time when operating it together with a stove, etc.

There is risk of fire or electric shock.



Do not store or use flammable gas or combustibles near the product.

• There is risk of fire or failure of product.



If strange sounds, or small or smoke comes from product. Turn the breaker off or disconnect the power supply cable.

• There is risk of electric shock or fire.



When the product is soaked (flooded or submerged), contact an Authorized Service Center.

• There is risk of fire or electric shock.



Do not use the product in a tightly closed space for a long time.

Oxygen deficiency could occur.



Stop operation and close the window in storm or hurricane. If possible, remove the product from the window before the hurricane arrives.

• There is risk of property damage, failure of product, or electric shock.



Be cautious that water could not enter the product.

• There is risk of fire, electric shock, or product damage.



Turn the main power off when cleaning or maintaining the product.

There is risk of electric shock.



When the product is not be used for a long time, disconnect the power supply plug or turn off the breaker.

• There is risk of product damage or failure, or unintended operation.

Take care to ensure that nobody could step on or fall onto the outdoor unit.

This could result in personal injury and product damage.



Installation

Always check for gas (refrigerant) leakage after installation or repair of product.

• Low refrigerant levels may cause failure of product.



Do not install the product where the noise or hot air from the outdoor unit could damage the neighborhoods.

• It may cause a problem for your neighbors.



Operation

Do not expose the skin directly to cool air for long periods of time. (Don't sit in the draft.)

• This could harm to your health.



Install the drain hose to ensure that water is drained away properly.

A bad connection may cause water leakage.



Use two or more people to lift and transport the product.

· Avoid personal injury.



Keep level even when installing the product.

To avoid vibration or water leakage.




Do not install the product where it will be exposed to sea wind (salt spray) directly.

 It may cause corrosion on the product. Corrosion, particularly on the condenser and evaporator fins, could cause product malfunction or inefficient operation.



Do not use the product for special purposes, such as preserving foods, works of art, etc. It is a consumer air conditioner, not a precision refrigeration system.

 There is risk of damage or loss of property.



Do not block the inlet or outlet of air flow.

• It may cause product failure.



Do not step on or put anyting on the product. (outdoor units)

• There is risk of personal injury and failure of product.



Do not drink the water drained from the product.

• It is not sanitary and could cause serious health issues.



Do not recharge or disassemble the batteries. Do not dispose of batteries in a fire.

They may burn or explode.



Use a soft cloth to clean. Do not use harsh detergents, solvents, etc.

• There is risk of fire, electric shock, or damage to the plastic parts of the product.



Always insert the filter securely. Clean the filter every two weeks or more often if necessary.

• A dirty filter reduces the efficiency of the air conditioner and could cause product malfunction or damage.



Use a firm stool or ladder when cleaning or maintaining the product.

• Be careful and avoid personal injury.



If the liquid from the batteries gets onto your skin or clothes, wash it well with clean water. Do not use the remote if the batteries have leaked.

• The chemicals in batteries could cause burns or other health hazards.



Do not touch the metal parts of the product when removing the air filter. They are very sharp!

• There is risk of personal injury.



Do not insert hands or other objects through the air inlet or outlet while the product is operated.

• There are sharp and moving parts that could cause personal injury.



Replace the all batteries in the remote control with new ones of the same type. Do not mix old and new batteries or different types of batteries.

There is risk of fire or explosion



If you eat the liquid from the batteries, brush your teeth and see doctor. Do not use the remote if the batteries have leaked.

• The chemicals in batteries could cause burns or other health hazards.



Prior to Operation

Preparing for operation

- 1. Contact an installation specialist for installation.
- 2. Use a dedicated circuit.

Usage

- 1. Being exposed to direct airflow for an extended period of time could be hazardous to your health. Do not expose occupants, pets, or plants to direct airflow for extended periods of time.
- 2. Due to the possibility of oxygen deficiency, ventilate the room when used together with stoves or other heating devices.
- 3. Do not use this air conditioner for non-specified special purposes (e.g. preserving precision devices, food, pets, plants, and art objects). Such usage could damage the items.

Cleaning and maintenance


- 1. Do not touch the metal parts of the unit when removing the filter. Injuries can occur when handling sharp metal edges.
- 2. Do not use water to clean inside the air conditioner. Exposure to water can destroy the insulation, leading to possible electric shock.
- 3. When cleaning the unit, first make sure that the power and breaker are turned off. The fan rotates at a very high speed during operation. There is a possibility of injury if the unit's power is accidentally triggered on while cleaning inner parts of the unit.

Service

For repair and maintenance, contact your authorized service dealer.

Operating Instructions

Name and function of wired remote controller(Accessory)



- 1. Operation indication screen
- 2. Set temperature button

• It will set not room temperature but outlet air temperature.


- 3. Fan speed button
 - Fan Speed have 3 Steps.
 - Middle and Low step is same
- 4. ON/OFF button
- 5. Opration mode selection button
- 6. Wireless remote controller receiver
 - Some products don't receive the wireless signals.
- 7. Air flow button
- 8. Subfunction button
- 9. Function setting button
- 10. Ventilation button
- 11. Reservation
- 12. Up,down,left,right button
 - To check the indoor temperature, press $\bigcap_{i=1}^{m}$ button.
- 13. Room temperature button
 - Displays only the room temperature of the remote controller perception.
 - There is no control of room temperature.
 - In case of fresh air intake unit, displays only the temperature around remote controller.
- 14. Setting/Cancel button
- 15. Exit button

* Some functions may not be operated and displayed depending on the product type.

* It will display strange value to the room temperature if wired remote controller is not connected.


Model : PQRCVSL0 (Black Color) PQRCVSL0QW (White Color)

Name and function of wired remote controller(Optional)



PQWRCDF0 (Heat pump) PQWRHDF0 (Cooling only)

-Operation Mode



- 1. Plasma button (optional) Used to start or stop the plasma-purification function.
- 2. Jet cool button Speed cooling operates super high fan speed.
- **3. Operation mode selection button** Used to select the operation mode.
- 4. Function setting button Used to set or clear auto clean or smart clean.
- 5. LCD luminosity button (optional) Used to adjust LCD luminosity
- 6. Smart clean button (optional) Used to start or stop smart clean.
- 7. Clear all button Used to clear all timer.
- 8. Room temperature setting button Used to select the room temperature.
- 9. ON/OFF button Used to turn off/on the unit.
- 10. Indoor fan speed selection button Used to select fan speed in four steps low, medium, high and chaos.
- Auto swing button
 Used to stop or start louver movement and set the
 desired up/down airflow direction.
- 12. Horizontal airflow direction control button (optional) Used to set the desired horizontal airflow direction.
- 13. Timer and time setting button

Used to set the time of starting or stopping and sleeping operation.

- **14. Room temperature checking button** Used to check the room temperature.
- 15. °C/ F switch button Used to switch temperature reading from Celsius to Fahrenheit.
- 16. Reset button

Used to reset the remote controller.

Maintenance and Service



CAUTION: Before performing any maintenance, turn off the main power to the system.

Grille, Case, and Remote Controller


□ Turn the system off before cleaning. To clean, wipe with a soft, dry cloth. Do not use bleach or abrasives.



NOTICE Power supply must be disconnected before cleaning the indoor unit.


Air Filters

The air filters behind the front grille should be checked and cleaned once every 2 weeks or more often if neccessary.



- Never use any of the followings:
 - Water hotter than 40°C. Could cause deformation and/or discoloration.
 - Volatile substances. Could damage the surfaces of the air conditioner.






- 1. Remove the Air filters.
 - Take hold of the tab and pull slightly forward to remove the filter.



CAUTION: When the air filter is to be removed, do not touch the metal parts of the indoor unit. It may cause an injury.

- 2. Clean dirt from the air filter using a vacuum cleaner or washing with water.
 - If dirt is conspicuous, wash with a neutral detergent in lukewarm water.
 - If hot water (50°C or more) is used, it may be deformed.
- 3. After washing with water, dry well in the shade.
 - Do not expose the air filter to direct sunlight or heat from a fire when drying it.
- 4. Install the air filter.

When the air conditioner is not going to be used for a long time.



Operation Tips

Do not overcool the room. This is not good for the health and wastes electricity.	Keep blinds or curtains closed. Do not let direct sunshine enter the room when the air conditioner is in operation.	Keep the room temperature uniform. Adjust the vertical and horizontal airflow direction to ensure a uniform temperature in the room.
Make sure that the doors	Clean the air filter regularly.	Ventilate the room
and windows are shut tight.	Blockages in the air filter	occasionally.
Avoid opening doors and	reduce the airflow and lower	Since windows are kept
windows as much as possible	cooling and dehumidifying	closed, it is a good idea to
to keep the cool air in the	effects. Clean at least once	open them and ventilate the
room.	every two weeks.	room now and then.

Before you call for service...



Troubleshooting Tips! Save time and money!

Check the following points before requesting repairs or service.... If the malfunction persists, please contact your dealer.

The air conditioner does not operate.	The room has a peculiar odor.	It seems that condensation is leaking from the air conditioner.	Air conditioner does not operate for about 3 minutes when restart.
 Have you made a mistake in timer operation? Has the fuse blown or has the circuit breaker been tripped? 	Check that this is not a damp smell exuded by the walls, carpet, furniture or cloth items in the room.	Condensation occurs when the airflow from the air conditioner cools the warm room air.	 This is the protector of the mechanism. Wait about three minutes and operation will begin.
Does not cool or heat effectively.	The air conditioner operation is noisy.	Crack sound is heard.	Remote control display is faint, or no display at all.
 Is the air filter dirty? See air filter cleaning instructions. The room may have been very hot when the room air conditioner was first turned on. Allow time for it to cool down. Has the temperature been set incorrectly? 	 For a noise that sounds like water flowing. This is the sound of freon flowing inside the air conditioner unit. For a noise that sounds like the compressed air releasing into 	 This sound is generated by the expansion/ constriction of the front panel, etc. due to changes of temperature. Filter sign lamp (LED) is ON. 	 Are the batteries depleted? Are the batteries inserted in the opposite (+) and (-) directions?
Are the indoor unit's air inlet or outlet vents obstructed?	atmosphere. -This is the sound of the dehumidifying water being processed inside the air conditioning unit.	 Cleaning the filter, press the Timer button and	

NOTICE

WATER RESISTANT: The outdoor side of this appliance is WATER RESISTANT. The indoor side is not water resistant and should not be exposed to excess water.

