

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



ADAMS GH45 Owner's Manual

[Shop genuine replacement parts for ADAMS GH45](#)




[Find Your ADAMS HVAC Parts - Select From 98 Models](#)

----- Manual continues below -----



Clearances to Combustibles

Top	1"
Flue	4"
Access Side	18"
Non-Access Side	1"
Bottom	1"
Rear	18"



ADAMS


MANUFACTURING COMPANY

9790 Midwest Ave., Cleveland, Ohio 44125

Telephone (216) 587-6801

Fax (216) 587-6807

E-mail: Adamsx@worldnet.att.net



Designed specifically for areas with space limitations.

Available in the right size for just about any residential application.

Unit	Btu/Hr Input	Application
GH30	30,000	1 to 1-1/2 Car Garage
GH45	45,000	2 to 2-1/2 Car Garage
GH60	60,000	3 to 3-1/2 Car Garage
GH75	75,000	Large Garage Commercial & Light Industrial

- Certified for residential and commercial applications.
- Designed for natural or LP gases.
- Attractive low-profile design will blend inconspicuously into any garage decor.
- Quiet vibration-free operation.
- Standard power exhaust simplifies side-wall or roof venting with small-diameter vent pipe.
- Installs quickly and easily with field wiring connections for quick access to gas and electricity.
- Lightweight, easily installs from the ceiling with only 2 angle brackets (included).
- Versatile design allows for right or left-hand piping and installation. Gas, electrical and flue connections can be changed from one side to the other by simply flipping the unit over.
- Sealed, permanently-lubricated motor for trouble-free dependability.
- 10-year warranty on heat exchanger.
- Manufactured in the United States.



Mounting

1" angle, mounting brackets are slotted to accommodate joists on 16" or 24" centerlines.

Dimensions

Gas-fired unit heaters model GH

