

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



MAJESTIC 3801DVNVC Owner's Manual

[Shop genuine replacement parts for MAJESTIC
3801DVNVC](#)



[Find Your MAJESTIC Fireplace Parts - Select From 585 Models](#)

----- Manual continues below -----

Majestic Direct Vent Insert Systems
ENJOY INCREASED HEATING EFFICIENCY



MAJESTIC 

It's easy to convert your old, inefficient masonry fireplace into an attractive and efficient focal point of your home with Direct Vent Insert Systems from Majestic. Featuring sleek style, realistic flames and powerful heat output, you'll be able to enjoy the warmth and comfort of an efficient fireplace that helps save on fuel costs. Choose from various trim and surround styles to create the perfect look for your home.

20ILDV with optional Black Beveled surround with hood shown on cover



TOPAZ
30ILDV with Black Texture
Beveled surround with louvers

TOPAZ DIRECT VENT INSERT SYSTEM 20ILDV, 30ILDV & 40ILDV

Featuring a large viewing area, you can easily admire the dancing flames from our Natural Flame™ burner and enjoy the warmth of up to 39,000 BTUs. A variable thermostat controlled forced air blower helps turn your fireplace into the cozy, cost-effective heat source you want. Available in two styles and colors of designer facings, these units are a perfect fit for any room.

Standard Features

- Clean face design
- Natural Flame™ burner with ceramic fiber log set
- 3" intake and 3" exhaust vent pipe connectors for chimney flex liners
- Thermostat blower (160 cfm) standard
- 18" flex line with On/Off shut-off valve
- ON/OFF shut-off valve with easy access panel conveniently located on side of the firebox



Tavern Brown firebrick



Optional Accessories — Surrounds for Topaz Direct Vent Insert Systems



Colonial surround in
Iron Age with filigree option



Beveled surround in
Black Texture with hood option



Beveled surround in
Black Texture with filigree option



Beveled surround in
Black Texture with louver option

Also available in Iron Age

AMBER

DIRECT VENT INSERT SYSTEM

380IDV

The Amber Direct Vent Insert System features standard Black filigree trim and Tavern Brown firebrick to create a stylish, custom look. With a large viewing area of 382 square inches, the ambience from the fire will fill the room. And, with up to 30,500 BTUs of heating power, you'll be sure to stay warm and comfortable. To make this fireplace insert truly your own, choose from a variety of optional accessories for the perfect look.

Standard Features

- Seven piece ceramic fiber logs featuring a patented Natural Flame™ burner with random dancing flames and large ember bed
- Millivolt with on/off switch and variable flame height control in natural gas or propane gas
- Black filigree panels
- Natural or propane field convertible
- Flexible connector with On/Off shut off valve included
- Consumer friendly deluxe control panel with on/off switch
- Thermostat controlled blower



Tavern Brown firebrick

Optional Accessories — Trim and Surrounds for Amber Direct Vent Insert System



42/29 or 46/32 Black Flat Surround



42/29 or 46/32 Black Beveled Surround



1380SMBL Black Clean Face Surround

1380SMBL Clean Face Surround



Cabinet doors and door frames available in black



AMBER 380IDV with optional 1380SMBL surround



DIRECT VENT INSERTS

Dimensions Chart

Model #	20ILDV	30ILDV	40ILDV
BTU	13,000 - 20,000 NG / 16,000 - 20,000 LP	20,500 - 30,000 NG / 23,000 - 30,000 LP	27,000 - 39,000 NG / 30,000 - 38,000 LP
FE Ratings (Cdn. Fireplace Efficiency)	65% NG / 73.9% LP	71.9% NG / 83.7% LP	70.8% NG / 79.8% LP
Dimensions (Actual)	30 1/4"W x 17 7/8"H x 15 15/16"D	34 3/8"W x 20 3/4"H x 17 5/8"D	37 7/16"W x 23 3/8"H x 18 3/8"D
Fireplace Opening Dimensions	22 1/2"W (Front Width) x 18"H x 14"D x 15 1/8" (Rear Width)	28"W (Front Width) x 21"H x 16"D x 18" (Rear Width)	31"W (Front Width) x 23 1/2"H x 16 1/2"D x 23" (Rear Width)
Viewing Area	280 sq. in.	409 sq. in.	512 sq. in.
Design Certified	CSA	CSA	CSA

Model #	380IDV
BTU	20,500 - 30,500 (NG) 22,000 - 28,000 (LP)
FE Ratings (Cdn. Fireplace Efficiency)	69.6% NG / 66.2% LP
Dimensions (Actual)	28"W x 21"H x 16"D
Fireplace Opening Dimensions	28"W x 16"H
Viewing Area	382 sq. in.
Design Certified	CSA

Additional Accessories



See our Ambient Technologies® catalog for complete line of remotes and thermostats.

Your Majestic Dealer: _____

MAJESTIC



A Brand of Monessen Hearth Systems Co.

149 Cleveland Drive, Paris, Kentucky 40361

www.majesticproducts.com



To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2011 Monessen Hearth Systems Co. 10828-0111



For more information about MHSC and Majestic efficient and environmentally friendly products, please visit www.majesticproducts.com
Ver.06 8408MAJ