

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



# MAJESTIC OXFORD OXV30NV Owner's Manual

[Shop genuine replacement parts for MAJESTIC  
OXFORD OXV30NV](#)



[Find Your MAJESTIC Fireplace Parts - Select From 585 Models](#)

----- Manual continues below -----



Direct Vent Cast Stoves

MAJESTIC 

Add the traditional look and warmth of a stove to any room with our wide selection of direct vent stoves from Majestic. These direct vent stoves combine the heritage appeal of fine craftsmanship with the convenience of contemporary technology to ensure optimal functionality and timeless beauty.

## THE CONCORDE SERIES CAST IRON DIRECT VENT STOVES

The elegant castings of the Concorde direct vent stove are timeless in their design and complement any décor or setting. The intricate design and detailing will add character to any room. Designed with the latest direct-vent technology, this stove proves to be a clean burning, efficient heater and is easily installed into almost any room. Traditional styling combined with the warmth and ambiance of a fire make the Concorde Series direct vent gas stove a valued addition to your home. Our designers have meticulously scrutinized every detail to ensure that you receive the finest gas stove built today.



CSDV40S direct vent cast iron stove with a single door in Enamel Sand

Give people a place to gather – make fire the focal point of your room again with our Direct Vent Cast Stoves from Majestic.



CSDV30S direct vent cast stove with a single door in Enamel Brown



CSDV20D direct vent cast stove with double doors in Enamel Brown



CSDV30D direct vent cast stove with double doors in Enamel Black

## CONCORDE SERIES DIRECT VENT STANDARD FEATURES:


- High quality castings
- Large viewing area
  - 126 square inches (CSDV20)
  - 230 square inches (CSDV30)
  - 300 square inches (CSDV40)
- Available in natural or propane gas models
- Robust lively flames, glowing logs and a large ember bed on a pan style burner provide both ambiance and warmth to any setting
- Reliable millivolt system operates even during power outages
- Operator friendly deluxe control panel with color illustrated decal
- Battery operated pilot ignition system makes startup a snap
- Variable flame control
  - CSDV20**–12,500 to 18,000 Btu/hr input (natural gas) and 15,000 to 19,000 Btu/hr input (propane gas)
  - CSDV30**–17,000 to 28,500 Btu/hr input (natural gas) and 21,000 to 28,000 Btu/hr input (propane gas)
  - CSDV40**–26,000 to 33,000 Btu/hr input (natural gas) and 26,000 to 30,000 Btu/hr input (propane gas)
- Options include a heat activated variable speed blower (excluding CSDV20), remote controls or wall thermostat
- Thermal efficiency up to 80%

CSDV30D direct vent cast stove with double doors in Enamel Brown shown on cover

## Optional Accessories

### CONCORDE SERIES DIRECT VENT OPTIONAL FEATURES:

- Options include a heat activated variable speed blower (excluding CSDV20), remote controls or wall thermostat



Easy snap on fixed bubble screen with decorative handle available in three sizes (For use with double door models only)



Warming shelf available in Graphite, Enamel Black, Brown and Sand



Graphite



Enamel Black



Enamel Brown



Enamel Sand



Multi-functional Ambient Technologies® remote controls available for all units



Programmable wireless wall thermostat with receiver



Touch screen handheld ON/OFF remote

See our Ambient Technologies® catalog for a complete line of remotes and thermostats.



Oxford direct vent gas stove

## OXFORD DIRECT VENT GAS STOVE

The perfect addition to any room. Available in direct or natural vent, this beautiful stove combines the elegance of a woodburning stove with the convenience of gas. The solid cast iron construction features our radiant ceramic burner system with a large glass viewing area allowing maximum viewing pleasure. It will add new warmth to any room in your home.

### OXFORD DIRECT VENT GAS STOVE STANDARD FEATURES:

- Classic black finish
- BTUs: 28,000 high to 21,000 low
- Room heater rated – 81% efficiency
- Ceramic glass front
- Realistic 'split oak' ceramic fiber log set
- Discreet access door conceals gas control system
- Weight: 238lbs.
- All cast iron construction (firebox and shell)
- Insta-Flame Radiant Ceramic burner system provides vibrant flames and a glowing ember bed
- Large glass front flame viewing area
- Stove shipped as natural gas; LP Conversion Kit included
- 4" side, rear and corner clearances to combustible
- Can be installed directly on rigid wood flooring

### SPECIFICATIONS:

- EnerGuide efficiency rating: 61.3%
- Thermal efficiency rating: 81%
- AFUE by D.O.E. efficiency: 71%

### Optional Accessories

#### OXFORD SERIES DIRECT VENT OPTIONAL FEATURES:

- FK26
- Wall mounted thermostat
- Multi-functional Ambient Technologies® remote controls available for all units

## Direct Vent Cast Stoves

| Model                                     | CSDV20              | CSDV30              | CSDV40              | OXDV30        |
|---|---------------------|---------------------|---------------------|---------------|
| Shipping Weight (Lbs)                     | 175                 | 200                 | 235                 | 238           |
| Width                                     | 20 7/8"             | 26 1/2"             | 29 1/2"             | 24 1/2"       |
| Depth                                     | 18 3/4"             | 21"                 | 22"                 | 17"           |
| Height                                    | 23 1/2"             | 28 1/2"             | 30 1/2"             | 28 3/8"       |
| Fire Viewing Area (Sq. Inch)              | 126                 | 230                 | 300                 | 160           |
| Flue Size                                 | 4" x 6.625"         | 4" x 6.625"         | 4" x 6.625"         | 4" x 7"       |
| BTU/hr Input Rate (NG)                    | 12,500–18,000       | 17,000–28,000       | 26,000–33,000       | 28,000–20,000 |
| BTU/hr Input Rate (LP)                    | 15,000–19,000       | 21,000–28,000       | 26,000–30,000       | 28,000–19,000 |
| FE/P4 Ratings (Cdn. Fireplace Efficiency) | 51.8% NG / 54.7% LP | 53.1% NG / 56.4% LP | 57.5% NG / 59.9% LP | 61.3%         |
| Thermal Efficiency (%)                    | 80                  | 80                  | 80                  | 81            |
| Heating Capacity (Sq. ft.)                | 500                 | 1,200               | 1,800               | 1,200         |

**Note:** Square foot heating capacities are approximations only. They will vary depending upon the level of insulation, climate, house design, ceiling height, ambient outside temperatures and how the appliance is operated.  
**Tested to Canadian Standards Association's CSA4.1-02 testing method for measuring fireplace efficiency.**

For more information about MHSC and Majestic efficient and environmentally friendly products, please visit [www.majesticproducts.com](http://www.majesticproducts.com)



# MAJESTIC



A Brand of Monessen Hearth Systems Co.  
 149 Cleveland Drive, Paris, Kentucky 40361  
[www.majesticproducts.com](http://www.majesticproducts.com)

Your Majestic Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2010 Monessen Hearth Systems Co.

Ver.01 1110MAJ