



Vent Free Fireplace Systems

MAJESTIC 

VFS Vent Free Fireplace System

Featuring the Triple Play Burner System®, the VFS vent free fireplace system from Majestic offers loose embers, glowing logs and dancing yellow flames in one complete fireplace package. Perfect for any room in any home, these vent free systems are available in both 24 and 32 inch sizes and offer 22,000 or 26,000 BTUs. VFS is available with either three or five logs and standard millivolt control operation.

Chesapeake vent free fireplace system with Tavern Brown firebrick and Dark Walnut wall cabinet shown on cover



24VFSC with optional Dark Cherry corner surround, Brass louvers and Tavern Brown firebrick

Give people a place to gather – make fire the focal point of your room again with a vent free fireplace system or insert from Majestic.



24VFSC with Tavern Brown firebrick



32VFSC with black trim and Tavern Brown firebrick



DBX24 with optional face plate,
Brass louvers and Tavern Brown firebrick



24VFSC with Black surround
and Tavern Brown firebrick

DBX Vent Free System

Approved for bedroom use at 10,000 BTU's, the DBX model comes with a 1 piece, two log design and offers thermostat operation. With standard black trim and louvers or with the optional polished brass trim, louvers and Tavern Brown firebrick, the DBX vent free fireplace system from Majestic makes it easy to add warmth and beauty anywhere in your home.

Chesapeake Vent Free System

Make nearly any room in any home a gathering place with the efficient Chesapeake Vent Free Fireplace System. This system comes complete with firebox, strikingly realistic log set and beautifully crafted cabinet – ready to install. Featuring the Triple Play Burner System®, the Chesapeake provides loose embers, glowing logs and yellow flames all in one complete package. Available in both 24 and 32 inch sizes and with up to 26,000 BTUs, the Chesapeake comes with your choice of Dark Walnut or Unfinished cabinet. Available with optional Tavern Brown firebrick, variable thermostat controlled forced air blower, and remote control, the Chesapeake from Majestic is the perfect way to make your house a home.



Chesapeake vent free fireplace system with Dark Walnut wall cabinet

VFH Vent Free System

Our VFH series of vent free fireplace systems offer a full sized fireplace in 32, 36 and 42 inch sizes that make fire the focal point of your room again. With an easy to use deluxe control panel, BTU's ranging from 26,000 – 38,000, and a wide variety of optional accessories to choose from including interior firebrick choices, decorative face options and trim finishes, the VFH vent free fireplace systems from Majestic are an elegant way to warm up any room in your home.



36VFHC with black trim and Cottage Red firebrick



32VFHC with Brass louvers, Brass trim and Cottage Red firebrick

ISD Vent Free System

The ISD vent free fireplace insert from Majestic is the perfect way to bring your existing wood burning fireplace to life again without the hassle of making a wood fire. This easy to install vent free insert will fit most standard masonry fireplaces with a minimum opening of 24 inches high and 33 inches wide. Available with standard black or optional brass trim and louvers as well as an optional brass face, this insert offers an impressive BTU range from 19,000 to 28,000 keeping up to 950 square feet warm and cozy.



ISD with optional face plate and Polished Brass louvers



Parlor shown with White cabinet with Grey Cobbled Fieldstone brick liner and Iron Age Colonial face

THE PARLOR VENT FREE FIREPLACE SYSTEM

The unique and versatile design of the Parlor vent free fireplace system makes it the perfect choice for just about any room in any home. Including fiber ceramic logs, multiple face and brick options and 20,000 BTUs, the Parlor offers excellent heating capacity and design flexibility as well. Standard millivolt control operation, Piezo igniter and CSA design certified, the 20" Parlor is available in both natural gas and propane models.

Parlor shown in corner Dark Walnut cabinet with Black Colonial face and Cobbled Fieldstone liner (Cabinet available in unfinished. Painted white for photograph.)

STANDARD FEATURES FOR ALL SYSTEMS:

- New Triple Play Burner System® with exclusive triple effect technology producing a full random yellow flame, full depth ember bed and glowing logs (Does not apply to PL20)
- Flexible connector included
- No venting required for ease of installation
- Consumer friendly deluxe control panel with easy lift off access for blower installation (Does not apply to PL20)
- Fixed safety screen
- Junction box included for electrical hook up
- CSA design certified

DBX:

- Thermostat control operation
- Single burner design with 10,000 BTU for bedroom applications
- Black trim and black louvers standard
- 10 1/2" overall depth

VFS:

- Available in two sizes: 24" and 32"
- 24VFS 22,000 BTU and 32VFS 26,000 BTU
- Black trim and black louvers standard
- 24VFS 10 1/2" overall depth and 32VFS 12" depth
- Optional firebrick and face plate options available

CFX:

- Comes with a unique, fully assembled fireplace package featuring a gas fireplace system, a beautifully crafted wood cabinet, and an elegant designer facing
- Cabinet available in Dark Walnut or Unfinished
- Available in 24" and 32" fireplace models
- 22,000, or 26,000 BTU models
- Millivolt control operation

VFH:

- Available in three sizes: 32", 36" and 42" units
- Available with 38,000 BTU natural gas and 34,000 BTU propane gas
- Black trim and louvers standard
- 32VFH has 16" overall depth; 36VFH & 42VFH has 18" depth
- Optional firebrick and faces available
- Can be field converted from circulation to radiant with optional radiant panels

ISD:

- Tavern Brown firebrick standard
- Minimum fireplace opening 33"W x 24"H
- Thermostatically controlled blower

PL20:

- Accent light
- Ceramic fiber log set
- Millivolt control operation

Optional Accessories

	DBX	VFS	CFX	VFH	ISD	PL20
Tavern Brown Firebrick	X	X	X	X		
Cottage Red Firebrick				X		
BLO24TB	X					
BLO24T		X*	X*			
BLOT		X*	X*	X		
Polished Brass louvers	X	X		X	X	
Pewter louvers				X		
Black face plate	X				X^	
Black, Brass & Pewter curved and med trim				X		
Classic faces				X		
Manor faces				X		
Corner/wall cabinets		X		X		X
Multi-functional Ambient Technologies® remote controls		X	X	X	X	X
Arched Firebrick						X
Parlor Faces						X

*VFS32 and CFX32 takes BLOT, VFS24 and CFX24 takes BLO24T

^ISD has choice of two sizes: 43"W x 33" H or 50"W x 36" H



Tavern Brown firebrick



Cottage Red firebrick



Pewter louvers



Brass louvers



Unfinished Cabinet



Medium Pewter trim



Medium Brass trim



Medium Black trim

Thermostat ON/OFF remote control with 3-step flame height adjustment and 3-speed blower control with receiver



Touch screen hand held ON/OFF remote



Programmable wireless wall thermostat with receiver



Variable thermostat controlled forced air blower (135 cfm)

See our Ambient Technologies® catalog for a complete line of remotes and thermostats.

Parlor Optional Accessories

- Multiple PL20 faces and brick options (one of each required)
- Wood cabinets in flush and corner configurations in two finishes (Unfinished and Dark Walnut)
- Removable screen front



Adobe arched firebrick liner and Black Classic face



Tuscany arched brick liner and Black Colonial face



Arched Grey Cobbled Fieldstone brick liner and Iron Age Colonial face

Vent Free Fireplace Systems

Model	24VFSC	32VFSC	DBX24C
BTU / HR (Millivolt Control)	17,000 - 22,000 NG / 17,000 - 22,000 LP	20,000 - 26,000 NG / 20,000 - 26,000 LP	
BTU / HR (Thermostat Control)			10,000 - 10,000 NG / 10,000 - 10,000 LP
Dimensions (Actual)	24 1/2"W x 26 1/2"H x 10 1/2"D	32"W x 30"H x 12"D	24 1/2"W x 26 1/2"H x 10 1/2"D
Dimensions (Framing)	24 3/4"W x 26 3/4"H x 10 1/2"D	32 1/2"W x 30 1/4"H x 12 1/4"D	24 3/4"W x 26 3/4"H x 10 1/2"D
Viewing Area	26 1/2"W x 26 1/2"H (700 sq. inches)	30"W x 30"H (900 sq. inches)	17 1/3"W x 17 1/3"H (300 sq. inches)
Model	CFX24	CFX32	
Gas Type	Natural or LP	Natural or LP	
BTU / HR	22,000 NG / LP	26,000 NG / LP	
Thermal Efficiency	Up to 99%	Up to 99%	
Actual Dimensions(Incl Cabinet)	49 1/2"W x 42"H x 17"D	58"W x 46"H x 18"D	
Blower	Optional	Optional	
Model	32VFHC	36VFHC	42VFHC
BTU / HR (Millivolt Control)	26,000 - 38,000 NG / 26,000 - 34,000 LP	26,000 - 38,000 NG / 26,000 - 34,000 LP	26,000 - 38,000 NG / 26,000 - 34,000 LP
Dimensions (Actual)	37"W x 34 1/2"H x 16"D	41"W x 34 1/2"H x 18"D	47"W x 34 1/2"H x 18"D
Dimensions (Framing)	37 1/4"W x 35"H x 15 1/2"D	41 1/4"W x 35"H x 17 1/2"D	47 1/4"W x 35"H x 17 1/2"D
Opening Height	21 3/4"H	21 3/4"H	21 3/4"H
Radiating or Circulating	Both	Both	Both
Model	ISD Insert Only	Small Face Plate	Large Face Plate
BTU / HR	19,000 - 28,000 NG / 23,000 - 28,000 LP		
Dimensions (of Front)	33"W x 26 3/4"H x 16 1/2"D	43 1/4"W x 33"H	50 1/4"W x 36"H
Dimensions (of Back)	22 3/4"W x 23 7/8"H x 17 9/16"D		
Total Depth of Insert	16 1/2"D*		
Heating Area	950 sq. ft		
Model	PL20NV	PL20PV	
Fuel Type	NG	LP	
BTU/HR	20,000	20,000	
Thermal Efficiency	up to 99%	up to 99%	
Dimensions (Actual)	19 1/2"W x 31 7/8"H x 10 1/2"D	19 1/2"W x 31 7/8"H x 10 1/2"D	
Dimensions (Framing)	20"W x 32 1/8"H x 10"D	20"W x 32 1/8"H x 10"D	
Fireplace Opening	17 3/8"W x 22 1/4"H	17 3/8"W x 22 1/4"H	
Heating Area (approx)	352 sq. ft	352 sq. ft	
Certifying Org.	CSA	CSA	

*Note: Faceplate adds 1/2" for a total depth of 17"

For more information about MHSC and Majestic efficient and environmentally friendly products, please visit www.majesticproducts.com



MAJESTIC



A Brand of Monessen Hearth Systems Co.
149 Cleveland Drive, Paris, Kentucky 40361
www.majesticproducts.com

Your Majestic Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2010 Monessen Hearth Systems Co.

Ver.05 8208MAJ