

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



MAJESTIC SOVEREIGN SR42 Owner's Manual

[Shop genuine replacement parts for MAJESTIC
SOVEREIGN SR42](#)



[Find Your MAJESTIC Fireplace Parts - Select From 585 Models](#)

----- Manual continues below -----



Wood Burning Fireplaces

MAJESTIC 

Wood Burning Fireplaces

ROYALTON SERIES

Majestic lets you create a gathering place like no other – with the authentic style of a natural wood burning fireplace. Best of all, it provides generous amounts of radiant heat with no smoke baffles to obstruct your view of the fire. Ready to unleash the designer in you? Enjoy the warmth, comfort, and elegance of a royal wood fire. Nothing can beat the Royalton wood burning fireplace from Majestic for adding warmth and comfort to your home. These fireplaces offer top-of-the-line features and aesthetics, all in an economical and easy-to-install package.

SOVEREIGN SERIES

The Sovereign Wood Burning fireplace from Majestic adds the warmth of radiant or circulating heat and an unobstructed view of the fire to any room in your home. Available in both 36 and 42 inch sizes, the Sovereign offers a totally refractory-lined firebox and a classic brick pattern hearth for easy ash clean up. With it's black mesh fire screen, cast iron flue, large heavy duty grate and ash lip, this classic-looking wood burning fireplace will add elegance and tradition to any room.

Give people a place to gather – make fire the focal point of your room again with a wood burning fireplace from Majestic.



Royalton BC36 wood burning fireplace




Sovereign SR36A wood burning fireplace



Sovereign SC42A wood burning fireplace

WARMMAJIC

Add a little magic to your home with the WarmMajic wood burning fireplace from Majestic. The WarmMajic features a dual chambered, heat circulating design which takes in cool room air through the lower grille, heats it as it passes around the bottom, back and sides of the hot firebox surface, and then returns that hot air out the top grille and into the room. Available in both 36 and 42 inches sizes along with optional bi-fold doors and ornamental grille, the WarmMajic takes the natural beauty of a wood burning fire to a new level.



WarmMajic WMC36



Monarch BFC36 PureEnergy Balanced-Flue Fireplace




Biltmore SB50HB wood burning fireplace shown with standard Herringbone brick design.

BILTMORE SB

Capturing the drama of a real wood fire requires the regal presence of a large fireplace. The SB series of wood burning fireplaces from Majestic offer an impressive range of model sizes: 38, 44 and 50 inch models with large viewing areas. These radiant wood burning fireplaces come with a firebrick interior available in either a standard refractory brick pattern or a Herringbone pattern and offer a tilt up heavy duty grates for easy ash clean up.

MONARCH BFC

Using a balanced flow of outdoor air for optimal combustion, the Monarch BFC PureEnergy Balanced-Flue Fireplace creates cleaner air both indoors and out, provides an efficient source of heat and uses less firewood. This low maintenance, Clean-Burn technology eliminates the need for a catalytic combustor and the brushed black doors with ceramic glass eliminate heat loss while increasing heat transfer into the room. With traditional hearth brick, ash lip, large heavy duty grate and optional ornamental grille, the Monarch offers your home the latest wood burning technology wrapped in traditional beauty.



SSTB wood burning fireplace shown with standard black doors



Royal See-thru Designer STR36

DESIGNER SERIES

The Designer wood burning fireplaces from Majestic take the traditional wood fire to a whole new level. Elegantly styled and available in See-Thru, Corner and Peninsula models, these fireplaces offer an expansive view and exciting design applications. Both the Corner and Peninsula models offer standard radiant design and refractory brick interiors, that rival their masonry counterparts.

Available in 36 and 42 inch sizes, our See-Through Designer wood burning fireplaces offers an expansive viewing area with no smoke baffles for a clean, sophisticated look that really showcases the natural beauty of a wood fire. With its heavy duty grate, log-lighter access and standard refractory lined firebox, the See-Through from Majestic provides double the viewing pleasure!

STANDARD FEATURES:

- Fireplace interiors have all refractory brick to provide a realistic masonry look, with steel mesh molded in for durability
- Damper included to help prevent heat loss when fireplace is not in use
- Gas knockouts on both sides of the fireplace for adding gas appliances

ROYALTON: (Shown on Cover)

- Available in 36" and 42" opening widths in both radiant (BR) and circulating (BC)
- Totally refractory-lined firebox. The hearth is lined with a classic brick pattern for easy ash clean up
- Tapered firebox sides assure greater reflection of radiant heat
- Black wire mesh fire screen with stylish black pulls protects against sparks
- Built-in cast iron flue damper that helps reduce home heat loss when the fireplace is not in use

- Black fire screens to protect against sparks
- Tilt-up heavy duty grate allows for easy clean up of ashes
- Sturdy nailing flange secures unit during construction

SOVEREIGN

- Available in 36" and 42" opening widths in both Radiant (SR36A/SR42A) and Heat Circulating Models (SC36A/SC42A)
- Tapered Firebox Sides assure greater reflection of radiant heat
- Built-In Cast Iron Flue Damper in 42". Steel Damper in 36" Dampers help reduce home heat loss when the fireplace is not in use
- Totally refractory-lined firebox. The hearth is lined with a classic

- Built-in ash lip helps reduce ash spillage
- Generous wood basket grate made of durable 1/2" steel
- Gas line access has easy knockout on both sides of firebrick for optional gas logs
- Factory installed outside air connection
- Insulated models for cold-climate installations available (indicated by suffix "I")

WARMMAJIC

- Available in 36" and 42" models
- 160 - cfm Forced Air Fan System with adjustable speed controls distribute a constant flow of warm room air through the dual-chambered heat exchanger
- Totally refractory-lined firebox. The hearth is lined with a classic brick pattern for easy ash clean up

- brick pattern for easy ash clean up
- Black Wire Mesh Firescreen with stylish brass pulls protects against sparks
- Built-In Ash Lip helps to reduce ash spillage
- Uses SK8 wood burning chimney

BILTMORE:

- Available in 38," 44" and 50" radiant design Insulated Model standard
- Viewing area SB38 27"h x 38"w, SB44 27"h x 44"w, SB50HB 30"h x 50"w. Inside depth of 22" for SB38 & SB44. Inside depth of 24" for SB50HB

- Tapered Firebox Sides assure greater reflection of radiant heat
- Fully insulated firebox construction helps improve heat efficiency by reducing outside cold infiltration
- Uses SK8 wood burning chimney (WMC36) or 8" three wall chimney (WMC42)

MONARCH BFC

- Low maintenance Clean-Burn Technology eliminates the need for a catalytic combustor
- Cast iron doors eliminate heat loss and use ceramic glass for greater heat transfer
- The standard 160 cfm adjustable forced-air fan system distributes a constant flow of warm room air

- No visible smoke baffle gives full opening viewing for true masonry look
- SB38 and SB44 available in standard or Herringbone refractory brick
- SB50HB available in Herringbone refractory brick
- Uses 11 CF wood burning chimney components

DESIGNER:

- Available in See-Thru and Peninsula designs
- SSTB shipped with black bi-fold doors standard, STR36 See-Thru shipped with optional but recommended doors

- Fan and junction box come factory installed and pre-wired for easy connection
- The hearth is lined with a classic brick pattern for easy ash clean up
- Uses 8" three wall chimney

- See-Thru and Peninsula use 11CF wood burning chimney components

Optional Accessories

Royalton

- Tempered bi-fold glass doors
- Forced air fan (BC models only)
- Outside air kit

Sovereign SR/SC

- Tempered bi-fold glass doors
- Forced air fan

WarmMajic

- Tempered bi-fold glass doors

Biltmore, Designer

- Bi-fold doors available in a variety of finishes
- Outside air kits
- Two sizes of front hearth bases: 16" x 52" & 20" x 66"

Royalton Glass Door Trim Options



Pewter

Polished Brass

Black

Brushed Brass

Wood Burning Fireplaces

Model (Royalton)	BC36	BR36	BC42	BR42
Dimensions (Actual)	40"W x 36-5/8"H x 20"D	40"W x 36-5/8"H x 20"D	46"W x 36-5/8"H x 20"D	46"W x 36-5/8"H x 20"D
Dimensions (Framing)	41"W x 40-3/4"H x 20-1/2"D	40-1/2"W x 40-3/4"H x 21-1/2"D	47"W x 40-3/4"H x 20-1/2"D	47"W x 40-3/4"H x 20-1/2"D
Fireplace Opening	36"W x 21"H (756 sq. in.)	36"W x 21"H (756 sq. in.)	42"W x 21"H (882 sq. in.)	42"W x 21"H (882 sq. in.)
Hearth Dimensions	33-1/4" Front W x 19-5/8"RW x 15-1/4"D	33-1/4" Front W x 19-5/8"RW x 15-1/4"D	39-1/4" Front W x 25-5/8"RW x 15-1/4"D	39-1/4" Front W x 25-5/8"RW x 15-1/4"D
Radiant or Circulating	Circulating	Radiant	Circulating	Radiant
Design Certified	UL/ULC	UL/ULC	UL/ULC	UL/ULC
Model (Sovereign)	SC36A	SR36A	SC42A	SR42A
Dimensions (Actual)	40"W x 39 5/8"H x 22"D	40"W x 39 5/8"H x 22"D	46"W x 39 5/8"H x 22"D	46"W x 39 5/8"H x 22"D
Dimensions (Framing)	41"W x 43-3/4"H x 22-1/2"D	41"W x 43-3/4"H x 22-1/2"D	47"W x 43-3/4"H x 22-1/2"D	47"W x 43-3/4"H x 22-1/2"D
Fireplace Opening	36"W x 24"H (864 sq. in.)	36"W x 24"H (864 sq. in.)	42"W x 24"H (1008 sq. in.)	42"W x 24"H (1008 sq. in.)
Hearth Dimensions	31-1/8"W x 19-7/8"RW x 15-1/2"D	31-1/8"W x 19-7/8"RW x 15-1/2"D	36-3/4"W x 22-7/8"RW x 15-1/2"D	36-3/4"W x 22-7/8"RW x 15-1/2"D
Radiant or Circulating	Circulating	Radiant	Circulating	Radiant
Design Certified	UL	UL	UL	UL
Models (WarmMajic) (Monarch)	WMC36	WMC42	(Monarch BFC)	
Dimensions (Actual)	40"W x 36-5/8"H x 22"D	46"W x 36-5/8"H x 22"D	41-7/8"W x 35"H x 23"D	
Dimensions (Framing)	41"W x 40-3/4"H x 22-1/2"D	47"W x 40-3/4"H x 22-1/2"D	43"W x 39-1/4"H x 24"D	
Fireplace Opening	36"W x 21"H (756 sq. in.)	42"W x 21"H (882 sq. in.)	36"W x 21"H (756 sq. in.)	
Hearth Dimensions	33-1/2"W x 20-1/4"RW x 18-1/4"D	39-5/8"W x 23-3/8"RW x 18-1/4"D	32-1/2"W x 20-7/16"RW x 17-3/4"D	
Radiant or Circulating	Circulating	Circulating	Circulating	
Design Certified	UL	UL	UL	
Model (Biltmore)	SB38/SB38HB	SB44/SB54HB	SB50HB	
Dimensions (Actual)	47-1/8"W x 52-7/8"H x 26-3/8"D	53-1/8"W x 52-7/8"H x 26-3/8"D	59"W x 67"H x 28-1/2"D	
Dimensions (Framing)	47-5/8"W x 53-1/8"H x 27-7/8"D	53-5/8"W x 53-1/8"H x 27-7/8"D	60"W x 58"H x 30"D	
Fireplace Opening	33"W x 27"H (1026 sq. in.)	44"W x 27"H (1188 sq. in.)	50"W x 30"H (1500 sq. in.)	
Hearth Dimensions	36"W x 22"W x 20"D	42"W x 28"RW x 20"D	48"W x 32"RW x 22"D	
Radiant or Circulating	Radiant	Radiant	Radiant	
Design Certified	UL	UL	OMNI	
Model (Designer)	STR36	SSTB11	MPL11	
Dimensions (Actual)	40"W x 36"H x 24"D	42"W x 47"H x 25-1/2"D	38"W x 46"H x 24"D	
Dimensions (Framing)	40-1/2"W x 52-3/4"H x 23"D	43-1/2"W x 47-1/4"H x 24-1/2"D	38"W x 46-1/4"H x 23"D	
Fireplace Opening	36"W x 21"H (756 sq. in.)			
Hearth Dimensions	29"W x 21"H x 17-1/8"D	38"W x 23-1/4"H x 25-1/2"D	36"W x 23-1/4"H x 22"D	
Radiant or Circulating	Radiant	Radiant	Radiant	
Design Certified	UL	OMNI	OMNI	

For more information about MHSC and Majestic efficient and environmentally friendly products, please visit www.majesticproducts.com



Tested & Listed By



Beaverton Oregon USA



MAJESTIC



A Brand of Monessen Hearth Systems Co.
149 Cleveland Drive, Paris, Kentucky 40361
www.majesticproducts.com

Your Majestic Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2010 Monessen Hearth Systems Co.

Ver.07 9008MAJ