



Vent Free Gas Logs

Just like the vented gas logs, our vent free gas logs from Majestic are incredibly realistic. Choose from a variety of life-like wood styles and textures to create the perfect fire without the hassle of real wood.

A simple and safe alternative that doesn't require venting, a vent free gas log set from Majestic can be installed just about anywhere to add warmth to chilly rooms and beauty to your home.



Give people a place to gather – make fire the focal point of your room again with our wide variety of gas logs from Majestic.



V Traditional refractory cement





BOCL Blazing Oak ceramic fiber




SHCL Ember Burner Seasoned Hardwood ceramic fiber

STORE IN CASE



NBST27 Natural Blaze See-Thru ceramic fiber



MOJO Vent Free Logs

Safe, efficient, appealing. The Mojo vent free log set from Majestic offers up to 38,000 BTUs, instant dancing yellow flames, flickering embers and standard grate and andirons that lends an incredibly realist look without the hassle of a real wood fire. With a remarkable 99% efficiency rating, you get 99 cents worth of heat for every dollar spent on fuel, making the Mojo the perfect choice to add some Mojo to your room and to your pocket.

STANDARD FEATURES FOR MOJO:

- Natural Blaze burn system produces instant dancing yellow flames and ember bed
- Hi/lo thermostatic remote control comes standard
- Up to 38,000 BTU
- 99% efficient
- Comes standard with grate and 13" forged andirons
- Massive random stack fiber log set
- Millivolt operation
- Piezo ignitor
- Natural or propane gas
- Includes: volcanic rock, rock wool and flickering embers
- CSA design certified

Optional Accessories







See our Ambient Technologies® catalog for a complete line of remotes and thermostats.



Flat black adjustable hood (28" - 48")



Log switch with 12" wire



Ember remote receiver cover



Metal insulated remote receiver cover



Cinders



Decorative grate + Decorative andirons




Decorative fiber ember kit



Vent Free Gas Logs

Model	Fuel Type	Front A	Minimum Hea Depth B	arth Area Back C	Height D	BTU/H Manual Control	BTU/H Millivolt Control	Approx. Heating Area (sq. ft.)
VENT FREE GAS LOGS			0	<u> </u>				(59.10)
VL18G/R	NG	27″	13 1/4″	18″	17″	18,000-28,000	18,000-28,000	950
VL18G/R	LP	27″	13 1/4″	18″	17″	18,000-28,000	20,000-28,000	950
VL24G/R	NG	28 1/2"	13 1/4″	22 1/4"	17″	20,000-34,000	25,000-34,000	1,300
VL24G/R	LP	28 1/2"	13 1/4″	22 1/4″	17″	20,000-34,000	30,000-34,000	1,300
VL30G/R	NG	32 1/2"	13 1/4″	25 1/2"	17″	20,000-34,000	25,000-34,000	1,300
VL30G/R	LP	32 1/2"	13 1/4″	25 1/2"	17″	20,000-34,000	30,000-34,000	1,300
EYF18-R	NG	25″	13″	17 1/2"	17″	18,000-30,000	20,000-30,000	1,000
EYF18-R	LP	25″	13″	17 1/2"	17″	22,500-30,000	24,500-30,000	1,000
EYF24-R	NG	29″	13″	19 1/2"	17″	19,000-36,000	24,000-36,000	1,100
EYF24-R	LP	29″	13″	19 1/2"	17″	25,000-36,000	29,000-36,000	1,100
EYF24-F	NG	29″	13″	19 1/2"	17″	19,000-36,000	24,000-36,000	1,100
EYF24-F	LP	29″	13″	19 1/2"	17″	25,000-36,000	29,000-36,000	1,100
BOCL18	NG	26″	13″	18″	17″	-	19,000-28,000	950
BOCL18	LP	26″	13″	18″	17″	-	23,000-28,000	950
BOCL24	NG	29″	13″	22 1/4″	17″	-	26,000-38,000	1,300
BOCL24	LP	29″	13″	22 1/4″	17″	-	26,000-34,000	1,300
BOCL30	NG	33″	13″	25 1/4″	17″	-	26,000-38,000	1,300
BOCL30	LP	33″	13″	25 1/4″	17″	-	26,000-34,000	1,300
SHCL18	NG	27″	13 1/4″	18″	17″	-	18,000-28,000	950
SHCL18	LP	27″	13 1/4″	18″	17″	-	20,000-28,000	950
SHCL24	NG	29 1/2"	13 1/4″	22 1/4"	17″	-	24,000-36,000	1,200
SHCL24	LP	29 1/2"	13 1/4″	22 1/4"	17″	-	27,000-36,000	1,200
SHCL30	NG	34 1/2"	13 1/4″	25 1/2"	17″	-	24,000-36,000	1,200
SHCL30	LP	34 1/2"	13 1/4″	25 1/2"	17″	-	27,000-36,000	1,200
HO18-R	NG	26″	13″	18″	17″	-	19,000-28,000	950
HO18-R	LP	26″	13″	18″	17″	-	22,000-27,000	950
H024-R	NG	29″	13″	22 1/4"	17″	-	25,000-37,000	1300
H024-R	LP	29″	13″	22 1/4"	17″	-	28,000-37,000	1300
H030-R	NG	33″	13″	25 1/4"	17″	-	25,000-37,000	1300
H030-R	LP	33″	13″	25 1/4"	17″	-	28,000-36,000	1300
H018-F	NG	26″	13″	18″	17″	-	19,000-28,000	950
H018-F	LP	26″	13″	18″	17″	-	22,000-27,000	950
H024-F	NG	29″	13″	22 1/4"	17″	-	25,000-37,000	1300
H024-F	LP	29″	13″	22 1/4"	17″	-	28,000-37,000	1300
H030-F	NG	33″	13″	25 1/4"	17″	-	25,000-37,000	1300
H030-F	LP	33″	13″	25 1/4"	17″	-	28,000-36,000	1300
NBST27	NG	32″	21″	-	21 1/2"	-	26,000-39,000	1400
NBST27	LP	32″	21″	-	21 1/2"	-	30,000-39,000	1400
MJ27NR	NG	30″	14″	27″	19″	-	25,500-38,000	1300
MJ27PR	LP	30"	14″	27″	19″	-	29,500-37,000	1250



For more information about MHSC and Majestic efficient and environmentally friendly products, please visit www.majesticproducts.com



Your Majestic Dealer:



A Brand of Monessen Hearth Systems Co. 149 Cleveland Drive, Paris, Kentucky 40361 www.majesticproducts.com

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2010 Monessen Hearth Systems Co.