

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



Shop Vac 92M650C Owner's Manual

[Shop genuine replacement parts for Shop Vac
92M650C](#)



[Find Your Shop Vac Vacuum Cleaner Parts - Select From 498 Models](#)

----- Manual continues below part list -----

Available Replacement Parts for Shop Vac 92M650C

| | |
|-------------------------|--|
| 6774200 | Caster, each [READ ADD'L INFO] |
| 3008000 | FILTER RETAINER |
| 4300299 | Cap Nut. |
| 2425010 | Wheel. |
| 7413120 | INLET DEFLECTOR |
| 9355596 | Handle and hardware package. |
| 1503999 | screw |
| 3545000 | Cup Float. |
| 1517699 | Screw. |
| 7444500 | Lid Latch. |
| 7414210 | OFF SWITCH COVER ONLY, NOT THE ACTUAL SW |
| 7414200 | ON SWITCH COVER ONLY, NOT THE ACTUAL SWI |
| 7446800 | Drain cap |
| 7414250 | Switch Button Extension . |
| 9355196 | HANDLE, SET BLACK (2 Handles in pack) |
| 8136197 | MOTOR |
| 3487500 | Rear Wheel Dolly |
| 8568101 | Casterfoot A |
| 8568111 | Casterfoot B |

shop.vac[®]
Automotive



shop·vac® BRAND

BULLDOG®





| | |
|--------------|---|
| Catalog P/N: | 5850300 |
| Power Cord: | 6' |
| CFM: | 123 |
| SP: | 54" |
| Air Watts: | 190 |
| Electrical : | 120V~ 60Hz 6A |
| Carton Size: | 13⁵/₈" x 13⁵/₈" x 18¹/₂" |
| Cube: | 2.0 |
| Weight: | 11 lbs |
| UPC: | 0 26282 58503 5 |

Included Accessories:

- 1 1/4" X 10' hose
- 1 1/4" Gulper nozzle
- 1 1/4" Round brush
- 1 1/4" Crevice tool
- Tool holder
- Reusable dry disc filter
- Mounting ring
- Foam sleeve

3 year home use warranty or a 90 day commercial use warranty.



| | |
|--------------|---|
| Catalog P/N: | 5870800 |
| Power Cord: | 6' |
| CFM: | 175 |
| SP: | 60" |
| Air Watts: | 320 |
| Electrical : | 120V~ 60Hz 9A |
| Carton Size: | 18¹/₈" x 18¹/₈" x 20³/₄" |
| Cube: | 3.9 |
| Weight: | 21 lbs |
| UPC: | 0 26282 58708 4 |

Included Accessories:

- 1 1/4" x 10' Lock-On® hose
- 1 1/4" Gulper nozzle
- 1 1/4" Round brush
- 1 1/4" Crevice tool
- 10" Wet/Dry nozzle
- (2) Extension wands
- Tool holder
- Cartridge filter
- Filter retainer

3 year home use warranty or a 90 day commercial use warranty.

shop·vac®

BULLDOG



Consumer Grade



| | |
|--------------|--|
| Catalog P/N: | 3942100 |
| Power Cord: | 6' |
| CFM: | 145 |
| SP: | 55" |
| Air Watts: | 315 |
| Electrical: | 120V~ 60Hz 8.9A |
| Carton Size: | 12 ⁷ / ₈ " x 12 ⁷ / ₈ " x 33 ¹ / ₄ " |
| Cube: | 3.2 |
| Weight: | 16 lbs |
| UPC: | 0 26282 39421 7 |

Included Accessories:

- 1¹/₄" x 25' Lock-On® hose
- (2) Extension wands
- 12" Wet/Dry floor nozzle
- Brush insert
- Squeegee insert
- 1¹/₄" Gulper nozzle
- 1¹/₄" Crevice tool
- 1¹/₄" Round brush
- Mounting bracket
- Tool storage bag with wall hook
- Foam sleeve
- Cartridge filter
- Filter retainer
- Disposable filter bag

3 year home use warranty or a 90 day commercial use warranty.

9196100

Claw utility nozzle great for vehicle clean up.



9196000

Inflator nozzle for air mattresses and pool accessories.



9068500

2¹/₂" To 1¹/₄" Conversion unit to use 1¹/₄" accessories with a 2¹/₂" diameter hose.



9063200

Multi-purpose floor nozzle with setting for both carpet and bare floors.



9069800

Turbo nozzle with air-powered rotary brush.



8018900

Micro cleaning kit ideal for vehicle detailing.



9064300

1¹/₄" Cleaning kit perfect for vehicle clean up.



8018200

Deluxe 2¹/₂" accessory kit great for bulk pick up.



Visit us on the web at www.shopvac.com for more optional accessory choices.

shop·vac[®] BRAND

PROFESSIONAL[®]

- More powerful motors
- Better filter systems
- Longer power cords
- 1 1/2" Accessory assortments for improved ergonomics
- More durable Lock-On[®] hoses
- Better floor nozzles
- On-board accessory storage



| | |
|--------------|-------------------------|
| Catalog P/N: | 5872510 |
| Power Cord: | 20' |
| CFM: | 200 |
| SP: | 60" |
| Air Watts: | 360 |
| Electrical: | 120V~ 60Hz 12A |
| Carton Size: | 20 1/2" x 19 1/4" x 18" |
| Cube: | 4.1 |
| Weight: | 20 lbs |
| UPC: | 0 26282 10525 7 |

Included Accessories:

- 1 1/2" x 7' Lock-On[®] hose
- 1 1/2" Claw nozzle
- 1 1/2" Crevice tool
- 1 1/2" Adaptor
- Wall storage bracket
- Ultra-Web[®] cartridge filter
- Filter retainer
- High efficiency disposable filter bag

Professional vacuums are covered with a **1 year commercial** use warranty.



| | |
|--------------|-------------------------|
| Catalog P/N: | 5873510 |
| Power Cord: | 20' |
| CFM: | 195 |
| SP: | 60" |
| Air Watts: | 360 |
| Electrical: | 120V~ 60Hz 12A |
| Carton Size: | 21" x 14 1/2" x 21 1/2" |
| Cube: | 3.8 |
| Weight: | 23 lbs |
| UPC: | 0 26282 58735 0 |

Included Accessories:

- 1 1/2" x 12' Lock-On[®] hose
- (2) Extension wands
- 14" Wet/Dry floor nozzle
- 1 1/2" Claw nozzle
- 1 1/2" Crevice tool
- 1 1/2" Adaptor
- Tool holder
- Ultra-Web[®] cartridge filter
- Filter retainer
- High efficiency disposable filter bag

Professional vacuums are covered with a **1 year commercial** use warranty.



| | |
|--------------|-----------------------------|
| Catalog P/N: | 9621210 |
| Power Cord: | 20' |
| CFM: | 195 |
| SP: | 60" |
| Air Watts: | 390 |
| Electrical: | 120V~ 60Hz 12A |
| Carton Size: | 18 1/8" x 18 1/8" x 29 1/2" |
| Cube: | 5.6 |
| Weight: | 27 lbs |
| UPC: | 0 26282 10912 5 |


Included Accessories:

- 1 1/2" x 12' Lock-On[®] hose
- (2) Extension wands
- 1 1/2" Claw nozzle
- 1 1/2" Crevice tool
- 1 1/2" Adaptor
- 1 1/2" Elbow grip
- 12" Floor nozzle
- Brush insert
- Squeegee insert
- Ultra-Web[®] cartridge filter
- Filter retainer
- High efficiency disposable filter bag

Professional vacuums are covered with a **1 year commercial** use warranty.

shop·vac® PROFESSIONAL®

- Ultra quiet operation
- 12' Premium crush-resistant hose
- Large 8" rear wheels and transport handle for improved mobility
- Extra long 36' power cord and durable metal extension wands and floor nozzle (models 9621610 & 9541610 only)



| | |
|--------------|--|
| Catalog P/N: | 9621310 |
| Power Cord: | 20' |
| CFM: | 195 |
| SP: | 60" |
| Air Watts: | 390 |
| Electrical : | 120V~ 60Hz 12A |
| Carton Size: | 16 ⁷ / ₈ " x 16 ⁷ / ₈ " x 32 ¹ / ₂ " |
| Cube: | 5.4 |
| Weight: | 36 lbs |
| UPC: | 0 26282 10913 2 |

Included Accessories:

- | | | |
|-------------------------|-----------------------------|---------------------------------------|
| 1½" X 12' Lock-On® hose | 12" Floor nozzle | Filter retainer |
| 1½" Claw nozzle | Brush insert | High efficiency disposable filter bag |
| 1½" Crevice tool | Squeegee insert | |
| 1½" Adaptor | (2) Extension wands | |
| 1½" Elbow grip | Ultra-Web® cartridge filter | |

Professional vacuums are covered with a **1 year commercial** use warranty.



| | |
|--------------|--|
| Catalog P/N: | 9621610 |
| Power Cord: | 36' |
| CFM: | 105 |
| SP: | 105" |
| Air Watts: | 360 |
| Electrical : | 120V~ 60Hz 11.5A |
| Carton Size: | 19 ⁵ / ₈ " x 19 ⁵ / ₈ " x 29 ³ / ₄ " |
| Cube: | 6.6 |
| Weight: | 43 lbs |
| UPC: | 0 26282 10916 3 |

Included Accessories:

- | | | |
|-------------------------|------------------|---------------------------------------|
| 1½" X 12' Lock-On® hose | 14" Metal nozzle | Ultra-Web® cartridge filter |
| 1½" Claw nozzle | Brush insert | Filter retainer |
| 1½" Crevice tool | Squeegee insert | High efficiency disposable filter bag |
| 1½" Adaptor | (2) Metal wands | |

2-Stage Motor substantially increases suction power and motor life.

Professional vacuums are covered with a **1 year commercial** use warranty.

shop·vac[®]

PROFESSIONAL[®]

- Ultra quiet operation
- 12' Premium crush-resistant hose
- Durable metal extension wands and floor nozzle
- Large 8" rear wheels and transport handle for improved mobility
- Extra long 36' power cord



| | |
|--------------|---|
| Catalog P/N: | 9541610 |
| Power Cord: | 36' |
| CFM: | 230 |
| SP: | 75" |
| Air Watts: | 370 |
| Electrical : | 120V~ 60Hz 12A |
| Carton Size: | 18 ³ / ₄ " x 18 ³ / ₄ " x 30" |
| Cube: | 6.1 |
| Weight: | 45 lbs |
| UPC: | 0 26282 10954 5 |

Included Accessories:

| | | |
|---|------------------|---|
| 1 ¹ / ₂ " x 12' Lock-On [®] hose | 14" Metal nozzle | Ultra-Web [®] cartridge filter |
| 1 ¹ / ₂ " Claw nozzle | Brush insert | Filter retainer |
| 1 ¹ / ₂ " Crevice tool | Squeegee insert | High efficiency disposable filter bag |
| 1 ¹ / ₂ " Adaptor | (2) Metal wands | |

SR (switch reluctance) Motors have increased suction power and maximized motor life compared to universal motors.

Professional vacuums are covered with a **1 year commercial** use warranty.

- Wet or dry use.
- Durable 8 gallon* stainless steel tank.
- Powerful two-stage motor provides more power and longer life.
- Centralized cleaning convenience for garage, workshop, hobby area, laundry room, etc. that does not take up floor space.
- 25' extra long hose for wide area cleaning.
- Space-saving design provides a cleaning solution that's there when you need it.



WALL MOUNTED GARAGE VAC

| | |
|--------------|--|
| Catalog P/N: | 9253900 |
| Power Cord: | 6' |
| CFM: | 100 |
| SP: | 80" |
| Air Watts: | 255 |
| Electrical : | 120V~ 60Hz 7.4A |
| Carton Size: | 14 ³ / ₄ " x 14 ³ / ₄ " x 32 ³ / ₄ " |
| Cube: | 4.1 |
| Weight: | 26 lbs |
| UPC: | 0 26282 92539 8 |

Included Accessories:

| | | |
|---|--|---|
| 25' x 1 ¹ / ₂ " Lock-On [®] hose | 1 ¹ / ₂ " Claw nozzle | Ultra-Web [®] cartridge filter |
| (2) 1 ¹ / ₂ " Extension wands | 1 ¹ / ₂ " Crevice tool | Filter retainer |
| 12" Floor nozzle | 1 ¹ / ₂ " Adaptor | Foam sleeve |
| Brush insert | Wall mounting bracket | |
| Squeegee insert | Mounting strap | |

Professional vacuums are covered with a **1 year commercial** use warranty.



9064400
1 1/2" Round brush



9064100
14" Metal master nozzle



9034000 (Type W)
HEPA Cartridge filter with Cleanstream® filtration
(Not for use with 5850300 and 5872510)



9064500
1 1/2" Crevice tool



9190110
1 1/2" Utility cleaning kit



9038010 (Type Y)
Abrasive resistant cartridge filter
(Not for use with 5850300 and 5872510)



9030600
1 1/2" Metal extension wands



9033300 (Type V)
Ultra-Web® cartridge filter antimicrobial/hypoallergenic resists mildewing
(Not for use with 5850300 and 5872510)



9051300
1 1/2" x 25' Crush resistant hose



9034100 (Type II)
HEPA Cartridge filter with Cleanstream® filtration
(For use with 5872510)

Visit us on the web at www.shopvac.com for more optional accessory choices.

shop.vac[®]

PROFESSIONAL[®]

AIR MOVER[®]



- Three speed air control.
- Built in outlets to connect multiple units.
- Three operating positions for drying carpets/floors, walls and ceilings.
- Units are stackable for easy storage.



| | |
|--------------|---------------------|
| Catalog P/N: | 1032100 |
| Power Cord: | 10' |
| CFM: | 500 |
| Electrical : | 120V~ 60Hz 1.5A |
| Carton Size: | 15" x 15" x 10 1/2" |
| Cube: | 1.4 |
| Weight: | 11 lbs |
| UPC: | 0 26282 10321 5 |

Professional vacuums are covered with a **1 year commercial** use warranty.



- Three speed switch for better airflow control.
- 30' power cord for longer reach.
- Collapsible transport handle and rear wheels for easy mobility.
- Top carry handle for portability.
- Two operating positions for drying carpets/floors and ceilings.
- Cord storage keeps cord untangled.
- Stackable for easy storage of multiple units.



| | |
|--------------|-----------------------------|
| Catalog P/N: | 1030200 |
| Power Cord: | 30' |
| CFM: | 1600 |
| Electrical : | 120V~ 60Hz 5A |
| Carton Size: | 23 7/8" x 23 7/8" x 18 1/8" |
| Cube: | 6.0 |
| Weight: | 50 lbs |
| UPC: | 0 26282 10302 4 |

Professional vacuums are covered with a **1 year commercial** use warranty.



2012 Shop-Vac Corporation, Williamsport, PA 17701
All rights reserved.

Shop-Vac®, Shop-Vac Professional®, Air Mover®, Lock-On® and BullDog® are registered trademarks of Shop-Vac Corporation. Ultra-Web® is a registered trademark of the Donaldson Company Inc. CleanStream® is a registered trademark of W.L. Gore & Associates.

†“Peak Horsepower” (PHP) is a term used in the wet-dry vacuum industry for consumer comparison purposes. It does not denote the operational horsepower of a wet-dry vacuum but rather the horsepower output of a motor, including the motor’s inertial contribution, achieved in laboratory testing. In actual use, Shop-Vac motors do not operate at the peak horsepower shown.

*Tank capacity refers to actual tank volume, and does not reflect capacity available during operation.

**Specifications are subject to change without notice.



Our customer service network is only a phone call away.
570-326-3557



Get support on the web:
www.shopvac.com