


8.8 CU. FT. UPRIGHT FREEZER INSTRUCTION MANUAL

Model No.: MCUF88W




To ensure proper use of this appliance and your safety, please read the following instructions completely before operating this appliance.

TABLE OF CONTENTS

NAMES OF THE PARTS	
IMPORTANT SAFETY INSTRUCTIONS	
INSTALLATION INSTRUCTION	
BEFORE USING YOUR FREEZER	
INSTALLING YOUR FREEZER	
ELECTRICAL CONNECTION4	
OPERATING YOUR FREEZER	
TEMPERATURE CONTROL5	
DEFROSTING5	
STORAGE OF FROZEN FOODS5	1
CARE AND MAINTENANCE	
CLEANING YOUR FREEZER6	;
VACATION TIME	3
MOVING YOUR FREEZER	3
ENERGY SAVING TIPS6	3
TROUBLESHOOTING GUIDE	7
MAGIC CHEF EXTENDED SERVICE PLANS	8
FREEZER WARRANTY	9

NAMES OF THE PARTS

MODEL NO.: MCUF88W



- 1. Evaporator
- 2. Thermostat
- 3. Wire guardrail
- 4. Drainage port
- 5. Tilting wire shelf
- 6. Handle
- 7. Fixed door racks
- 8. Adjustable feet

WARNING ★: Never touch the interior of the Freezer Chamber or frozen foods in the compartment with wet hands as this could result in injury.

IMPORTANT SAFETY INSTRUCTIONS

₩WARNING	To reduce the risk of fire, electrical shock, or injury when using your freezer, follow these basic precautions:
-----------------	--

- Read all instructions before using the freezer.
- DANGER or WARNING: Risk of child entrapment.
- To avoid the possibility of child entrapment, please take the following precautions before disposing your freezer.
 - Remove all doors from the unit.
 - Leave the shelves in place so that children may not easily climb inside.
- Never allow children to operate, play with, or crawl inside the freezer.
- Refrigerants: All refrigeration products contain refrigerants, which under the
 guidelines of federal law must be removed before disposal of product. It is the
 consumer's responsibility to comply with federal and local regulations when
 disposing of this product.
- Never clean freezer parts with flammable fluids. The fumes can create a fire hazard or explosion.
- Do not store or use gasoline or any other flammable vapors and liquids in the vicinity of this or any other freezer. The fumes can create a fire hazard or an explosion.

-Save these instructions-

INSTALLATION INSTRUCTIONS

Before Using Your Freezer

- Remove the exterior and interior packing.
- Before connecting the freezer to the power source, let it stand upright for approximately 4 hours. This will reduce the possibility of a malfunction in the cooling system from improper handling during transportation.
- Clean the interior surface with lukewarm water using a soft cloth. (Cleaning instruction on page 6)

Installing Your Freezer

- This appliance is designed to be free standing only, and should not be recessed or built-in.
- Place your freezer on a floor that is strong enough to support the freezer when it is fully loaded.
- Allow 5 inches of space between the back and sides of the freezer, which allows the proper air ventilation.
 Adjust the feet to keep the freezer level.
- Locate the freezer away from direct sunlight and sources of heat (stove, heater, radiator, etc.). Direct sunlight may affect the acrylic coating and heat sources may increase electrical consumption. Ambient temperature below 50°F (10°C) or above 85°F (29°C) will hinder the performance of this appliance. This unit is not designed for use in a garage or any other outside installation.
- Avoid locating the freezer in moist areas.
- Plug the freezer into dedicated, properly installed-grounded wall outlet. Do not under any circumstances cut
 or remove the third (ground) prong from the power cord. Any questions concerning power and/or grounding
 should be directed toward a certified electrician or an authorized service center. This unit is not designed
 to be installed in an RV or used with an inverter.
- After plugging the appliance into a wall outlet, turn the unit on and allow the unit to cool down for 2~3 hours before placing food in the freezer compartment.
- This unit is designed for in-home use only. Not designed for medical applications.

Electrical Connection

*★***WARNING**

Improper use of the grounded plug can result in the risk of electrical shock. If the power cord is damaged, have it replaced by an authorized service center.

This freezer should be properly grounded for your safety. The power cord of this freezer is equipped with a three-prong plug which mates with standard three prong wall outlets to minimize the possibility of electrical shock.

Do not, under any circumstances, cut or remove the third ground prong from the power cord supplied.

This freezer requires a standard 115/120 Volt A.C. ~/60Hz electrical outlet with three-prong ground.

This freezer is not designed to be used with an inverter.

The cord should be secured behind the freezer and not left exposed or dangling to prevent accidental injury.

Never unplug the freezer by pulling the power cord. Always grip the plug firmly and pull straight out from the receptacle.


Do not use an extension cord with this appliance. If the power cord is too short, have a qualified electrician or service technician install an outlet near the appliance. Use of an extension cord can negatively affect the performance of the unit.

If any problems with the appliance persist, please contact our Customer Service Dept. to consult with a representative at **888 775-0202** or visit our website to request warranty service at **www.mcappliance.com**.

OPERATING YOUR FREEZER

Temperature Control

- The first time you turn the unit on, adjust the temperature control knob to "4" and run for at least 2 hours before putting foods inside. This will ensure the cabinet is thoroughly chilled before food is put in.
- The range of the freezer temperature control is from position "1" the warmest to "7" the coldest. Adjust the temperature control to the setting that best suits your needs. The setting of "4" should be appropriate for home or office freezer use.
- Turning the temperature control knob to "OFF" position stops the cooling cycle.



Caution:

- 1. Large amounts of food will lower the cooling efficiency of the appliance.
- 2. Improper adjusting of temperature control may influence energy consumption or lead to lower/higher temperature than desired.

Defrosting

- When? For the most efficient operation and minimum energy consumption, defrost the freezer when the frost is excessive or ¼ to ½ inch thick.
- Choose a time when the stock of frozen food is low.
- Turn the temperature control knob to the "off" position.
- Remove the frozen food from the freezer and place it in a cooler to protect the food.
- Unplug the freezer.
- Open the freezer door.
- Place a suitable container to collect the defrost water.
- · After defrosting, clean and dry the interior.
- Plug in and adjust the temperature control knob as needed.
- Allow the cabinet to cool for one hour before returning food to the freezer.

₩WARNING

Scraping ice from the freezer compartment can damage the unit.

CAUTION

Do not use boiling water because it may damage the plastic parts. In addition, never use a sharp or metallic instrument to remove frost as it may damage the cooling coils and will void the warranty.

HELPFUL HINT:

Defrosting usually takes a few hours. Leaving the door open will help speed the process. Also, pouring warm water (not boiling) on the ice/frost will help speed melting.

Storage of Frozen Foods

- This freezer is designed for the long-term storage of frozen food. Storage time period is up to three months.
- The storage life of frozen foods varies and the recommended storage time should not be exceeded. The
 instructions regarding the care of frozen foods should be followed when defrosting the freezer.
- Pre-packed commercially frozen food should be stored in accordance with the frozen foods manufacturers' instructions.
- Place frozen food into the freezer as quickly as possible after purchase. If there are instructions on the
 packet, carefully follow these instructions regarding storage times.
- The freezer door is susceptible to breaking due to excessive ice build up. Be sure to defrost when the ice reaches ¼ to ½ inch thick.

CARE AND MAINTENANCE

Cleaning Your Freezer

- Upon installation of your new appliance, it is recommended that it be cleaned thoroughly.
- Turn off the freezer first and then unplug the unit from the wall outlet.
- Remove all food contents.
- Wash the inside with a damp warm cloth soaked in lukewarm water and baking soda solution. The solution should be about 2 tablespoons of baking soda to a quart of water.
- Be sure to keep the door gasket (seal) clean to keep the unit running efficiently.
- The outside of the freezer should be cleaned with mild detergent and warm water.
- Dry the interior and exterior with a soft cloth.

Vacation Time

- Turn off the freezer first and then unplug the unit from the wall outlet.
- Remove all the food.
- · Clean the freezer.
- Leave the door open slightly to avoid possible formation of condensation, mold, or odors.
- Use extreme caution in the case of children. The unit should not be accessible to child's play.
- Short vacations: Leave the freezer operating during vacations of less than three weeks.
- Long vacations: If the appliance will not be used for several months, remove all food and unplug the power cord. Clean and dry the interior thoroughly. To prevent odor and mold growth, leave the door open slightly: blocking it open if necessary or have the door removed.

Moving Your Freezer

- Turn off the freezer first and then unplug the unit from the wall outlet.
- Remove all the food.
- Securely tape down all loose items inside your freezer.
- Tape the doors shut.
- Be sure the freezer stays in the upright position during transportation.
- Let the unit stand in the upright position for approximately 4 hours prior to restarting the unit.

Energy Saving Tips

- The freezer should be located in the coolest area of the room, away from heat producing appliances or heating ducts, and out of the direct sunlight.
- Let hot foods cool to room temperature before placing in the freezer. Overloading the freezer forces the compressor to run longer. Foods that freeze too slowly may lose quality, or spoil.
- Be sure to wrap foods properly, and wipe containers dry before placing them in the freezer. This cuts down on frost build-up inside the freezer.
- Organize and label food to reduce door openings and extended searches. Remove as many items as needed at one time, and close the door as soon as possible.

TROUBLESHOOTING GUIDE

You can solve many common freezer problems easily, saving you the cost of a possible service call. Try the suggestions below to see if you can solve the problem before calling for service.

PROBLEM	POSSIBLE CAUSE		
Freezer does not operate.	Not plugged in.		
	The circuit breaker tripped or a blown fuse.		
Compressor turns on and off	The room temperature is hotter than normal.		
frequently.	A large amount of food has been added to the freezer.		
noquomay.	The door is opened too often.		
	•		
	The door is not closed completely.		
	The temperature control is not set correctly.		
	The door gasket does not seal properly.		
	The freezer does not have the correct clearances.		
	The freezer has recently been disconnected for a period of time. 4 hours		
	are required for the freezer to cool down completely.		
Temperature inside the freezer is too	Temperature control is set too warm. Turn the control to a cooler setting		
warm.	and allow several hours for the temperature to stabilize.		
	Door is kept open too long or is opened too frequently. Warm air enters		
	the freezer every time the door is opened. Open the door less often.		
	The door is not closed completely.		
	The door gasket does not seal properly. A large amount of warm or hot food might have been stored recently.		
	Wait until the freezer has had a chance to reach its selected temperature.		
	The freezer has recently been disconnected for a period of time. 4 hours		
	are required for the freezer to cool down completely.		
Temperature inside the freezer is too	Temperature control is set too cold. Turn the control to a warmer setting		
cold.	and allow several hours for the temperature to stabilize.		
Temperature of external freezer	The exterior freezer walls can be as much as 30°F warmer than room		
surface is warm.	temperature. This is normal while the compressor works to transfer heat		
carrage is warm.	from inside the freezer cabinet.		
Popping or cracking sound when	Metal parts undergo expansion and contraction, as in hot water pipes.		
compressor comes on.	This is normal. Sound will level off or disappear as freezer continues		
•	run.		
Bubbling or gurgling sound, like	Refrigerant (used to cool freezer) is circulating throughout the system.		
water boiling.	This is normal.		
Vibrations.	Check to assure that the freezer is on a level surface.		
	Floor is uneven or weak. Freezer rocks on the floor when it is moved		
	slightly. Be sure floor can adequately support freezer. Level the freezer		
	by putting wood or metal shims under part of the freezer.		
	The freezer is touching the wall. Re-level the freezer and move it from the		
	wall.		
	See "Installation Instructions".		
Moisture forms on inside freezer	Weather is hot and humid, which increases internal rate of frost build-up.		
walls.	This is normal.		
	Door is slightly open.		
	Door is kept open too long, or is opened too frequently. Open the door less often.		
	The door is not sealed properly.		
Moisture forms on outside of freezer.	Door is slightly open, causing cold air from inside the freezer to meet		
inioistare rorms on outside or freezer.	warm moist air from outside.		
The door will not close properly.	The freezer is not on a level surface.		
doc nim not close propony.	The gasket is dirty.		
	i ine gaskei is dirty.		



Magic Chef Extended Service Plans

A **Magic Chef extended service plan** provides you with continued warranty coverage after your manufacturers warranty expires. For additional information or to purchase an extended warranty plan please visit our website at www.mcappliance.com.

Benefits of the plan include:

Peace of Mind

You never have to be concerned about unexpected and costly breakdowns. All parts and labor are covered under our extended service plans. The plan also includes food loss on refrigerators and freezers, power surge protection and no- lemon guarantee – replacement with third repair.

Quality Service

Service is provided by authorized service centers on an in-home or carry-in basis depending on the type of product.

Affordable

Magic Chef extended service plans provide coverage at very affordable rates. Considering that the typical service call can cost a minimum of \$75.00 not including replacement parts, a Magic Chef extended service plan can more than pay for itself in one service call.

Convenient Online Ordering

To obtain additional information or to place an order, please visit our website at www.mcappliance.com and click on **Extended Warranty** at the top of the home page.



Freezer Warranty

Unless otherwise prohibited, **MC Appliance Corporation** warrants each new Freezer to be free from defects in material and workmanship and agrees to remedy any such defect or to furnish a new part(s) (at the company's option) for any part(s) of the unit that has failed during the warranty period. Parts and labor expenses are covered on this unit for a period of one year after the date of purchase. In addition, **MC Appliance Corporation** warrants the compressor (parts only) to be free from defects in material and workmanship for a period of 5 years. The consumer is responsible for all labor and transportation expenses related to the diagnosis and replacement of the compressor after the initial one-year warranty expires. **A copy of the dated sales receipt / invoice is required to receive warranty service or a refund.**

This warranty covers appliances in use within the continental United States, Puerto Rico and Hawaii. The warranty does not cover the following:

- Damages due to shipping damage or improper installation.
- Damages due to misuse or abuse.
- Content losses due to failure of the unit.
- Inside components such as door panels, door shelves, racks, light bulbs, etc.
- Punctures to the evaporator system due to improper defrosting of the unit.
- Repairs performed by unauthorized service agents.
- Service calls that do not involve defects in material and workmanship such as instruction on proper use of the product, door reversal or improper installation.
- Replacement or resetting of house fuses or circuit breakers.
- Failure of this product if used for other than for its intended purpose. (not designed for commercial use)
- Disposal costs for any failed unit not returned to our factory.
- Any delivery costs incurred as the result of a unit that fails to perform as specified.
- Expenses for travel and transportation for product service if your appliance is located in a remote area where service by an authorized service technician is not available.
- The removal and reinstallation of your appliance if it is installed in an inaccessible location or is not installed in accordance with published installation instructions.

This warranty is in lieu of all warranties expressed or implied and no representative or person is authorized to assume for us any other liability in connection with the sale of this product. Under no circumstances is the consumer permitted to return this unit to the factory without prior written consent from MC Appliance Corporation.

Model	Parts	Labor	Compressor (Part Only)	Type of Service
MCUF88W	One-Year	One-Year	Five Years	In-Home

For Service or Assistance please call **888 775-0202**. Or visit us on the web at www.mcappliance.com to request warranty service or to obtain information on our extended service plans.