

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



# Charbroil 463276617 Owner's Manual

[Shop genuine replacement parts for Charbroil  
463276617](#)



[Find Your Charbroil Grill Parts - Select From 3621 Models](#)

----- Manual continues below part list -----

## Available Replacement Parts for Charbroil 463276617

<a href="#">G350-0024-W2</a>	Fixed Caster. Fits multiple RED, Quantum
<a href="#">G416-0015-W1</a>	Grease Pan. Measures approximately: 7.7"
<a href="#">G508-0039-W1</a>	Match Holder And Chain.
<a href="#">G431-0034-W1</a>	Electrode For Sideburner. Fits multiple
<a href="#">G430-5303-W1</a>	Electrode Wire For Sideburner. Measures
<a href="#">G405-0019-W1</a>	Sideburner Valve Clip.
<a href="#">G408-0036-W1</a>	Caster Socket. Measures approximately: 2
<a href="#">G430-0053-W1</a>	Sideburner Grate. Black porcelain grate.
<a href="#">G432-0026-W1</a>	Button For Ignition Module. Measures app
<a href="#">G350-0026-W1</a>	Caster Pin.
<a href="#">G501-0039-W1</a>	Grommet.
<a href="#">G350-0023-W2</a>	Caster Locking. Fits Commercial Series,
<a href="#">G401-0053-W1</a>	Fixed Door Pin.
<a href="#">G309-5206-W1</a>	Leg Cap.
<a href="#">G431-0005-W2</a>	Drip Pan For Sideburner. Porcelain drip
<a href="#">G213-0022-W1</a>	Magnet. Set of 2 magnets.
<a href="#">G432-H500-W1</a>	Right Side Shelf. Measures approximately
<a href="#">G651-L903-W1</a>	Electrode Set For Searing Burner. Measur
<a href="#">G211-0047-W1</a>	Logo Plate For Lid. Measures approximate
<a href="#">G432-001K-W1</a>	Bezel For Temperature Gauge. Stainless s
<a href="#">G432-8L00-W1</a>	Temperature Gauge. Mesures approximately
<a href="#">G432-8S01-W1</a>	Electrode Main Burner. Measures approxim
<a href="#">G432-H000-W1A</a>	Left Side Shelf.
<a href="#">G460-3501-W1</a>	Fascia For Right Shelf.
<a href="#">G460-3800-W1</a>	Sideburner.
<a href="#">G517-0011-W5</a>	Handle For Door.
<a href="#">G470-5502-W1</a>	Heat Shield 4 Electronic Ignition mdle.
<a href="#">G470-5200-W1</a>	Tube Burner.
<a href="#">G652-1700-W1</a>	Grease Tray.
<a href="#">G215-0502-W1</a>	Control Knob.

<a href="#">G466-0007-W2</a>	Top Lid Hardware.
<a href="#">G466-0047-W2</a>	Burner Brace.
<a href="#">G470-0002-W1</a>	Cooking Grate.
<a href="#">G470-6500-W1</a>	Left Side Cart Panel.
<a href="#">G527-0002-W8</a>	Rubber Bumper With Hole For Top Lid.
<a href="#">G552-0003-W1</a>	Carry Over Tube.
<a href="#">G652-0001-W1</a>	Handle For Lid.
<a href="#">G652-0002-W1</a>	Swingaway Rack.
<a href="#">G652-1100-W1</a>	Bottom Shelf.
<a href="#">60084</a>	grid matte cast iron 18.1875 x 28.75 Chb
<a href="#">G652-0003-W1</a>	Heat Tent For Searing Burner
<a href="#">G652-0004-W1</a>	Burner Brace-Searing Burner
<a href="#">G652-0005-W1</a>	Electronic Ignition Module
<a href="#">G652-1600-W1</a>	Main Burner-Searing Burner
<a href="#">G470-0004-W1A</a>	Heat Tent
<a href="#">G356-0027-W2</a>	Bezel For Knob
<a href="#">G652-0700-W1A</a>	Hose Valve Regulator


# ASSEMBLY/ ASSEMBLAGE/ ARMADO

**NOTE: DO NOT** over tighten screws and washers that come into contact with porcelain coated surfaces. Over tightening may cause the porcelain coating to crack and break, resulting in exposed metal that will be prone to rust.


**REMARQUE:** NE serrez PAS excessivement les vis et les rondelles qui sont en contact avec les surfaces au revêtement en porcelaine. Un serrage excessif peut fissurer ou briser le revêtement en porcelaine, entraînant l'exposition du métal qui pourrait rouiller.


**Nota:** NO apriete demasiado los tornillos y arandelas que entren en contacto con las superficies revestidas de porcelana. Si los aprieta demasiado, se puede quebrar y romper el revestimiento de porcelana lo que dejará expuesto el metal al proceso de oxidación.

1



2







After all 4 casters are secure remove the Caster Pin (D) and save for future maintenance.

Après avoir fixé les quatre roulettes, enlevez la dispositif de blocage pour roulette (D) et conservez-la pour toute réparation future.


Una vez debidamente instaladas las cuatro ruedas, retire la clavija para la rueda (D) y guárdela para emplearla en el futuro, cuando deba dar servicio de mantenimiento al aparato.




5





6




7




8




1ST




2ND




9




2ND



3RD




10




Tighten the screws  
 Serrez les vis  
 Apriete los tornillos


11





2ND



3RD





12




Tighten the screws  
 Serrez les vis  
 Apriete los tornillos





**13**




Secure using screws that were removed from sideburner valve bracket.  
Fixez le tout au moyen des vis enlevées du support de valve du brûleur latéral.  
Fijelo con los tornillos que retiró del soporte de la válvula del quemador lateral.


**14**














1ST




-  (K) X4
-  (L) X4
-  (M) X4





17




18





19




20



2ND



21



**CAUTION**

Failure to install grease tray and grease pan will cause hot grease to drip from bottom of grill with risk of fire or property damage.



**ATTENTION**

Si vous omettez d'installer le plateau d'écoulement de la graisse et le récipient à graisse, la graisse chaude s'écoulera du fond du grill, ce qui pourrait causer un incendie ou occasionner des dommages matériels.


**ADVERTENCIA**

El no instalar la bandeja y el recipiente para la grasa ocasionará el goteo de grasa caliente desde la parte inferior de la parrilla, lo que presenta el riesgo de incendio o daños materiales.

2ND




3RD




22

1ST




2ND

#57



3RD



!	<b>CAUTION</b>	!
<p>Cylinder valve must face to front of cart once tank is attached. Failure to install cylinder correctly may allow gas hose to be damaged in operation, resulting in the risk of fire.</p>		

!	<b>ATTENTION</b>	!
<p>Le robinet du réservoir doit être orienté vers le devant du chariot une fois le réservoir fixé en position. Une mauvaise installation du réservoir pourrait endommager le tuyau à gaz, créant un risque d'incendie.</p>		

!	<b>ADVERTENCIA</b>	!
<p>Una vez que el tanque haya quedado instalado, la válvula del tanque debe quedar orientada hacia la parte delantera del carrito. Si no se instala correctamente el tanque, se puede dañar la manguera de gas durante el suministro, lo que puede ocasionar el riesgo de incendio.</p>		

## GRILLING GUIDE – Getting Started

### First Time Use

Read your Assembly Manual and ensure the grill is put together properly. Remove all Point-of-Purchase advertising material from all grill surfaces before first use. We recommend operating your grill on its highest setting for 15-20 minutes prior to your first use. This aids in removing the oils used during manufacturing.

### Lava Rock / Briquettes


This gas grill has been designed, engineered, and tested to be used with heat tents to provide more even heating, improve the cleaning process, and reduce flare-ups. The addition of after market lava rocks, charcoal, or briquettes of any type will cause poor combustion and increase the likelihood of a grease fire, and is not recommended. Using briquettes, lava rock, or charcoal in this grill will void your warranty. For extra smoke flavor, we recommend using a smoker box with wood chips.



### Temperature

The temperature gauge in the hood of your new grill is calibrated to give a close indication of the grate temperature.

Note: Since 1995, all regulators (the part that attaches to the gas tank to regulate the flow of gas) have included a safety feature that restricts gas flow in the event of a gas leak. You can inadvertently activate this safety feature without having a gas leak. This typically occurs when you turn on the gas using the grill control knob before you turn on the LP tank valve. If the gas regulator safety feature activates, the grill will only reach temperatures between 250°F and 300°F even with all burners on the high setting.



If your grill is not getting hotter than 250°F to 300°F these steps should be taken first to reset the gas regulator safety device:

1. Open the grill lid.
2. Turn off all knobs on the control panel in front.
3. Turn off the tank knob.
4. Disconnect the regulator from the LP tank.
5. Wait 30 seconds.
6. Reconnect the regulator to the LP tank.
7. Slowly open the LP tank knob all the way. Do not put excessive force on the valve at the full open position to avoid damaging the valve.
8. Turn on the appropriate control knob and light the grill per the instructions.

An illustration of this process is included in this Product Guide. See Troubleshooting section for additional information.


### Pre-Heating Your Grill

Just like your home oven, your grill should be pre-heated to provide optimum performance. Pre-heat the grill on high for 10-15 minutes – longer if weather conditions require. Please refer to the lighting instructions inside the Product Guide if you have questions about how to light your grill. A match-light chain and hole is provided for your convenience.

Outdoor grilling is really quite simple. You'll succeed with burgers, dogs, or steaks usually on your very first try. With experience, you will learn how to work with your grill, creating more imaginative meals all the time. This knowledge makes up the art of grilling. Before you start grilling, organize your food according to cooking technique and required cooking time, and optimize the use of your grilling area.


### Direct Cooking

Direct cooking involves grilling your meat directly over high heat. It is perfect for searing steaks, chops, and other smaller pieces of meat and vegetables that quickly make their way to the table.



### Indirect Cooking

Indirect cooking utilizes select burners to circulate heat throughout the grill, without direct contact between the meat and the flame. The meat is placed over the burner that is 'off'. This method is generally used to slow cook large cuts of meat and poultry. A pan can be placed underneath the meat to catch grease and food drippings, and helps minimize clean-up.



### Food Safety

Food safety is a very important part of enjoying the outdoor cooking experience. To keep food safe from harmful bacteria, follow these four basic steps:

**Clean:** Wash hands, utensils, and surfaces with hot soapy water before and after handling raw meat.

**Separate:** Separate raw meats from ready-to-eat foods to avoid cross contamination. Use a clean platter and utensils when removing cooked foods.

**Cook:** Cook meat and poultry thoroughly to kill bacteria. Use a thermometer to ensure proper internal food temperatures.

**Chill:** Refrigerate prepared foods and leftovers promptly.



Cooking on your new grill is a hands-on experience, and it is recommended to remain outside with your grill while cooking. Grilling can be affected by many external conditions. In cold weather, you will need more heat to reach an ideal cooking temperature, and grilling may take longer. The meat's internal temperature and thickness can also affect cooking times. Cold and thicker meats will take longer to cook.

### Internal Meat Temperatures

Meat cooked on a grill often browns very fast on the outside. Therefore, use a meat thermometer to ensure it has reached safe internal temperatures.


USDA Recommended Safe Minimum Internal Temperatures	
Beef, Veal, Lamb, Steak, Roasts, & Whole Pork (with a 3 minute rest time)	145° F
Fish	145° F
Beef, Veal, Lamb, and Pork - Ground	160° F
Egg Dishes	160° F
Turkey, Chicken & Duck Whole, Pieces & Ground	165° F

Please refer to the USDA for complete, up-to-date information. Our internal temperature chart is based on USDA standards for meat doneness. Check it out at [www.isitdoneyet.gov](http://www.isitdoneyet.gov)



### Rotisserie Cooking

Rotisserie cooking is best for 'round' meat, such as large roasts, whole poultry, and pork. It generally requires an accessory motor and spit rod that allows the meat to be turned at a constant speed. Rotisserie cooking is best done in front of a special rotisserie burner, or utilizing an indirect cooking burner arrangement. A pan can be placed underneath the meat to catch grease and food drippings, and helps minimize clean-up.



## GRILLING GUIDE – Tips & Tricks

### Sauces

Sauces containing sugars and fats can cause flare-ups, and your food may burn. In general, apply these sauces during the final 5 minutes of cooking. Keep in mind, use of excessive sauces or glazes will also require extra cleaning afterwards.

### Marinades and Rubs

To enhance the flavor of grilled foods, a liquid marinade or dry rub can be used prior to cooking. Meat can be either soaked or injected with liquid marinade up to 24 hours prior to grilling. Dry rubs can be applied directly to the meat immediately before grilling.



### Wood Chips

For extra smoke flavor when grilling, try adding wood chips. Place smoke box or pan on top of the cooking grate above the flame. Turn grill on high until the wood starts to smoke. Reduce heat to desired temperature for cooking, and place food on cooking grate as desired. Close lid to retain more smoke. Hardwood varieties that work particularly well with grilled foods include Alder, Apple, Cherry, Hickory, Mesquite, and Pecan.



### Skewers

Metal skewers should be flat, with long handles. Round skewers allow food to roll when turned, so it may not cook as evenly. Use metal skewers when cooking meat kabobs. Wooden skewers should be soaked in water for an hour before use, and are best used for quick cooking foods such as vegetables and fruits.



### Utensils

Use tongs or a spatula to handle the food instead of a fork, and don't turn the food too often. Piercing the food with a fork will release juices that you want in the meat, and may cause flare-ups.



