

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



# Napoleon NEFL50CHS-1 Owner's Manual

[Shop genuine replacement parts for Napoleon  
NEFL50CHS-1](#)



ALLURAVISION™ 50 SLIMLINE

[Find Your Napoleon Fireplace Parts - Select From 171 Models](#)

----- Manual continues below -----

NAPOLEON



ELECTRIC WALL MOUNT, RECESSED  
AND SEE THRU FIREPLACES  
[napoleonfireplaces.com](http://napoleonfireplaces.com)



# Find your happy (fire)place.

Throughout the ages, people have gathered around fires to share in life's greatest joys. There's just something about the glow of flickering flames that makes special moments feel even warmer.

A Napoleon fireplace is uniquely designed to brighten the vibe of any room in your house. Napoleon has an incredible range of designer options to fit any vision.

A fire not only raises the warmth and ambiance of a room, it can raise the value of your home. A fireplace offers some of the highest returns of any remodeling project. And that should make you feel good all over.

And so you can keep enjoying that positive glow for years and years and years, every Napoleon fireplace is backed by an exclusive warranty program.

CLEARion™ - NEFBD50H .....	4 - 5
Trivista™ Series - 50 & 60.....	6 - 7
Alluravision™ Series - 42, 50, 60, 74 & 100 .....	8 - 13
Allure™ Series - 32, 42, 50, 60, 72 & 100 .....	14 - 17
Allure™ Phantom Series - 42, 50 & 60.....	18 - 19
Allure™ Vertical Series - 32 & 38 .....	20 - 21
Stylus™ Wallmount - NEFP32-5019W .....	22 - 23
Outstanding Features .....	24 - 25
Detailed Specifications.....	26 - 31





# CLEARion™ 50 See Thru

The CLEARion™ See Thru Electric Fireplace is the first ever truly see through electric fireplace. The CLEARion™ can be plugged in or hardwired directly into your electrical system creating a relaxing environment in two rooms. This unique fireplace can heat separate rooms at different rates, increasing the comfort of two spaces at the same time. Customize this fireplace with either a sparkling crystal media ember bed or the hand-painted South Beach Logs with Topaz Glass Embers; both sets are included. Illuminated from below by LED, color-changing lights, both ember bed styles glow with a luxurious feel that can be enjoyed from two rooms.

## Features & Accessories




Remote Control



Control Panel



Front Vents Allow Unit to be Fully Recessed



Crystal Media



South Beach Logs with Topaz Glass Embers

### Ember Bed Color Options



Yellow



Orange



Red



Magenta



Pink



Purple



White



Sky Blue



Blue



Green



CLEARion™ Shown with Stainless Steel Surround  
\*Note: for 2x4 installation only

LOW ENERGY  
**LED**  
HIGH INTENSITY





**NEFBD50H**

Up to 9,000 BTU's

Viewing Area: 43 5/8"W x 12"H

For more detailed specifications, see page 26

Flame Color Options



Blue

Multi-Color

Orange

## Trivista™ Series

Napoleon's 3-sided electric fireplace series comes in both a 50" and a 60" width and boasts the highest heat output in its category. Showcase the fireplace with the Northern Woods log set or acrylic crystals or combine them both for an amazing display. Effortlessly control all the features using the remote control or the touch screen panel with motion proximity sensor. End panels come with the fireplace to allow you to install the 3-sided fireplace as a 2-sided or 1-sided depending on desired location for installation. Enjoy Napoleon's Trivista™ Series fireplaces year round with their ability to operate the luminous flames with or without heat.

### Features & Accessories



Remote Control



Control Panel




End Panels



Northern Woods log set and crystal media

LOW ENERGY  
**LED**  
HIGH INTENSITY

### Ember Bed Color Options



### Ember Bed Color Options

Royal Blue, Clear, Dark Orange, Fuschia, Green, Light Blue, Lime, Orange, Purple, Red, Teal and Yellow





**NEFB50H-3SV**

up to 10,000 BTU's

Viewing Area: 48 5/8"W x 15"H

For more detailed specifications, see page 26

Trivista® 50 shown as 3-sided installation.



**NEFB60H-3SV**

up to 10,000 BTU's

Viewing Area: 58 5/8"W x 15"H

For more detailed specifications, see page 26

Trivista® 60 shown as 2-sided installation.

# Alluravision™ Series

See the fireplace, not the frame with Napoleon's Alluravision™ Series linear electric fireplaces. They stand out from the rest with their nearly frameless viewing area which highlights the unique flame colors. Set the mood with yellow, orange, blue and multi-color flames with the push of a button. Easy to use, these fireplaces are plug and play - just hang on the wall and plug them in. Nine models, five sizes available, 42, 50, 60 and 74 inch slim and deep models as well as a 100" deep model. All models include a crystal media ember bed and remote control. The NIGHT LIGHT™ and driftwood logs with topaz glass embers make beautiful additions to the deep model. Napoleon's Alluravision™ Series linear electric fireplaces are about adding the fireplace, and not the frame to your favorite room.

## Features & Accessories



Remote Control




Control Panel




Crystal Media



Driftwood Logs and Glass Ember Media



Slim Model Depth (4 1/4")



Deep Model Depth (5 13/16")

### Ember Bed Color Options



White



Blue



Green



Red




Yellow



Purple



42"



50"



60"



74"



100"

LOW ENERGY  
**LED**  
 HIGH INTENSITY









**NEFL42CHS**

5,000 BTU's  
1,450 Watts (120V)

Viewing Area : 40 1/4" W x 11 1/16" H

For more detailed specifications, see page 27

Flame Color Options

			
Yellow	Blue	Multi-Color	Orange



### **NEFL50CHS**

5,000 BTU's

1,450 Watts (120V)

Viewing Area : 48 1/2" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 50 Slim shown with Multi-Color Flames, Blue Ember Bed and Crystal.



### **NEFL50CHD**

Up to 9,000 BTU's

1,450/2,800 Watts (120V/240V)

Viewing Area : 48 1/2" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 50 Deep Depth shown with Yellow Flames and Driftwood Log Media with Topaz Glass Embers.



### NEFL42CHD

Up to 9,000 BTU's  
1,450/2800 Watts (120V/240V)  
Viewing Area : 40 1/4" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 42 Deep shown with Orange Flames, Ember Bed off and Driftwood Log Media with Topaz Glass Embers.



### NEFL60CHS

5,000 BTU's  
1,450 Watts (120V)  
Viewing Area : 58 5/16" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 60 Slim shown with Multi-Color Flames, Purple Ember Bed and Crystal Media.



### NEFL60CHD

Up to 9,000 BTU's  
1,450/2,800 Watts (120V/240V)  
Viewing Area : 58 5/16" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 60 Deep shown with Yellow Flames, Blue Ember Bed and Driftwood Log Media with Topaz Glass Embers.



### NEFL74CHS

5,000 BTU's

1,450 Watts (120V)

Viewing Area : 72 1/2" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 74 Slim shown with Multi-Color Flames, Blue Ember Bed and Crystal.



### NEFL74CHD

Up to 9,000 BTU's

1,450/2,800 Watts (120V/240V)

Viewing Area : 72 1/2" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 74 Deep Depth shown with Orange and Yellow Flames and Driftwood Log Media with Topaz Glass Embers.



## NEFL100CHD

Up to 9,000 BTU's

1,450/2,800 Watts (120V/240V)

Viewing Area : 98 1/2" W x 11 1/16" H

For more detailed specifications, see page 27

Alluravision™ 100 Deep Depth shown with Multi-Color Flames and Driftwood Log Media with Topaz Glass Embers.

# Allure™ Series

Making a statement with an Allure™ Series fireplace is easy. With six sizes to choose from, every Allure™ fireplace sparkles with a crystal ember bed and three color flame options; orange, blue or multi-color. Control the appearance as well as temperature and blower with the remote control. Any Allure™ series fireplace can simply be plugged in and hung on a wall for instant satisfaction. What makes these fireplaces special is the ability to be fully recessed into the wall thanks to the placement of front vents. The only difficulty now is deciding which one you want.

## Features & Accessories




Remote Control




Paintable Cord Cover



Touch Screen Control Panel



Front Vents Allow Unit to be Fully Recessed



32"

42"

50"

60"

72"

100"

LOW ENERGY  
**LED**  
HIGH INTENSITY





### NEFL32FH

5,000 BTU's

1,500 Watts

Viewing Area: 22 5/16" W x 12" H

For more detailed specifications on this unit, see page 28 -29

Allure™ 32 shown with Orange Flame Color Option.



### NEFL42FH

5,000 BTU's

1,500 Watts

Viewing Area: 32 5/16" W x 12" H

For more detailed specifications on this unit, see page 28 - 29

Allure™ 42 shown with Blue Flame Color Option.

#### Flame Color Options



Blue



Multi-Color



Orange



### NEFL50FH

5,000 BTU's

1,500 Watts

Viewing Area: 40 5/16" W x 12" H

For more detailed specifications on this unit, see page 28 - 29

Allure® 50 shown with Orange Flame Color Option.



### NEFL60FH

5,000 BTU's

1,500 Watts

Viewing Area: 50 5/16" W x 12" H

For more detailed specifications on this unit, see page 28 - 29

Allure® 60 shown with Blue Flame Color Option.



**NEFL72FH**

5,000 BTU's

1,500 Watts

Viewing Area: 62 5/8" W x 12" H

For more detailed specifications on this unit, see page 28 - 29

Allure™ 72 shown with Orange Flame Color Option.



**NEFL100FH**

5,000 BTU's

1,500 Watts

Viewing Area: 90 9/16" W x 12" H

For more detailed specifications on this unit, see page 28 - 29

Allure™ 100 shown with Multi-Color Flame Color Option.

# Allure™ Phantom Series

Transform your space by simply hanging one of the Allure™ Phantom Electric Fireplaces, and enjoy the view without glare or reflections thanks to a black matte surround and mesh front. Control comfort and mood with the touch of a button. Adjust flame height and instantly transition between cool blue, orange, or multi-color. All of the Allure™ Phantom wall hanging fireplaces can be installed fully recessed, or easily wall hung protruding only 5" into your space, simply plug in or hardwire. Renew your living space with one of three luxurious Allure™ Phantom Electric Fireplaces.

## Features & Accessories




Remote Control



Paintable Cord Cover



Touch Screen Control Panel




Front Vents Allow Unit to be Fully Recessed




Matte Surround and Mesh Screen eliminates reflections



42"



50"



60"

LOW ENERGY  
**LED**  
 HIGH INTENSITY





**NEFL42FH-MT**


5,000 BTU's

1,500 Watts

Viewing Area: 32 9/16" W x 12" H

For more detailed specifications on this unit, see page 30

Allure® Phantom 42 shown with Orange Flame Color Option.



**NEFL50FH-MT**

5,000 BTU's

1,500 Watts

Viewing Area: 40 1/2" W x 12" H

For more detailed specifications on this unit, see page 30

Allure® Phantom 50 shown with Blue Flame Color Option.



**NEFL60FH-MT**

5,000 BTU's

1,500 Watts

Viewing Area: 50 5/8" W x 12" H

For more detailed specifications on this unit, see page 3

Allure® Phantom 60 shown with Multi-Color Flame Color Option.

Flame Color Options



Blue



Multi-Color



Orange

## Allure™ Vertical Series

Create a stunning focal point with Napoleon's Allure Vertical Electric Fireplaces. Available in two sizes, these fireplaces are not just perfect for any room but for EVERY room! The vertical design hosts a collection of features including an LED ember bed, flames and side accent lights with more than 6 color options. Operable with or without heat allows you to enjoy this statement piece all year round no matter the season. Making a grand statement that is as functional as it is beautiful has never been easier than with these trendsetting fireplaces.

### Features & Accessories



Remote Control



Control Panel




Crystal Clear Cube Media  
(Included)



Birch log set  
(included in 38" model only)

#### Ember Bed Color Options



Ember Bed Color Options  
White, Blue, Green, Red, Yellow and Purple

#### Side Accent Lights



Side Accent Lights  
White, Blue, Green,  
Red, Yellow and Purple

LOW ENERGY  
**LED**  
HIGH INTENSITY



**NEFVC32H**

5,000 BTU's

Viewing Area: 15 1/4"W x 20"H

For more detailed specifications, see page 31

Allure™ Vertical 32 shown.



**NEFVC38H**

5,000 BTU's

Viewing Area: 15 1/4"W x 26"H

For more detailed specifications, see page 31

Allure™ Vertical 38 shown.

# Stylus™ Wallmount

The Stylus™ Wallmount is as much an elegant focal point as it is a functional source of heat for a room up to 400 sq. ft. Perfect for your modern decor or to take your current design to a transitional feel. The contemporary surround offers features such as a dual USB 2.0 charging port with smart LED color indication of charging status by changing from red to green when your mobile device has finished charging. The eye catching flames have four color settings as well as five brightness settings which when combined with the six color options of the ember bed create the ultimate in customization. Use the side shelf to put your favorite pieces on display with an accent light that offers color and brightness adjustments.

## Features & Accessories



Remote Control




Touch Control Panel



Birch Log Set and Crystal Media (Included)



Dual USB Charging Ports (red = charging, green = fully charged)




Ember Bed Color Options  
White, Blue, Green, Red, Yellow and Purple



Side Accent Light

LOW ENERGY  
**LED**  
HIGH INTENSITY





**NEFP32-5019W**

5,000 BTU's

1,500 Watts

Viewing Area: 31 7/8" W x 12" H

For more detailed specifications on this unit, see page 31

Stylus<sup>®</sup> shown with Multi Flame and Purple Emberbed Color Options.

# Outstanding Features

of Napoleon's Advanced Technology



## Reliable LED Technology

Napoleon's electric fireplaces offers reliable LED technology for added convenience. LED lights are extremely energy efficient and long-lasting saving you the hassle of having to change out light bulbs. Plus LED lights are high intensity providing a product you can enjoy during both day and night time.

## No Glare Front with Invisible Screen

Napoleon's Allure™ Phantom Series contains a mesh front and matte surround which eliminates distracting reflections caused by a glass front. High intensity LED lights can be seen at night or during the day!


## Front Vent Heat

All Napoleon's Electric Fireplaces listed in this brochure have been designed with front vents, directing the heat to pump more efficiently into the space.



## ELECTRIC FIREPLACE

Economical to Operate




## ULTRA BRIGHT™ LED LIGHTS

Provide day or night intensity



## ADJUSTABLE TEMPERATURE

Adjust the heat being produced by choosing a temperature



## PLUG IN

Simply plug in and your fireplace is ready



## HARD WIRED

Can be hard wired into existing home wiring



## SAFE TO TOUCH

Never hot enough to burn (CLEARion™ Model Excluded)



## WHISPER QUIET™

Operates at a whisper to ensure enjoyment



### ECO-FRIENDLY

Only heat the rooms you use most



### NON-REFLECTIVE BACKING

Allows for optimal flame viewing (not applicable for the Trivista™ or CLEARion™)



### FULL FEATURE REMOTE

Controls thermostat, heat settings, flame settings, timer, on/off and more



### SAVE UP TO 30% WITH NAPOLEON'S ZONE Heating



### CAN BE RECESSED

Partially or fully recess these electric fireplaces




### BRILLIANT CRYSTALS

Crystal ember bed glows with the LED lights from underneath



### REALISTIC LOG SET

Realistic logset available for the CLEARion™, Trivista™, Alluravision™ Series (deep models only, Allure™ Vertical (38" model only) and the Stylus™ Wallmount



Wall Mounted



Fully Recessed



### Hidden Touch Screen Controls

The Allure™, Allure™ Phantom, Alluravision™ and CLEARion™ Series touch screen controls allow you to adjust the heat level, flame height, brightness, timer to control hours of operation, flame and ember bed colour and more!

### Flexible Installation Options


All Napoleon's Electric Fireplaces listed in this brochure have been designed with front vents, allowing you the option of a partial/fully recessed or convenient wall mount installation.

### Transformation

All Napoleon's wall mount electric fireplaces, including the new CLEARion™ See Thru electric fireplace, allows for an affordable and quick transformation of any room. Enhance any room in your home, a generous glass front and a clear glass ember bed to complement the crisp, clean design.

## CLEARion™ 50 NEFBD50H

Shown on pages 4 - 5




Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFBD50H	5,000-9,000	3,000	18 3/8"	17 15/16"	50"	49"	8 1/6"	4 1/2" or 3" *	12"	43 5/8"	Fully Recessed	Yes	Included	Included	Included	Included

\* Framing Depth is dependant on 2x4 or double 2x4 wall installation.

## Trivista™ Series

Shown on pages 6 - 7



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFB50H-3SV	5,000-10,000	1,500-3,000	21 1/2"	21 3/4"	50"	49"	9 1/2"	9 1/4"	15"	48 5/8"	Fully Recessed	Yes	Included	Included	Included	Included
NEFB60H-3SV	5,000-10,000	1,500-3,000	21 1/2"	21 3/4"	60"	59"	9 1/2"	9 1/4"	15"	58 5/8"	Fully Recessed	Yes	Included	Included	Included	Included


Certified under Canadian and American National Standards.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.

Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

# Alluravision™ Series

Shown on pages 8 - 13




CORD LOCATION								
Dimensions								
Model Number	A	B	C	D	E	F	G	H
<b>NEFL32CHS</b>	35" (88.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	32 5/8" (82.8cm)	30 13/16" (78.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
<b>NEFL42CHS</b>	44 7/16" (112.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	42 1/16" (106.8cm)	40 1/4" (102.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
<b>NEFL50CHS</b>	52 11/16" (133.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	50 5/16" (127.8cm)	48 1/2" (123.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
<b>NEFL60CHS</b>	62 9/16" (158.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	60 3/16" (152.8cm)	58 5/16" (148.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
<b>NEFL72CHS</b>	76 3/4" (194.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	74 5/16" (188.8cm)	72 1/2" (184.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
<b>NEFL100CHS</b>	102 11/16" (260.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	100 5/16" (254.8cm)	98 1/2" (250.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
<b>NEFL32CHD</b>	35" (88.8cm)	17 5/16" (44cm)	5 13/16" (14.8cm)	15 7/8" (40.2cm)	32 5/8" (82.8cm)	30 13/16" (78.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
<b>NEFL42CHD</b>	44 7/16" (112.8cm)	17 5/16" (44cm)	5 13/16" (14.8cm)	15 7/8" (40.2cm)	42 1/16" (106.8cm)	40 1/4" (102.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
<b>NEFL50CHD</b>	52 11/16"	17 5/16"	5 13/16"	15 7/8"	50 5/16"	48 1/2"	11 1/16"	3/4"

Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL42CHS	5,000	1,450	17 5/16"	16 1/8"	44 7/16"	42 9/16"	4 1/4"	4 1/2"	11 1/16"	40 1/4"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included
NEFL42CHD	5,000-9,000	1,450-2,800	17 5/16"	16 1/8"	44 7/16"	42 9/16"	5 13/16"	6 1/16"	11 1/16"	40 1/4"					Included	
NEFL50CHS	5,000	1,450	17 5/16"	16 1/8"	52 11/16"	50 13/16"	4 1/4"	4 1/2"	11 1/16"	48 1/2"					N/A	
NEFL50CHD	5,000-9,000	1,450-2,800	17 5/16"	16 1/8"	52 11/16"	50 13/16"	5 13/16"	6 1/16"	11 1/16"	48 1/2"					Included	
NEFL60CHS	5,000	1,450	17 5/16"	16 1/8"	62 9/16"	60 11/16"	4 1/4"	4 1/2"	11 1/16"	58 5/16"					N/A	
NEFL60CHD	5,000-9,000	1,450-2,800	17 5/16"	16 1/8"	62 9/16"	60 11/16"	5 13/16"	6 1/16"	11 1/16"	58 5/16"					Included	
NEFL74CHS	5,000	1,450	17 5/16"	16 1/8"	76 3/4"	74 13/16"	4 1/4"	4 1/2"	11 1/16"	72 1/2"					N/A	
NEFL74CHD	5,000-9,000	1,450-2,800	17 5/16"	16 1/8"	76 3/4"	74 13/16"	5 13/16"	6 1/16"	11 1/16"	72 1/2"					Included	
NEFL100CHD	5,000-9,000	1,450-2,800	17 5/16"	16 1/8"	102 11/16"	100 13/16"	5 13/16"	6 1/16"	11 1/16"	98 1/2"					Included	

Certified under Canadian and American National Standards.  
 Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.  
 Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

**Allure™ 32**  
**NEFL32FH**


Shown on pages 14 - 17



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL32FH	5,000	1,500	21 5/8"	21"	32"	27 13/16"	5"	3 1/2" - 5"	12"	22 5/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

**Allure™ 42**  
**NEFL42FH**


Shown on pages 14 - 17



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL42FH	5,000	1,500	21 5/8"	21"	42"	38"	5"	3 1/2" - 5"	12"	32 5/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

**Allure™ 50**  
**NEFL50FH**

Shown on pages 14 - 17




Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL50FH	5,000	1,500	21 5/8"	21"	50"	45 15/16"	5"	3 1/2" - 5"	12"	40 5/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

Certified under Canadian and American National Standards.  
Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.  
Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

**Allure™ 60  
NEFL60FH**


Shown on pages 14 - 17



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL60FH	5,000	1,500	21 5/8"	21"	60"	55 13/16"	5"	3 1/2 - 5"	12"	50 5/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

**Allure™ 72  
NEFL72FH**


Shown on pages 14 - 17



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL72FH	5,000	1,500	21 5/8"	21"	72"	67 7/8"	5"	3 1/2 - 5"	12"	62 5/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

**Allure™ 100  
NEFL100FH**

Shown on pages 14 - 17




Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL100FH	5,000	1,500	21 5/8"	21"	100"	95 7/8"	5"	3 1/2 - 5"	12"	90 9/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

Certified under Canadian and American National Standards.  
 Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.  
 Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

## Allure™ Phantom 42 NEFL42FH-MT


Shown on pages 18 - 19



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL42FH-MT	5,000	1,500	21 5/8"	21"	42"	38"	5"	3 1/2 - 5"	12"	32 9/16"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

## Allure™ Phantom 50 NEFL50FH-MT


Shown on pages 18 - 19



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL50FH-MT	5,000	1,500	21 5/8"	21"	50"	45 15/16"	5"	3 1/2 - 5"	12"	40 1/2"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included

## Allure™ Phantom 60 NEFL60FH-MT


Shown on pages 18 - 19



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFL60FH-MT	5,000	1,500	21 5/8"	21"	60"	55 13/16"	5"	3 1/2 - 5"	12"	50 5/8"	Wall Mount/ Fully Recessed	Yes	Included	Included	N/A	Included


Certified under Canadian and American National Standards.  
 Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.  
 Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

**Allure™ Vertical Series**  
Shown on pages 20 - 21



Model	BTU's	Watts	Height		Front Width		Depth		Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width					Logs	Crystals
NEFVC32H	5,000	1,500	32"	30 3/4"	16"	14 1/2"	16"	14 1/2"	20"	15 3/8"	Wall Mount/ Partially Recessed	Yes	Included	Included	n/a	Included
NEFVC38H	5,000	1,500	38"	36 3/4"	16"	14 1/2"	16"	14 1/2"	26"	15 3/8"	Wall Mount/ Partially Recessed	Yes	Included	Included	Included	Included

**Stylus™**  
**NEFP32-5019W**  
Shown on pages 22 - 23



Model	BTU's	Watts	Height	Front Width	Depth	Viewing Area		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual			Actual	Height					Width	Logs
NEFP32-5019W	5,000	1,500	20 5/16"	59 1/8"	11"	12"	31 7/8"	Wall Mount	Yes	Included	Included	Included	Included

Certified under Canadian and American National Standards.  
Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.  
Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.



# NAPOLEON - CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8  
103 Miller Drive, Crittenden, Kentucky, USA 41030  
7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 1-866-820-8686  
napoleonfireplaces.com



Authorized Dealer

Consult your owner's manual for complete installation instructions, accurate framing dimensions and proper clearances to combustible material. Check all local and national building codes. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Napoleon is a registered trademark of Wolf Steel Ltd. © Wolf Steel inc.