

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



Napoleon BHD4PN Owner's Manual

[Shop genuine replacement parts for Napoleon BHD4PN](#)



ASCENT™ MULTI-VIEW

3 Sided, Log Set, Direct Vent

Natural Gas

[Find Your Napoleon Fireplace Parts - Select From 171 Models](#)

----- Manual continues below -----

NAPOLÉON

ASCENT™ DIRECT VENT GAS FIREPLACES



ASCENT™ DIRECT VENT GAS FIREPLACES
napoleonfireplaces.com

A Fireplace Series with ENDLESS OPPORTUNITIES.

Fireplaces

| | |
|--|---------|
| Ascent [™] 30..... | 4 - 5 |
| Ascent [™] 35..... | 6 - 7 |
| Ascent [™] 36..... | 8 - 9 |
| Ascent [™] X 36..... | 10 - 11 |
| Ascent [™] 42..... | 12 - 13 |
| Ascent [™] X 42..... | 14 - 15 |
| Ascent [™] 46..... | 16 - 17 |
| Ascent [™] X 70..... | 18 - 19 |
| Ascent [™] Multi-View..... | 20 - 21 |
| Ascent [™] Linear 36..... | 22 - 23 |
| Ascent [™] Linear 46..... | 24 - 25 |
| | |
| Ascent [™] Series Media Kits..... | 26 |
| Napoleon's Outstanding Features..... | 27 - 28 |
| Detailed Specifications & Line Drawings..... | 29 - 31 |



The Ascent[™] 30 shown with the Heritage Safety Barrier and MIRRO-FLAME[™] Po



FIND YOUR HAPPY (fire)PLACE.

Throughout the ages, people have gathered around fires to share in life's greatest moments.

There's just something about the glow of flickering flames that makes special moments even more special.

A Napoleon fireplace is uniquely designed to brighten the vibe of any room with an incredible range of designer options to fit any vision.

A fire not only raises the warmth and ambiance of a room, it can raise the value of your home. A fireplace offers some of the highest returns of any remodeling project. And that should be a fire you can't live without.

And so you can keep enjoying that positive glow for years and years and years, your Napoleon fireplace is backed by the President's Limited Lifetime Warranty.



Napoleon's Hot Spots Research Study delivers insights on how to create a relaxing atmosphere in your home. In particular, how to help you add relaxation, social interaction, and comfort to rooms to enhance your memorable moments.

Throughout this brochure we will share some of our findings.

For more inspiration visit napoleonfireplaces.com/information.



We are proud to be recognized as one of Canada's Best Managed Companies and are dedicated to providing quality, home comfort products for over 40 years and counting.

Ascent™ 30

Infinite Opportunities

Napoleon's Ascent™ Series has endless opportunities and is perfect for home builders and homeowners alike. The Ascent™ 30 is the smallest fireplace in the series and is the perfect option when space is at a premium. With up to 15,000 BTU's and Napoleon's exclusive PHAZER® glowing log set, it provides plenty of cozy heat.

B30

Up to 15,000 BTU's

Top or Rear Vent

Flame/heat adjustment

Viewing Area: 34 5/8" w x 30" h

Natural gas or Propane

For more detailed specifications on this unit, see page 29.

Options & Accessories



F45 & F60 Remote Controls
On/off with digital screen



Heritage D



Zen Decor



Black 2" Tr



Black 3" P



The Ascent™ 30 shown with Standard Safety Barrier and 2" Trim Kit



MIRRO-FLAME™
Porcelain Reflective
Radiant Panels



Mix-N-Match Alternate Media Enhancement Kits
Shore Fire, Beach Fire and Mineral Rock Kit



Ascent™ 35

Boosts Ambiance

Napoleon's Ascent™ 35 enhances ambiance in any room with the industry's most realistic, exclusive PHAZER™ log set and glowing ember bed. The clean face design of the Ascent™ 35 maximizes optimal viewing to ensure your new fireplace is enjoyed to the fullest. With various accessories and an advanced burner technology, the Ascent™ 35 is compact, stylish and robust!

B35

Up to 20,000 BTU's

Top Vent

Flame/heat adjustment

Viewing Area: 35" w x 34 5/8" h

Natural gas or Propane

For more detailed specifications on this unit, see page 29.

Options & Accessories



F45 & F60 Remote Controls
On/off with digital screen



Matte Black Clean Face Surround
shown with Sandstone Brick Panels



Heritage Decorative Surround
shown with MIRRO-
FLAME Porcelain Reflective



Wrought Iron Surround shown with
MIRRO-FLAME™ Porcelain Reflective
Radiant Panels



Zen Decorative Surround
shown with Sandstone Brick



Black 2" Trim Kit shown with
Sandstone Brick Panels



Black 3" Premium Surround
shown with MIRRO-
FLAME Porcelain Reflective Radiant



The Ascent[™] 35 shown with Sand



MIRRO-FLAME[™]
Porcelain Reflective
Radiant Panels



Sandstone Decorative
Brick Panels



Westminster
Standard Decorative
Brick Panels



Westminster
Herringbone Decorative
Brick Panels



Old Town Red[™]
Herringbone Decorative
Brick Panels

Ascent™ 36

Enhanced Design

Napoleon's Ascent™ 36 is so versatile it can be installed almost anywhere! The shallow depth, at less than 16", allows for installations where space is limited. The clean face design maximizes the viewing area so your new pride and joy is thoroughly enjoyed.

B36

Up to 18,000 BTU's

Top or Rear Vent

Flame/heat adjustment

Viewing Area: 35" w x 34 5/8" h

Natural gas or Propane

For more detailed specifications on this unit, see page 29.

Options & Accessories



F45 & F60 Remote Controls
On/off with digital screen



Matte Black Clean Face Surround
shown with MIRRO-FLAME™ Porcelain
Reflective Radiant Panels



Heritage Decorative Surround
shown with MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Wrought Iron Surround shown with
MIRRO-FLAME™ Porcelain Reflective
Radiant Panels



Zen Decorative Surround
shown with MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Black 2" Trim Kit
shown with MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Black 3" Premium Trim Kit
shown with MIRRO-FLAME™ Porcelain Reflective Radiant Panels



The Ascent[™] 36 shown with Standard Safety Barrier, Shore Fire and Beach Fire Media Kit



MIRRO-FLAME[™]
Porcelain Reflective
Radiant Panels



Mix-N-Match Alternate Media Enhancement Kits
Shore Fire, Beach Fire and Mineral Rock Kit



Ascent™ X 36

A Multitude of Designer Options

Napoleon's Ascent™ X 36 allows you to transform any space into an inviting and relaxing retreat! With a multitude of designer options you can match existing decor or create an eye catching focal point. The Ascent™ X 36 boasts the industries most realistic, exclusive PHAZER® log set and glowing ember bed.

- GX36
- Up to 26,000 BTU's
- Top or Rear Vent
- Ceramic Glass
- Flame/heat adjustment
- Viewing Area: 35" w x 34 5/8" h
- Natural gas or Propane

For more detailed specifications on this unit, see page 29.



Options & Accessories



F45 & F60 Remote Controls
On/off with digital screen



Optional eFIRE Remote App with
Proflame II System Available



Matte Black Clean Face Surround
shown with Old Town Red™
Herringbone Brick Panels



Scalloped Wrought
shown with Newport
Brick Panels



Wrought Iron Surround shown with
Westminster Herringbone Brick Panels



Zen Decorative Surround
with MIRRO-FLAME™
Reflective Radiant Panels



Black 2" Trim Kit shown with
Sandstone Brick Panels



Black 3" Premium Surround
shown with Newport
Brick Panels



The Ascent™ X 36 shown with Premium Safety Barriers



MIRRO-FLAME™
Porcelain Reflective
Radiant Panels



Sandstone Decorative
Brick Panels



Newport™ Decorative
Brick Panels



Westminster
Standard Decorative
Brick Panels



Westminster
Herringbone Decorative
Brick Panels



Old Town Red™
Standard Decorative
Brick Panels



Old Town Red™
Herringbone Decorative
Brick Panels



Mix-N-Match Alter
Shore Fire, Beach

Ascent™ 42

Limitless Décor Options

The Napoleon Ascent™ 42 Gas Fireplace offers a multitude of options with decorative safety barriers, surrounds, trims, decorative brick panels and MIRRO-FLAME™ Porcelain Reflective Radiant Panels. The Ascent™ 42 can be designed to your personal taste and can match any home décor. An approved safety barrier is included on the Ascent™ series, meeting current safety standards.

B42

Up to 22,000 BTU's

Top or Rear Vent

Flame/heat adjustment

Viewing Area: 42" w x 34 5/8" h

Natural gas or Propane

For more detailed specifications on this unit, see page 30.



Napoleon's Hot Spots Research Study revealed how desire for a fireplace, when shown in a master bedroom, increases by **75%**.

Options & Accessories



F45 & F60 Remote Controls
On/off with digital screen



Wrought Iron Surround shown with MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Decorative Heritage Surround shown with Sandstone Brick and MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Decorative Zen Surround shown with Sandstone Brick and MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Black 3" Premium Surround shown with Sandstone Brick and MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Standard Safety Barrier shown with MIRRO-FLAME™ Porcelain Reflective Radiant Panels



The Ascent™ 42 shown with Standard Safety Barriers



MIRRO-FLAME™
Porcelain Reflective
Radiant Panels



Sandstone Decorative
Brick Panels



Westminster
Standard Decorative
Brick Panels



Westminster
Herringbone Decorative
Brick Panels



Old Town Red™
Herringbone Decorative
Brick Panels



Mix-N-Match Alternate Media Enhancement Kits
Shore Fire, Beach Fire and Mineral Rock Kit



Ascent™ X 42

Optimal Design and Heating Capabilities

The Ascent™ X 42 meets the demand for a true 42-inch direct vent gas fireplace. Perfect for builders and homeowners alike, this 42" head turner boasts a premium split oak log set, the most realistic in the industry. The Ascent™ X 42 allows you to easily transform an everyday room into a gathering space worthy of your most critical company and life's most enjoyable moments.

GX42

Up to 30,000 BTU's

Top or Rear Vent

Flame/heat adjustment

Viewing Area: 34 7/8" w x 20 15/16" h

Natural gas or Propane

For more detailed specifications on this unit, see page 30.



Options & Accessories



F45 & F60 Remote Controls
On/off with digital screen



Optional eFIRE Remote App with
Proflame II System Available



Standard Safety Barrier shown with 2" Trim Kit and MIRRO-FLAME™ Reflective Radiant Panels



Decorative Heritage Safety Barrier with Old Town Red™ Heritage Panels



Standard Safety Barrier shown with 3" Bevelled Trim Kit and Sandstone Brick Panels



Decorative Zen Safety Barrier with Westminster Herringbone Panels



Standard Safety Barrier with Westminster Brick Panels



Wrought Iron Surround with Brick Panels



The A



MIRRO-FLAME™
Porcelain Reflective
Radiant Panels



Sandstone Decorative
Brick Panels



Newport™ Decorative
Brick Panels



Westminster
Standard Decorative
Brick Panels



Westminster
Herringbone Decorative
Brick Panels



Old Town Red™
Standard Decorative
Brick Panels



Old Town Red™
Herringbone Decorative
Brick Panels



Mix-N-Match Alter
Shore Fire, Beach

Ascent™ 46

Unlimited Capabilities

Napoleon's Ascent™ 46 is now the largest single view fireplace in the Ascent™ Series and is offered as a 4" x 7" top and rear vent model. Offering a multitude of options with decorative safety barriers, surrounds, trim Kits, decorative brick panels and MIRRO-FLAME™ Porcelain Reflective Radiant Panels, the Ascent™ 46 can be designed to your personal taste and match any home décor.

B46

Up to 22,000 BTU's

Top or Rear Vent

Flame/heat adjustment

Viewing Area: 46" w x 34 5/8" h

Natural gas or Propane

For more detailed specifications on this unit, see page 30.

Options & Accessories



F45 & F60 Remote Controls
On/off with digital screen



Decorative Heritage Safety Barrier
MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Decorative Zen Safety Barrier
Sandstone Brick Panels



Black 3" Premium Bevelled Trim
MIRRO-FLAME™ Porcelain Reflective Radiant Panels



The Ascent™ 46 shown with Standard Safety Barriers




MIRRO-FLAME™
Porcelain Reflective
Radiant Panels



Sandstone Decorative
Brick Panels



Westminster
Standard Decorative
Brick Panels




Westminster
Herringbone Decorative
Brick Panels



Old Town Red™
Herringbone Decorative
Brick Panels



Mix-N-Match Alternate Media Enhancement Kits
Shore Fire, Beach Fire and Mineral Rock Kit



Ascent™ X 70

Impressive Fire

The Ascent™ X 70 gas fireplace offers you a wide range of heat output and control with a remarkable flame/heat adjustment. The Ascent™ X 70 boasts one of the most impressively solid towering flames that produce a remarkable presence that can not be ignored. With a large viewing area, a realistic PHAZER™ log set that is rich in color and detail and Napoleon's exclusive NIGHT LIGHT™, the Ascent™ X 70 is a one of a kind fireplace that you will be proud to have friends and family gather around.

- GX70
- Up to 35,000 BTU's
- Top Vent
- Flame/heat adjustment
- Viewing Area: 35" w x 34 5/8" h
- Natural gas or Propane

For more detailed specifications on this unit, see page 30.



Options & Accessories



Modulating Remote Control with Digital Screen Comes Complete with Ascent™ X 70



Optional eFIRE Remote App with Proflame II System Available



Heritage Decorative Safety Barrier shown with Old Town Red Decorative Brick Panels



Black Surround with Herringbone Panels



Zen Decorative Safety Barrier shown with MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Scalloped Wrought Iron Surround shown with Decorative Brick Panels



Black 2" Trim Kit shown with Old Town Red Decorative Brick Panels



2" Trim Kit shown with Porcelain Reflective Panels



Matte Black Clean Face Surround shown with Newport™ Decorative Brick Panels



Wrought Iron Surround with Old Town Red Decorative Panels



Ascent™ X 70 shown with Matte Black S



MIRRO-FLAME™
Porcelain Reflective
Radiant Panels



Sandstone Decorative
Brick Panels



Newport™ Decorative
Brick Panels



Westminster
Standard Decorative
Brick Panels



Westminster
Herringbone Decorative
Brick Panels



Old Town Red™
Standard Decorative
Brick Panels



Old Town Red™
Herringbone Decorative
Brick Panels

Ascent™ Multi-View

Infinite Viewing Opportunities

Napoleon's Ascent™ Multi-View Gas Fireplace is available as a See Thru or a three-sided Peninsula and features various firebox/burner options including a log burner, a linear glass burner or a designer fire cradle featuring topaz glass to match any room in your home. The new Ascent™ Multi-View Gas Fireplace offers up to 30,000 BTU's, a massive 2,023 sq. in. viewing area for the See Thru model and 2,484 sq. in. for the Peninsula model, multiple firebox configurations and electronic ignition with battery back-up. Media Kits and decorative panels are available to match any room in your home.

| | |
|---------------------------------|-------------------------------------|
| BHD4ST - See Thru | BHD4P - Peninsula |
| Up to 30,000 BTU's | Up to 30,000 BTU's |
| 45° Vent | 45° Vent |
| Flame/heat adjustment | Flame/heat adjustment |
| Viewing Area: 45" w x 38 1/4" h | Viewing Area: 43 1/4" w x 38 1/4" h |
| Natural Gas or Propane | Natural Gas or Propane |

For more detailed specifications on this unit, see page 31.



Napoleon's Hot Spots Research Study divulges how over **90%** of people surveyed strongly desire a fireplace in the family / living room.

Options & Accessories



Designer Fire Art
Metal Coil Design



Designer Fire Art
Nickel Stix Design



F45 & F60 Remote Controls
On/off with digital screen



Modulating Remote Control
with Digital Screen



Ascent™ Multi-View Peninsula with PHA Set Burner (BHD4PN) shown with MIRROR Porcelain Reflective Radiant Panels



Ascent™ Multi-View See Thru with Fire Cradle Burner (BHD4STFCN) shown with MIRROR Porcelain Reflective Radiant Panels



Ascent™ Multi-View See Thru with Topaz CRYSTALINE™ glass ember bed Burner (BHD4STFCN) shown with MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Ascent™ Multi-View shown with Topaz CRYSTALINE™ glass ember bed and MIRRO-FLAME™ Porcelain Panels.



Ascent™ Multi-View shown with PHA



Newport™ Decorative Brick Panels
Available only with Log Set Burner



MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Alternate Glass Media Kits & Glass Enhancement Kits
Six Colors Available



Mineral Rock Kit Available

Ascent™ Linear 36

Boasts Beauty and Performance

The Napoleon Ascent™ Linear 36 Gas Fireplace is perfect for homeowners, re-modelers and custom builders. With a multitude of designer options, the Ascent™ Linear 36 can be dressed to match an existing room decor or can be stylized to be a focal point in your room. The Ascent™ Linear 36 comes standard with an exclusive Topaz CRYSTALINE™ ember bed that can be changed out to a completely new look with the Shore Fire, Beach Fire and Mineral Rock Kits which include a variety of rocks, sand, logs and vermiculite.

BL36-1
 Up to 17,500 BTU's
 Top Vent
 Flame/heat adjustment
 Viewing Area: 18 13/16" h x 31 9/16" w
 Natural Gas or Propane

For more detailed specifications on this unit, see page 31.



Options & Accessories



F45 & F60 Remote Controls
 On/off with digital screen



Optional eFIRE Remote App
 with Proflame II System



CRYSTALINE™ Ember Bed



Optional Blower



Ascent™ Linear 36 shown with Standard Barrier and MIRRO-FLAME™ Porcelain Radiant Panels with Shore Fire Media



Ascent™ Linear 36 shown with Stainless Steel Surround and MIRRO-FLAME™ Porcelain Reflective Radiant Panels with Blue Glass Embers



Ascent™ Linear 36 shown with Classic E Surround and MIRRO-FLAME™ Porcelain Radiant Panels with Beach and Shore Kits combined



Ascent™ Linear 36 shown with Stainless Steel Surround, Shore and Beach Fire Kit



MIRRO-FLAME™
Porcelain Reflective
Radiant Panels



Alternate Glass Media Kits & Glass Enhancement Kits
Six Colors



Mineral Rock Kit



Shore Fire Kit



Beach Fire Kit

Ascent™ Linear 46

Radiant Heat and Flame Innovation

With multiple designer options, Napoleon's Ascent™ Linear 46 Gas Fireplace is ideal for making a dramatic statement in your home. A Topaz CRYSTALINE™ ember bed is included with the Ascent™ Linear 46 and adds shimmer wherever it's installed. Customize the look by using the optional Beach Fire, Shore Fire, or Mineral Rock enhancement Kits, and you can even mix and match Kits to enhance your personal style. Use the optional eFIRE app and your favorite mobile device to control this fireplace with ease from the comfort of your chair. Perfect for homeowners, remodelers and even builders who wish to add something special to a space.

BL46

Up to 24,000 BTU's

Top Vent

Flame/heat adjustment

Viewing Area: 18 13/16" h x 42 1/2" w

Natural Gas or Propane

For more detailed specifications on this unit, see page 31.



Options & Accessories



F45 & F60 Remote Controls
On/off with digital screen



Optional eFIRE Remote App
with Proflame II System



CRYSTALINE™ Ember Bed



Optional Blower



Ascent™ Linear 46 shown with Standard MIRRO-FLAME™ Porcelain Reflective Rads, Beach and Shore Fire Media Kits combined



Ascent™ Linear 46 shown with Stainless Steel MIRRO-FLAME™ Porcelain Reflective Rads and Clear Glass Beads



Ascent™ Linear 46 shown with Classic Beach Fire Media Kit and Mineral Rock Media Kit



The Ascent™ Linear 46 shown with Standard Safety Barrier, Shore and Beach Fire Kits



MIRRO-FLAME™
Porcelain Reflective
Radiant Panels



Alternate Glass Media Kits & Glass Enhancement Kits
Six Colors



Mineral Rock Kit



Shore Fire Kit



Beach Fire Kit

Enhance Your Ember Bed

Napoleon Fireplaces offers an entire line-up of completely customizable, media enhancement kits. The three kits are; the Beach Fire Kit that consists of driftwood logs, a Shore Fire Kit that consists of rock, sand, vermiculite and glass and a Mineral Rock Kit that consists of rocks in a variety of shapes and sizes. These kits can be used as stand alone media or you can pick and choose elements from all 3 Kits to be mix & matched to create a custom look. Completely customize your fireplace to your desired style.



Beach Fire Kit

Comes with four driftwood logs

The Beach Fire Kit includes four pieces of driftwood styled logs.



Shore Fire Kit

Comes with a variety of Rock, Sand, Vermiculite and Glass

The Shore Fire Kit includes a well balanced mixture of rocks, sand, vermiculite and glass available in various sizes.

| Media Kits | Ascent Series Fireplaces | | | | | | | |
|--------------|--------------------------|-------|-------|-------|------|------|------|-------|
| | B30 | B35 | B36 | GX36 | B42 | GX42 | B46 | BHD4 |
| Shore Fire | SFKS | N / A | SFKS | SFKS | SFKM | SFKM | SFKM | N / A |
| Beach Fire | BFKXS | N / A | BFKXS | BFKXS | BFKS | BFKS | BFKS | N / A |
| Mineral Rock | MRKS | N / A | MRKS | MRKS | MRKM | MRKM | MRKM | MRKM |

Just some of the ways to mix and match your fireplace media...



Features and Accessories

- Back-up control system ensures reliable use, even during power failures
- **CRYSTALINE™** glass ember bed or **PHAZER™** log set options available
- Optional **MIRRO-FLAME™** Porcelain Reflective Radiant Panels
- Optional brick Kits in Sandstone, Old Town Red, Newport™ or Herringbone
- Optional glass ember media Kits in black, blue, red, amber, clear and topaz to replace or add to the **CRYSTALLINE™** ember bed
- Electronic Ignition Including Hi/Lo Flame adjustment
- Divinity™ flame pattern provides heightened peaks and valleys (Ascent™ Linear Models)
- Choose from a variety of optional decorative and trims
- Optional Driftwood Log, Shore Fire, Beach Fire enhancement Kits available
- Optional **AMBIENT-GLOW™** metal fibers are designed to glow on gas fires
- **eFIRE™** App allows you to customize your fireplace from the screen of your mobile device (optional for Ascent™)
- Optional blower Kits available (all models)



Outstanding Features

of Napoleon's Advanced Technology



Advanced Burner Technology

Napoleon's sophisticated burner system offers superior flame technology. Strategically placed burner ports create the most realistic YELLOW DANCING FLAMES® in the industry.

Finely Tuned Precision Valves

Surrounded with a protective cast aluminum jacket, the precision valves allow for ultimate reliability and 100% SAFE GUARD™ gas control system.

Minimum 30% savings on heating costs with Zone Heating



Zone Heating means you are heating the rooms that you use the most with an alternate heat source, like a Napoleon gas fireplace. Zone Heating is the obvious solution for families concerned about rising fuel costs.

Outstanding

Fine details
Napoleon fire
with pride of

Safety Scr


Napoleon, le
have develo
pleasing des
ultimate safe

Dimensions & Specifications

Ascent™ 30

Shown on pages 4 - 5

*Surrounds may change unit dimensions




| Model | BTU's (Input) | | Venting 4" x 7" | Height | | Front Width | | Depth | | Glass Type | Glass Size | | Glass Area (sq. in.) |
|-------|---------------|---------|--------------------|---------|---------|-------------|---------|--------|---------|------------|------------|-----------|-------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | | Height | Width | |
| B30 | 15,000 | 15,000 | Top / Rear | 34 5/8" | 35" | 30" | 30 1/2" | 14" | 14 1/2" | Tempered | 23 11/16" | 25 11/16" | 609 |

Ascent™ 35

Shown on pages 6 - 7

*Surrounds may change unit dimensions




| Model | BTU's (Input) | | Venting 5" x 8" | Height | | Front Width | | Depth | | Glass Type | Glass Size | | Glass Area (sq. in.) |
|-------|---------------|---------|--------------------|---------|---------|-------------|---------|----------|----------|------------|------------|-----------|-------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | | Height | Width | |
| B35 | 20,000 | 20,000 | Top | 34 5/8" | 35" | 35" | 35 1/2" | 18 5/16" | 18 9/16" | Tempered | 23 11/16" | 30 11/16" | 727 |

Ascent™ 36

Shown on pages 8 - 9

*Surrounds may change unit dimensions




| Model | BTU's (Input) | | Venting 4" x 7" | Height | | Front Width | | Depth | | Glass Type | Glass Size | | Glass Area (sq. in.) |
|-------|---------------|---------|--------------------|---------|---------|-------------|---------|---------|---------|------------|------------|-----------|-------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | | Height | Width | |
| B36 | 18,000 | 15,000 | Top / Rear | 34 5/8" | 35" | 35" | 35 1/2" | 15 3/4" | 16" | Tempered | 23 11/16" | 30 11/16" | 727 |

Ascent™ X 36

Shown on pages 10 - 11

*Surrounds may change unit dimensions




| Model | BTU's (Input) | | Venting 4" x 7" | Height | | Front Width | | Depth | | Glass Type | Glass Size | | Glass Area (sq. in.) |
|-------|---------------|---------|--------------------|---------|---------|-------------|---------|---------|---------|------------|------------|-----------|-------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | | Height | Width | |
| GX36 | 26,000 | 26,000 | Top / Rear | 34 5/8" | 35" | 35" | 35 1/2" | 15 3/4" | 16" | Ceramic | 23 11/16" | 30 11/16" | 727 |

Ascent™ 42

Shown on pages 12 - 13

*Surrounds may change unit dimensions




| Model | BTU's (Input) | | Venting 4" x 7" | Height | | Front Width | | Depth | | Glass Type | Glass Size | | Glass Area (sq. in.) |
|-------|---------------|---------|--------------------|---------|---------|-------------|---------|----------|----------|---------------|------------|-----------|-------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | | Height | Width | |
| B42 | 22,000 | 22,000 | Top / Rear | 34 5/8" | 35" | 42" | 42 1/2" | 18 5/16" | 18 9/16" | Tempered | 23 11/16" | 37 11/16" | 893 |

Ascent™ X 42

Shown on pages 14 - 15

*Surrounds may change unit dimensions




| Model | BTU's (Input) | | Venting 5" x 8" | Height | | Front Width | | Depth | | Glass Type | Glass Size | | Glass Area (sq. in.) |
|-------|---------------|---------|--------------------|---------|---------|-------------|---------|----------|----------|---------------|------------|-----------|-------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | | Height | Width | |
| GX42 | 30,000 | 30,000 | Top / Rear | 40 7/8" | 41 1/8" | 42" | 42 1/2" | 18 5/16" | 18 9/16" | Ceramic | 23 11/16" | 37 11/16" | 893 |

Ascent™ 46

Shown on pages 16- 17

*Surrounds may change unit dimensions




| Model | BTU's (Input) | | Venting 4" x 7" | Height | | Front Width | | Depth | | Glass Type | Glass Size | | Glass Area (sq. in.) |
|-------|---------------|---------|--------------------|---------|---------|-------------|---------|----------|----------|---------------|------------|-----------|-------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | | Height | Width | |
| B46 | 22,000 | 22,000 | Top / Rear | 34 5/8" | 35" | 46" | 46 1/2" | 18 5/16" | 18 9/16" | Tempered | 23 11/16" | 41 11/16" | 988 |

Ascent™ X 70

Shown on pages 18 - 19

*Surrounds may change unit dimensions




| Model | BTU's (Input) | | Venting 5" x 8" | Height | | Front Width | | Depth | | Glass Type | Glass Size | | Glass Area (sq. in.) |
|-------|---------------|---------|--------------------|---------|---------|-------------|---------|---------|---------|---------------|------------|-----------|-------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | | Height | Width | |
| GX70 | 35,000 | 35,000 | Top | 34 5/8" | 35" | 35" | 35 1/2" | 18 1/2" | 19" | Ceramic | 23 11/16" | 30 11/16" | 727 |

Ascent™ Multi View

Shown on pages 20 - 21

*Surrounds may change unit dimensions




| Model | BTU's (Input) | | Venting 5" x 8" | Height | | Front Width | | | Depth | | | Glass Type | Glass Size (Face) | | Glass Size (End) | |
|--------|---------------|---------|--------------------|---------|---------|-------------|--------------|--------------|---------|--------------|--------------|---------------|-------------------|---------|------------------|-------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Min. Framing | Max. Framing | Actual | Min. Framing | Max. Framing | | Height | Width | Height | Width |
| BHD4ST | 30,000 | 30,000 | 45° | 38 1/4" | 46 1/2" | 45" | 45 1/2" | 45 1/2" | 25 1/8" | 22 5/8" | 24 5/8" | Tempered | 28 1/2" | 35 1/2" | N/A | N/A |
| BHD4P | 30,000 | 30,000 | 45° | 38 1/4" | 46 1/2" | 43 1/4" | 42 1/2" | 43 1/2" | 25 1/8" | 22 5/8" | 24 5/8" | Tempered | 28 1/2" | 35 1/2" | 27 1/8" | 17" |

Ascent™ Linear 36

Shown on pages 22 - 23

*Surrounds may change unit dimensions




*Finishing flange depth (The finishing flange defines the perimeter of the fireplace opening. Framing or finishing materials must NEVER encroach inside the finishing flange)

| Model | BTU's (Input) | Venting 4" x 7" | Height | | Front Width | | Depth | | Glass Type | Glass Height |
|--------|---------------|--------------------|----------|----------|-------------|----------|-----------|-----------|---------------|-----------------|
| | | | Actual | Framing | Actual | Framing | Actual | Framing | | |
| BL36-1 | 17,500 | Top | 39 1/16" | 39 1/16" | 35 1/16" | 35 1/16" | 15 11/16" | 15 11/16" | Tempered | 16 3/4" |

Ascent™ Linear 46

Shown on pages 24 - 25

*Surrounds may change unit dimensions



*Finishing flange depth (The finishing flange defines the perimeter of the fireplace opening. Framing or finishing materials must NEVER encroach inside the finishing flange)

| Model | BTU's (Input) | Venting 4" x 7" | Height | | Front Width | | Depth | | Glass Type | Glass Height |
|-------|---------------|--------------------|----------|---------|-------------|---------|----------|----------|---------------|-----------------|
| | | | Actual | Framing | Actual | Framing | Actual | Framing | | |
| BL46 | 24,000 | Top | 39 1/16" | 39 3/8" | 46 7/8" | 46 3/8" | 18 5/16" | 18 9/16" | Tempered | 16 3/4" |

Figures may vary with individual conditions such as floor plan layout, insulation, etc. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions.




NAPOLEON - CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8
103 Miller Drive, Crittenden, Kentucky, USA 41030
7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 1-866-820-8686
napoleonfireplaces.com



Authorized Dealer

Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Flame height and activity is influenced by varying vent configurations and may not appear as shown. Napoleon is a registered trademark of Wolf Steel Group Inc. EnerGuide - A Canadian efficiency standard based on frequent, short start-up and cool-down cycles. All appliances sold in Canada are subject to this EnerGuide rating system. AFUE- A US efficiency standard (Department of Energy) based on extended on/off cycles, more typical of fireplace usage. Steady State - Reflects the highest possible overall heating efficiency.