

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



Monessen Hearth AVFL42NIP-BU Owner's Manual

[Shop genuine replacement parts for Monessen Hearth
AVFL42NIP-BU](#)



[Find Your Monessen Hearth Fireplace Parts - Select From 701 Models](#)

----- Manual continues below -----

Log Placement Instructions

Model: AVFL42(N/P)TSC

WARNING: Turn off fireplace and allow to cool completely before beginning installation.

Kit Contents:


- Two (2) ceramic fiber driftwood logs
- Four (4) log support pin brackets
- Eight (8) #8 bracket mounting screws

NOTE — Do not handle logs with your bare hands. **Always wear gloves to prevent skin irritation from ceramic fibers.** After handling the logs, wash your hands with soap and water to remove any traces of fibers.

NOTE: Prior to installing the log set, you must first install the pin brackets on the burner. The air deflection glass and fireglass should only be installed *after* the pin brackets are in place. The air deflection glass should be installed prior to placing and fireglass on the burner. The logs must then be placed in the unit after the fireglass and air deflection glass. If the optional logs are added after the air deflection glass and fireglass are in use, move the fireglass away from the areas in *Figure 1* and install the support brackets, then arrange fireglass evenly across burner again.



**Figure 1 –
Log Pin Assembly**



**Figure 2 –
Alternative Log Placement**

Log Placement Instructions

1. Mount the four log support pin brackets using mounting holes and screws provided in locations indicated in *Figure 2*. Note that the front log can be mounted in two different positions. The pin brackets can be moved to accommodate the preferred log placement.
2. Place the large rear log (#1) by aligning the holes in the bottom of the log with the two pins at the back of the burner. *Figure 3*.
3. Place the front log (#2) by aligning the holes in the bottom of the log with the two pins at the front of the burner. The front log may be placed in one of two positions on the burner depending on which two pin set locations are used.



**Figure 3–
Front Log Placement**



**Figure 4 –
Alternative Front Log Placement**

Hearth & Home Technologies
7571 215th Street West, Lakeville, MN 55044
www.hearthnhome.com

Please contact your Hearth & Home Technologies dealer
with any questions or concerns.

For the location of your nearest Hearth & Home
Technologies dealer, please visit
www.hearthnhome.com.