

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



# Shop Vac SM14-400 Owner's Manual

[Shop genuine replacement parts for Shop Vac  
SM14-400](#)



[Find Your Shop Vac Vacuum Cleaner Parts - Select From 487 Models](#)

----- Manual continues below -----

**shop·vac®**

**HARDWARE MARKET PROGRAM**



**V2**



# TABLE OF CONTENTS

## HARDWARE SERIES

5950600	6 GALLON* WET/DRY UTILITY VAC . . . . .	PG. 5
5950800	8 GALLON* WET/DRY UTILITY VAC . . . . .	PG. 5
5950900	8 GALLON* STAINLESS STEEL WET/DRY UTILITY VAC . . . . .	PG. 6
5951000	10 GALLON* WET/DRY UTILITY VAC . . . . .	PG. 6

## HARDWARE SERIES SVX2

5951200	12 GALLON* WET/DRY UTILITY VAC . . . . .	PG. 8
5951400	14 GALLON* WET/DRY UTILITY VAC . . . . .	PG. 8
8251600	16 GALLON* WET/DRY UTILITY VAC . . . . .	PG. 9
8251800	18 GALLON* WET/DRY UTILITY VAC . . . . .	PG. 9

## BLOWER SERIES

9633400	12 GALLON* WET/DRY BLOWER UTILITY VAC . . . . .	PG. 10
---------	---	--------

## PUMP SERIES

5821400	14 GALLON* WET/DRY PUMP UTILITY VAC. . . . .	PG. 11
---------	--	--------

## HEAVY-DUTY PORTABLE SERIES

5872800	5 GALLON* PORTABLE, HEAVY-DUTY WET/DRY VAC . . . . .	PG. 12
---------	--	--------

## VAC'N VAC® SERIES

9620100	14 GALLON* WET/DRY UTILITY VAC . . . . .	PG. 12
---------	--	--------

## WALL MOUNT® SERIES

3942300	5 GALLON* WET/DRY VAC . . . . .	PG. 13
---------	---------------------------------	--------

## QUIET SERIES

2030400	5 GALLON* WET/DRY UTILITY VAC . . . . .	PG. 13
---------	---	--------

## HANGON® SERIES

2030100	1.5 GALLON* PORTABLE WET/DRY VAC . . . . .	PG. 14
2036000	2.5 GALLON* PORTABLE WET/DRY VAC . . . . .	PG. 14

## REPLACEMENT ACCESSORIES & FILTERS

ACCESSORIES . . . . .	PG. 15
FILTERS . . . . .	PG. 15

# shop·vac®

## HARDWARE SERIES



**PERFORMANCE GAUGE:** Registers the airflow through the vacuum. When airflow lessens, the suction power is reduced. When the needle goes down to yellow or red, it's time to check the filters or hose for a possible clog.



**EXTRA LARGE HOSE HOLDER:** Wrap your hose conveniently and easily around the motor housing when you're not using your vacuum. The hose holder keeps the hose in place for convenient storage.



**REAR BLOWER PORT:** Just remove the tethered cap and attach the vacuum hose to the rear blower port and you've got yourself a power blower. Blow away sawdust from stationary tools, or leaves & lawn debris from sidewalks or patios.



**LOCK-ON HOSE®:** For eliminating unwanted hose disconnections.



**POWERFUL BY PASS MOTOR:** For picking up the toughest messes. Wet or dry - indoors or out.



**ACCESSORY STORAGE:** Keeps your tools organized and always on-hand. Accessory storage varies per model.

## 5950600 6 GALLON\* WET/DRY UTILITY VAC



**3.0**  
PEAK HP

**68**  
CFM  
AIRFLOW

**54** in.  
SEALED  
PRESSURE  
(exclusive of motor)

Catalog # . . . . . 5950600  
 Model # . . . . . SM12-300A  
 Capacity . . . . . 6 Gallon\*  
 UPC . . . . . 0 26282 59506 5  
 Carton dimensions . . . . . L: 13-1/2 in. w: 13-1/2 in. H: 22-1/2 in.  
 Cube . . . . . 2.4  
 Shipping Weight . . . . . 15 lbs.  
 Air Watts . . . . . 135†  
 Electrical Rating . . . . . 120V~ 60Hz 8.4 Amps  
 Cord . . . . . 6 ft.

*Specifications are subject to change without notice.*



- 3 year warranty
- Hose and tool holder

### 1-1/4 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(3) Extension Wands	10 in. Wet/dry nozzle	Crevice tool	Gulper nozzle	FILTERS: ProLong® cartridge filter and disposable filter bag

## 5950800 8 GALLON\* WET/DRY UTILITY VAC



**4.0**  
PEAK HP

**73**  
CFM  
AIRFLOW

**56** in.  
SEALED  
PRESSURE  
(exclusive of motor)

Catalog # . . . . . 5950800  
 Model # . . . . . SM14-400  
 Capacity . . . . . 8 Gallon\*  
 UPC . . . . . 0 26282 59508 9  
 Carton dimensions . . . . . L: 16-1/2 in. w: 16-1/2 in. H: 22-1/4 in.  
 Cube . . . . . 3.5  
 Shipping Weight . . . . . 18 lbs.  
 Air Watts . . . . . 145†  
 Electrical Rating . . . . . 120V~ 60Hz 9.8 Amps  
 Cord . . . . . 6 ft.

*Specifications are subject to change without notice.*



- 3 year warranty
- Hose holder and dolly with tool storage

### 1-1/4 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(3) Extension Wands	10 in. Wet/dry nozzle	Crevice tool	Gulper nozzle	FILTERS: ProLong® cartridge filter and disposable filter bag

## 5950900 8 GALLON\* STAINLESS STEEL WET/DRY UTILITY VAC



**5.0**  
PEAK HP

**73**  
CFM  
AIRFLOW

**53**<sup>+</sup> in.  
SEALED  
PRESSURE  
(inches of water)

Catalog # . . . . . 5950900  
 Model # . . . . . SM14-500A  
 Capacity . . . . . 8 Gallon\*  
 UPC . . . . . 0 26282 59509 6  
 Carton dimensions . . . . . L: 16-1/2 in. w: 16-1/2 in. H: 21-3/4 in.  
 Cube . . . . . 3.5  
 Shipping Weight . . . . . 21 lbs.  
 Air Watts . . . . . 145±  
 Electrical Rating . . . . . 120V~ 60Hz 11.3 Amps  
 Cord . . . . . 6 ft.

*Specifications are subject to change without notice.*



### 1-1/4 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(3) Extension Wands	10 in. Wet/dry nozzle	Crevice tool	Gulper nozzle	FILTERS: ProLong® cartridge filter and disposable filter bag

- 3 year warranty
- Hose holder and dolly with tool storage

## 5951000 10 GALLON\* WET/DRY UTILITY VAC



**5.0**  
PEAK HP

**73**  
CFM  
AIRFLOW

**53**<sup>+</sup> in.  
SEALED  
PRESSURE  
(inches of water)

Catalog # . . . . . 5951000  
 Model # . . . . . SM14-500A  
 Capacity . . . . . 10 Gallon\*  
 UPC . . . . . 0 26282 59510 2  
 Carton dimensions . . . . . L: 16-3/4 in. w: 16-3/4 in. H: 25-1/2 in.  
 Cube . . . . . 4.1  
 Shipping Weight . . . . . 20 lbs.  
 Air Watts . . . . . 145±  
 Electrical Rating . . . . . 120V~ 60Hz 11.3 Amps  
 Cord . . . . . 6 ft.

*Specifications are subject to change without notice.*



### 1-1/4 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(3) Extension Wands	10 in. Wet/dry nozzle	Crevice tool	Gulper nozzle	FILTERS: ProLong® cartridge filter and disposable filter bag

- 3 year warranty
- Hose holder and dolly with tool storage

# shop·vac®

## HARDWARE SERIES SVX2



The SVX2 advanced motor technology creates a vacuum with more power and longer motor life. These vacuums have a 50% increase in air watts; when compared to a Shop-Vac® brand vacuum not containing the SVX2 motor technology.<sup>§</sup>



**PERFORMANCE GAUGE:** Registers the airflow through the vacuum. When airflow lessens, the suction power is reduced. When the needle goes down to yellow or red, it's time to check the filters or hose for a possible clog.



**EXTRA LARGE HOSE HOLDER:** Wrap your hose conveniently and easily around the motor housing when you're not using your vacuum. The hose holder keeps the hose in place for convenient storage.



**REAR BLOWER PORT:** Just remove the tethered cap and attach the vacuum hose to the rear blower port and you've got yourself a power blower. Blow away sawdust from stationary tools, or leaves & lawn debris from sidewalks or patios.



**TANK DRAIN:** Easy screw on/off tank drain cap lets you empty your heavy tank of water quickly and neatly without making another mess.



**ACCESSORY STORAGE:** Keeps your tools organized and always on-hand. Accessory storage varies per model.



**LOCK-ON HOSE®:** For eliminating unwanted hose disconnections.

### MORE POWER<sup>§</sup>

### LONGER MOTOR LIFE<sup>§</sup>

§ 5951200-Compared to Shop-Vac® 9651200 vacuum (model 16RT500A). 5951400-Compared to Shop-Vac® 9651400 vacuum (model 16RT600C). 8251600-Compared to Shop-Vac® 9551600 vacuum (model 16RHT650C). 8251800-Compared to Shop-Vac® 9551800 vacuum (model 16RHT650C).

## 5951200 12 GALLON\* WET/DRY UTILITY VAC



**5.5**  
PEAK HP

**145**  
CFM  
AIRFLOW

**70** in.  
SEALED  
PRESSURE  
(product of water)

Catalog # . . . . . 5951200  
 Model # . . . . . SM16-SQ550  
 Capacity . . . . . 12 Gallon\*  
 UPC . . . . . 0 26282 59512 6  
 Carton dimensions . . . . . L: 18-1/4 in. W: 18-1/4 in. H: 24-1/2 in.  
 Cube . . . . . 4.7  
 Shipping Weight . . . . . 24 lbs.  
 Air Watts . . . . . 375±  
 Electrical Rating . . . . . 120V~ 60Hz 11.6 Amps  
 Cord . . . . . 12 ft.

*Specifications are subject to change without notice.*



### 2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(2) Extension Wands	14 in. Floor nozzle with brush	Crevice tool	8 in. Utility nozzle	Ergonomic elbow grip	FILTERS: ProLong™ cartridge filter and disposable filter bag

- 4 year warranty
- Hose holder and dolly with tool storage

## 5951400 14 GALLON\* WET/DRY UTILITY VAC



**6.5**  
PEAK HP

**170**  
CFM  
AIRFLOW

**75** in.  
SEALED  
PRESSURE  
(product of water)

Catalog # . . . . . 5951400  
 Model # . . . . . SM16-SQ650  
 Capacity . . . . . 14 Gallon\*  
 UPC . . . . . 0 26282 59514 0  
 Carton dimensions . . . . . L: 18-1/4 in. W: 18-1/4 in. H: 28-1/2 in.  
 Cube . . . . . 5.5  
 Shipping Weight . . . . . 33 lbs.  
 Air Watts . . . . . 415±  
 Electrical Rating . . . . . 120V~ 60Hz 12 Amps  
 Cord . . . . . 12 ft.

*Specifications are subject to change without notice.*



### 2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(2) Extension Wands	14 in. Floor nozzle with brush	Crevice tool	8 in. Utility nozzle	Ergonomic elbow grip	FILTERS: ProLong™ cartridge filter and disposable filter bag

- 4 year warranty
- Hose holder and tool storage basket

## 8251600 16 GALLON\* WET/DRY UTILITY VAC



**6.5**  
PEAK HP

**170**  
CFM  
AIRFLOW

**75** in.  
SEALED  
PRESSURE  
(inches of water)

Catalog # . . . . . 8251600  
 Model # . . . . . SC16-SQ650  
 Capacity . . . . . 16 Gallon\*  
 UPC . . . . . 0 26282 82516 2  
 Carton dimensions . . . . . L: 19-1/2 in. W: 19-1/2 in. H: 23-3/4 in.  
 Cube . . . . . 5.2  
 Shipping Weight . . . . . 30 lbs.  
 Air Watts . . . . . 415±  
 Electrical Rating . . . . . 120V~ 60Hz 12 Amps  
 Cord . . . . . 18 ft.

*Specifications are subject to change without notice.*



### 2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(2) Extension Wands	14 in. Floor nozzle with brush	Crevice tool	8 in. Utility nozzle	Ergonomic elbow grip	Tool storage bag	FILTERS: Prolong™ cartridge filter and disposable filter bag

- 4 year warranty
- Hose holder and tool storage bag

## 8251800 18 GALLON\* WET/DRY UTILITY VAC



**6.5**  
PEAK HP

**170**  
CFM  
AIRFLOW

**75** in.  
SEALED  
PRESSURE  
(inches of water)

Catalog # . . . . . 8251800  
 Model # . . . . . SC18-SQ650  
 Capacity . . . . . 18 Gallon\*  
 UPC . . . . . 0 26282 82517 9  
 Carton dimensions . . . . . L: 19-5/8 in. W: 19-5/8 in. H: 25-1/2 in.  
 Cube . . . . . 5.7  
 Shipping Weight . . . . . 31 lbs.  
 Air Watts . . . . . 415±  
 Electrical Rating . . . . . 120V~ 60Hz 12 Amps  
 Cord . . . . . 18 ft.

*Specifications are subject to change without notice.*



### 2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(2) Extension Wands	14 in. Floor nozzle with brush	Crevice tool	8 in. Utility nozzle	Ergonomic elbow grip	Tool storage bag	FILTERS: Prolong™ cartridge filter and disposable filter bag

- 4 year warranty
- Hose holder and tool storage bag

# BLOWER VAC

**9633400** 12 GALLON\* WET/DRY BLOWER UTILITY VAC



**6.5**  
PEAK HP

**105**  
CFM  
AIRFLOW

**47** in.  
SEALED  
PRESSURE  
(excludes motor)

Catalog # . . . . . 9633400  
 Model # . . . . . BLB650C  
 Capacity . . . . . 12 Gallon\*  
 UPC . . . . . 0 26282 96334 5  
 Carton dimensions . . . . . L: 18-1/4 in. W: 18-1/4 in. H: 22-3/4 in.  
 Cube . . . . . 4.4  
 Shipping Weight . . . . . 26 lbs.  
 Air Watts . . . . . 200†  
 Electrical Rating . . . . . 120V~ 60Hz 12 Amps  
 Cord . . . . . 18 ft.

*Specifications are subject to change without notice.*



- Use it as a wet/dry vac or as a hand held blower
- 4 year warranty
- Tool holder



## 2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(2) Extension Wands	14 in. Floor nozzle with brush	8 in. Utility nozzle	Crevice tool	Blower nozzle	Concentrator nozzle	Ergonomic elbow grip	120° Elbow	FILTERS: ProLong® cartridge filter and disposable filter bag

# PUMP VAC

by **shop·vac®**

## 5821400 14 GALLON\* WET/DRY PUMP UTILITY VAC



**6.0**  
PEAK HP

**135**  
CFM  
AIRFLOW

**52** in.  
SEALED  
PRESSURE  
(inches of water)

Catalog #	5821400
Model #	SSP16-600C
Capacity	14 Gallon*
UPC	0 26282 58214 0
Carton dimensions	L: 18-1/4 in. w: 18-1/4 in. H: 27 in.
Cube	5.2
Shipping Weight	27 lbs.
Air Watts	270†
Electrical Rating	120V~ 60Hz 11.8 Amps
Cord	18 ft.

*Specifications are subject to change without notice.*



- 4 year warranty
- Tool holder



**HOOK IT UP**



**PICK IT UP**



**PUMP IT OUT**

Do not leave vac unattended when it is plugged in and/or operating.

### 2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(2) Extension Wands	14 in. Floor nozzle with brush	Crevice tool	8 in. Utility nozzle	Ergonomic elbow grip	FILTERS: ProLong™ cartridge filter, disposable filter bag and foam sleeve

# shop·vac®

## HEAVY-DUTY PORTABLE SERIES

### 5872800 5 GALLON\* PORTABLE, HEAVY-DUTY WET/DRY VAC



**6.0**  
PEAK HP

**90**  
CFM  
AIRFLOW

**50** in.  
SEALED  
PRESSURE  
(inside of motor)

Catalog # . . . . . 5872800  
 Model # . . . . . H87S600C  
 Capacity . . . . . 5 Gallon\*  
 UPC . . . . . 0 26282 58728 2  
 Carton dimensions . . . . . L: 17-1/4 in. w: 14 in. H: 17-3/4 in.  
 Cube . . . . . 2.5  
 Shipping Weight . . . . . 17 lbs.  
 Air Watts . . . . . 170†  
 Electrical Rating . . . . . 120V~ 60Hz 11.8 Amps  
 Cord . . . . . 20 ft.

*Specifications are subject to change without notice.*



- 5 year warranty
- Tool holder

#### 1-1/2 in. ACCESSORIES & FILTERS

7 ft. Lock-on® hose	Claw utility nozzle	Crevice tool	Adapter	FILTER: Cartridge filter and disposable filter bag

# Vac'n VAC®

By shop·vac®

### 9620100 14 GALLON\* WET/DRY UTILITY VAC



**5.0**  
PEAK HP

**115**  
CFM  
AIRFLOW

**45** in.  
SEALED  
PRESSURE  
(inside of motor)

Catalog # . . . . . 9620100  
 Model # . . . . . VN92500A  
 Capacity . . . . . 14 Gallon\*  
 UPC . . . . . 0 26282 96201 0  
 Carton dimensions . . . . . L: 18-3/8 in. w: 18-3/4 in. H: 30-3/4 in.  
 Cube . . . . . 6.26  
 Shipping Weight . . . . . 32 lbs.  
 Air Watts . . . . . 180†  
 Electrical Rating . . . . . 120V~ 60Hz 11.3 Amps  
 Cord . . . . . 18 ft.

*Specifications are subject to change without notice.*



- 3 year warranty
- Tool storage basket

#### 2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(2) Extension Wands	14 in. Wet/dry nozzle with brush	8 in. Utility nozzle	Crevice tool	4 ft. Hose	Gulper nozzle	Crevice tool	FILTER: ProLong® cartridge filter, disposable filter bag and small cartridge filter

#### 1-1/4 in. ACCESSORIES & FILTERS

# shop·vac®

## WALL MOUNT® SERIES

### 3942300 5 GALLON\* WET/DRY VAC



**4.0**  
PEAK HP

**130**  
CFM  
AIRFLOW

**50** in.  
SEALED  
PRESSURE  
(cycles of water)

Catalog # . . . . . 3942300  
 Model # . . . . . 5HM400  
 Capacity . . . . . 5 Gallon\*  
 UPC . . . . . 0 26282 39423 1  
 Carton dimensions . . . . . L: 12-7/8 in. w: 12-7/8 in. H: 31-1/4 in.  
 Cube . . . . . 3.0  
 Shipping Weight . . . . . 18 lbs.  
 Air Watts . . . . . 240†  
 Electrical Rating . . . . . 120V~ 60Hz 8.8 Amps  
 Cord . . . . . 6 ft.

*Specifications are subject to change without notice.*



- 3 year warranty
- Wall mounting bracket with hose storage
- Tool storage bag with wall hook

#### 1-1/4 in. ACCESSORIES & FILTERS

18 ft. Lock-on® hose	(3) Extension Wands	12 in. Deluxe nozzle	12 in. Brush insert	12 in. Squeegee insert	Crevice tool	Round brush	Gulper nozzle	Tool storage bag with wall hook	Wall mounting bracket	FILTERS: Cartridge filter, disposable filter bag and foam sleeve

# shop·vac®

## QUIET SERIES

### 2030400 5 GALLON\* WET/DRY UTILITY VAC



**2.0**  
PEAK HP

**55**  
CFM  
AIRFLOW

**46** in.  
SEALED  
PRESSURE  
(cycles of water)

Catalog # . . . . . 2030400  
 Model # . . . . . MAC12-200D  
 Capacity . . . . . 5 Gallon\*  
 UPC . . . . . 0 26282 20304 5  
 Carton dimensions . . . . . L: 13-3/4 in. w: 13-3/4 in. H: 17-1/2 in.  
 Cube . . . . . 1.9  
 Shipping Weight . . . . . 12 lbs.  
 Air Watts . . . . . 90†  
 Electrical Rating . . . . . 120V~ 60Hz 7.8 Amps  
 Cord . . . . . 6 ft.

*Specifications are subject to change without notice.*



#### 1-1/4 in. ACCESSORIES & FILTERS

7 ft. Hose	Gulper nozzle	FILTER: Reusable dry filter and foam sleeve

- 2 year warranty

# shop·vac®

## HANGON® SERIES BY SHOP-VAC®

### 2030100 1.5 GALLON\* PORTABLE WET/DRY VAC



**2.0**  
PEAK HP

**59**  
CFM  
AIRFLOW

**57** in.  
SEALED  
PRESSURE  
(vacuum at 10 ft.)

Catalog # . . . . . 2030100  
 Model # . . . . . MACS-200D  
 Capacity . . . . . 1.5 Gallon\*  
 UPC . . . . . 0 26282 20301 4  
 Carton dimensions . . . . . L: 11-3/4 in. w: 10-3/4 in. H: 11-3/4 in.  
 Cube . . . . . .86  
 Shipping Weight . . . . . 8 lbs.  
 Air Watts . . . . . 120†  
 Electrical Rating . . . . . 120V~ 60Hz 7.8 Amps  
 Cord . . . . . 6 ft.

*Specifications are subject to change without notice.*



- 2 year warranty
- Wall mounting bracket
- Wall mounted tool holder

#### 1-1/4 in. ACCESSORIES & FILTERS

4 ft. Hose	Gulper nozzle	Crevice tool	Wall bracket	Wall mount tool holder	FILTERS: Reusable dry filter and foam sleeve

### 2036000 2.5 GALLON\* PORTABLE WET/DRY VAC



**2.5**  
PEAK HP

**58**  
CFM  
AIRFLOW

**60** in.  
SEALED  
PRESSURE  
(vacuum at 10 ft.)

Catalog # . . . . . 2036000  
 Model # . . . . . MACM-250  
 Capacity . . . . . 2.5 Gallon\*  
 UPC . . . . . 0 26282 20360 1  
 Carton dimensions . . . . . L: 12-1/2 in. w: 11-1/4 in. H: 13 in.  
 Cube . . . . . 1.06  
 Shipping Weight . . . . . 9 lbs.  
 Air Watts . . . . . 120†  
 Electrical Rating . . . . . 120V~ 60Hz 8 Amps  
 Cord . . . . . 6 ft.

*Specifications are subject to change without notice.*



- 3 year warranty
- Wall mounting bracket
- Wall mounted tool holder

#### 1-1/4 in. ACCESSORIES & FILTERS

4 ft. Hose	Gulper nozzle	Crevice tool	Wall bracket	Wall mount tool holder	FILTERS: Reusable dry filter and foam sleeve

# REPLACEMENT ACCESSORIES & FILTERS

## 5950600, 5950800, 5950900, 5951000 ACCESSORIES & FILTERS

<b>9051200</b>	8 ft. Hose with extension end	Fits standard friction and locking inlets.
<b>9061400</b>	1-1/4 in. Extension Wands (3pc)	Provides longer reach for easier cleaning.
<b>9062100</b>	10 in. Wet/dry nozzle	For wide area bulk dry or wet pick up.
<b>9061600</b>	Crevice tool	For cleaning those hard-to-reach places.
<b>9061900</b>	Gulper Nozzle	Ideal for small clean ups and vehicle interiors.
<b>9030400 / Type U</b>	Cartridge Filter	Use to pick up small to large debris. Reusable.
<b>9066100 / Type E</b>	Disposable Filter Bag	For 5950600, 5950800, 5950900.
<b>9066200 / Type F</b>	Disposable Filter Bag	For 5951000.

## 5951200, 5951400, 8251600, 8251800, 5821400 ACCESSORIES & FILTERS

<b>9050300</b>	8 ft. Hose	Fits standard friction and locking inlets.
<b>9068400</b>	2-1/2 in. Extension Wands (2pc)	Provides longer reach for easier cleaning.
<b>9067700</b>	14 in. Wet/dry floor nozzle	For wide area bulk dry or wet pick up.
<b>9067800</b>	Crevice tool	For cleaning those hard-to-reach areas.
<b>9067500</b>	8 in. Utility Nozzle	For bulk dry pick up only.
<b>9063300</b>	Elbow Grip	For a comfortable hand grip while vacuuming. For 5951200, 5951400, 8251600, 8251800.
<b>9030400 / Type U</b>	Cartridge Filter	Use to pick up small to large debris. Reusable.
<b>9066200 / Type F</b>	Disposable Filter Bag	For 5951200 and 5951400.
<b>9066300 / Type G</b>	Disposable Filter Bag	For 8251600 and 8251800.

## 9633400 ACCESSORIES & FILTERS

<b>9050300</b>	8 ft. Hose	Fits standard friction and locking inlets.
<b>9068400</b>	2-1/2 in. Extension wands (2pc)	Provides longer reach for easier cleaning.
<b>9067700</b>	14 in. Wet/dry floor nozzle	For wide area bulk dry or wet pick up.
<b>9067800</b>	Crevice tool	For cleaning those hard-to-reach areas.
<b>9067500</b>	8 in. Utility nozzle	For bulk dry pick up only.
<b>9067400</b>	Blower nozzle	Concentrates airflow for extra cleaning power.
<b>9068300</b>	Concentrator nozzle	For increased airflow when using vac as a blower.
<b>9063300</b>	Elbow grip	For a comfortable hand grip while vacuuming.
<b>9197000</b>	Gutter cleaning kit	Quickly clear debris from hard-to-reach gutters and spouting.
<b>9030400 / Type U</b>	Cartridge filter	Use to pick up small to large debris. Reusable.
<b>9066200 / Type F</b>	Disposable filter bag	Keeps the tank clean.

## 5872800 ACCESSORIES & FILTERS

<b>9062500</b>	7 ft. Hose	Fits standard friction and locking inlets.
<b>9196100</b>	Claw utility nozzle	Fast pick up tool.
<b>9061600</b>	Crevice tool	For cleaning those hard-to-reach areas.
<b>9198400</b>	Adapter	Use to connect accessories to hose end.
<b>9039800 / Type AA</b>	Small cartridge filter	Use to pick up small to large debris. Reusable.
<b>9066100 / Type E</b>	Disposable filter bag	Keeps the tank clean.

## 9620100 ACCESSORIES & FILTERS

<b>9050300</b>	8 ft. x 2-1/2 in Hose	Fits standard friction and locking inlets.
<b>9068400</b>	2-1/2 in. Extension wands (2pc)	Provides longer reach for easier cleaning.
<b>9067700</b>	14 in. x 2-1/2 in. Wet/dry floor nozzle	For wide area bulk dry or wet pick up.
<b>9067800</b>	2-1/2 in. Crevice tool	For cleaning those hard-to-reach areas.
<b>9067500</b>	8 in. x 2-1/2 in. Utility nozzle	For bulk dry pick up only.
<b>9051200</b>	8 ft. x 1-1/4 in. Hose	Fits standard friction and locking inlets.
<b>9061600</b>	1-1/4 in. Crevice tool	For cleaning those hard-to-reach areas.
<b>9061900</b>	1-1/4 in. Gulper nozzle	Ideal for small clean ups and vehicle interiors.
<b>9030400 / Type U</b>	Large cartridge filter	Use to pick up small to large debris. Reusable.
<b>9039800 / Type AA</b>	Small cartridge filter	Use to pick up small to large debris. Reusable.
<b>9066200 / Type F</b>	Disposable filter bag	Keeps the tank clean.

## 3942300 ACCESSORIES & FILTERS

<b>9032400</b>	18 ft. Hose	Fits standard friction and locking inlets.
<b>9061400</b>	1-1/4 in. Extension wands (3pc)	Provides longer reach for easier cleaning.
<b>9066500</b>	12 in. Deluxe nozzle with brush and squeegee inserts	Use for all purpose wet and dry cleaning.
<b>9061600</b>	Crevice tool	For cleaning those hard-to-reach areas.
<b>9061500</b>	Round brush	Use on smooth and irregular surfaces.
<b>9061900</b>	Gulper nozzle	Ideal for small clean ups and vehicle interiors.
<b>9039800 / Type AA</b>	Small cartridge filter	Use to pick up small to large debris. Reusable.
<b>9052600 / Type CC</b>	Foam sleeve	Use for wet pick up.
<b>9193200 / Type O</b>	Disposable filter bag	Keeps the tank clean.

## 2030400 ACCESSORIES & FILTERS

<b>9051200</b>	8 ft. Hose	Fits standard friction and locking inlets.
<b>9061900</b>	Gulper nozzle	Ideal for small clean ups and vehicle interiors.
<b>9058500 / Type R</b>	Foam sleeve	Use for wet pick up and use in conjunction with the reusable dry filter for dry pick up.
<b>9010700 / Type S</b>	Reusable dry filter	Use in conjunction with the foam sleeve to pick up larger debris and dry materials. Reusable.

## 2030100, 2036000 ACCESSORIES & FILTERS

<b>9056400</b>	4 ft. Hose	Fits standard friction and locking inlets.
<b>9061600</b>	Crevice tool	For cleaning those hard-to-reach areas.
<b>9061900</b>	Gulper nozzle	Ideal for small clean ups and vehicle interiors.
<b>9058500 / Type R</b>	Foam sleeve	Use for wet pick up and use in conjunction with the reusable dry filter for dry pick up.
<b>9010700 / Type S</b>	Reusable dry filter	Use in conjunction with the foam sleeve to pick up larger debris and dry materials. Reusable.

**Shop-Vac Corporation**

2323 Reach Road, Williamsport, PA 17701 | Phone: 570-326-3557 | Fax: 570-326-7185 | [www.shopvac.com](http://www.shopvac.com)

©2015 Shop-Vac Corporation. All rights reserved.

Shop-Vac®, Lock-On®, Vac'n Vac®, Hang-On®, Hang-Up® and ProLong® are registered trademarks of the Shop-Vac Corporation.

†“Peak Horsepower” (PHP) is a term used in the wet-dry vacuum industry for consumer comparison purposes. It does not denote the operational horsepower of a wet-dry vacuum but rather the horsepower output of a motor, including the motor's inertial contribution, achieved in laboratory testing. In actual use, Shop-Vac motors do not operate at the peak horsepower shown.

\*Tank capacity refers to actual tank volume, and does not reflect capacity available during operation.

‡ASTM Tested with a 8 ft. long x 2½ in. diameter Shop-Vac® hose.

**SVA0001168**