

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



Shop Vac SS14-600C Owner's Manual

[Shop genuine replacement parts for Shop Vac
SS14-600C](#)



[Find Your Shop Vac Vacuum Cleaner Parts - Select From 487 Models](#)

----- Manual continues below -----

shop·vac



GOOMS
SUMMER
CATALOG

CONSUMER SERIES

Classic.....	Page 2/3	Blower Vac & Ash Vac.....	Page 9
High Performance.....	Page 4/5	Portables.....	Page 10
Stainless Steel.....	Page 6/7	Hang-Up.....	Page 11
Pump Vacs.....	Page 8	All Arouds.....	Page 12



shop-vac®

CLASSIC

These wet/dry vacs offer an even greater range of quiet power. With motors ranging from 2.0 to 5.0 peak horsepower†, we can equip you with the power you need, for any mess...wet or dry.

2035000 - 5 U.S. Gallons*

18.9 Liters*, 2.0 Peak HP† - 2 Yr. Warranty

Accessories - 7' (2.1 m) x 1/4" (3.2 cm) Hose, (3) Extension Wands, 10" (25.4 cm) Wet/Dry Nozzle, Tool Holder, Foam Sleeve and Reusable Dry Filter.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
2035000	5 U.S. Gal* 18.9 Liters*	2.0†	0 26282 00005 7	13 3/4" x 13 3/4" x 17 1/2"	1.91	12 lbs. (5.4 kg)	60†	55† <i>(inches of water)</i>	125†	120V~60Hz 7.8A	6 ft. (1.8 m)

5985000 - 6 U.S. Gallons*

22.7 Liters*, 3.0 Peak HP† - 3 Yr. Warranty

Accessories - 7' (2.1 m) x 1/4" (3.2 cm) Hose, (3) Extension Wands, 10" (25.4 cm) Wet/Dry Nozzle, Foam Sleeve and Reusable Dry Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5985000	6 U.S. Gal* 22.7 Liters*	3.0†	0 26282 59850 9	13 3/4" x 13 3/4" x 22 1/4"	2.43	13 lbs. (5.9 kg)	65†	55† <i>(inches of water)</i>	150†	120V~60Hz 8.4A	6 ft. (1.8 m)

5985100 - 8 U.S. Gallons*

30.3 Liters*, 3.0 Peak HP† - 3 Yr. Warranty

Accessories - 7' (2.1 m) x 1/4" (3.2 cm) Hose, (3) Extension Wands, 10" (25.4 cm) Wet/Dry Nozzle, Foam Sleeve and Reusable Dry Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5985100	8 U.S. Gal* 30.3 Liters*	3.0†	0 26282 59851 6	16 3/8" x 16 3/8" x 22 1/4"	3.45	16 lbs. (7.3 kg)	65†	55† <i>(inches of water)</i>	150†	120V~60Hz 8.4A	6 ft. (1.8 m)

†ASTM Tested with an 7 ft. long x 1/4" in. diameter Shop-Vac® hose.

5985200 - 10 U.S. Gallons*

37.8 Liters*, 4.0 Peak HP† - 3 Yr. Warranty

Accessories - 7' (2.1 m) x 1/4" (3.2 cm) Hose, (3) Extension Wands, 10" (25.4 cm) Wet/Dry Nozzle, Foam Sleeve and Reusable Dry Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5985200	10 U.S. Gal* 37.8 Liters*	4.0†	0 26282 59852 3	16 ³ / ₈ " x 16 ³ / ₈ " x 25 ¹ / ₂ "	3.96	17 lbs. (7.7 kg)	70†	55† <i>(inches of water)</i>	140†	120V~60Hz 9.8A	6 ft. (1.8 m)

5985300 - 12 U.S. Gallons*

45.5 Liters*, 5.0 Peak HP† - 3 Yr. Warranty

Accessories - 7' (2.1 m) x 1/4" (3.2 cm) Hose, (3) Extension Wands, 10" (25.4 cm) Wet/Dry Nozzle, Foam Sleeve Reusable Dry Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5985300	12 U.S. Gal* 45.5 Liters*	5.0†	0 26282 59853 0	18 ¹ / ₈ " x 18 ¹ / ₈ " x 24 ¹ / ₂ "	4.66	20 lbs. (9.1 kg)	70†	57† <i>(inches of water)</i>	160†	120V~60Hz 11.3A	6 ft. (1.8 m)

3. †ASTM Tested with an 7 ft. long x 1/4" in. diameter Shop-Vac® hose.

shop-vac®

HIGH PERFORMANCE

These wet/dry vacs offer an even greater range of quiet power. From 4.5 to 6.5 peak horsepower, the High Performance series offers the maximum power you need for the toughest messes...wet or dry.

5987000 - 6 U.S. Gallons*

22.7 Liters*, 3.5 Peak HP† - 3 Yr. Warranty

Accessories - 7' (2.1 m) x 1¼" (3.2 cm) Hose, (3) Extension Wands, 10" (25.4 cm) Wet/Dry Nozzle, Foam Sleeve, Tool Bag, Cartridge Filter and Filter Bag



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5987000	6 U.S. Gal* 22.7 Liters*	3.5†	0 26282 59870 7	13¾" x 13¾" x 22"	2.41	15 lbs. (6.8 kg)	65†	55† <i>(Inches of water)</i>	150†	120V~60Hz 8.5A	6 ft. (1.8 m)

5987100 - 8 U.S. Gallons*

30.3 Liters*, 3.5 Peak HP† - 3 Yr. Warranty

Accessories - 8' (2.4 m) x 2½" (6.4 cm) Hose, (2) Extension Wands, 8" Nozzle, Tool Bag, Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5987100	8 U.S. Gal* 30.3 Liters*	3.5†	0 26282 59871 4	16½" x 16½" x 22¼"	3.5	17 lbs. (7.7 kg)	110†	55† <i>(Inches of water)</i>	210†	120V~60Hz 8.5A	6 ft. (1.8 m)

5987200 - 10 U.S. Gallons*

37.8 Liters*, 4.5 Peak HP† - 3 Yr. Warranty

Accessories - 8' (2.4 m) x 2½" (6.4 cm) Hose, (2) Extension Wands, 8" Nozzle, Tool Bag, Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5987200	10 U.S. Gal* 37.8 Liters*	4.5†	0 26282 59872 1	16¾" x 16¾" x 25½"	3.9	18 lbs. (10.9 kg)	130†	58† <i>(Inches of water)</i>	240†	120V~60Hz 9.9A	6 ft. (1.8 m)

†ASTM Tested with an 7 ft. long x 1¼" in. diameter Shop-Vac® hose.



The SVX2 motor gives more power and better performance, when compared to standard E-Frame motor.

5987300 SVX2 - 12 U.S. Gallons*

45.5 Liters*, 5.5 Peak HP[†] - 5 Yr. Warranty
Accessories - 8' (2.4 m) x 2½" (6.4 cm) Hose, (2) Extension Wands, 14" (35.6 cm) Wet/Dry Floor Nozzle, 14" (35.6 cm) Brush Shoe, 14" (35.6 cm) Squeegee Shoe, Tool Bag, Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5987300	12 U.S. Gal* 45.5 Liters*	5.5 [†]	0 26282 59873 8	18½" x 18½" x 24½"	4.66	24 lbs. (10.9 kg)	140 [†]	70 [†] <i>(inches of water)</i>	370 [†]	120V~60Hz 11.6A	12 ft. (3.7 m)

5987400 SVX2 - 16 U.S. Gallons*

60.5 Liters*, 6.5 Peak HP[†] - 5 Yr. Warranty
Accessories - 8' (2.4 m) x 2½" (6.4 cm) Hose, (2) Extension Wands, 14" (35.6 cm) Wet/Dry Floor Nozzle, Crevice Tool, 14" (35.6 cm) Brush Shoe, 14" (35.6 cm) Squeegee Shoe, Tool Bag, Foam Sleeve Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5987400	16 U.S. Gal* 60.5 Liters*	6.5 [†]	0 26282 59874 5	19¾" x 19¾" x 24¼"	5.47	25.5 lbs. (11.6 kg)	150 [†]	72 [†] <i>(inches of water)</i>	370 [†]	120V~60Hz 12A	12 ft. (3.7 m)

5987500 SVX2 - 20 U.S. Gallons*

75.7 Liters*, 6.5 Peak HP[†] - 5 Yr. Warranty
Accessories - 8' (2.4 m) x 2½" (6.4 cm) Hose, (2) Extension Wands, 14" (35.6 cm) Wet/Dry Floor Nozzle, Crevice Tool, 14" (35.6 cm) Brush Shoe, 14" (35.6 cm) Squeegee Shoe, Tool Bag, Foam Sleeve Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5987500	20 U.S. Gal* 75.7 Liters*	6.5 [†]	0 26282 59875 2	19¼" x 19¼" x 27½"	5.9	31.25 lbs. (14.2 kg)	150 [†]	72 [†] <i>(inches of water)</i>	370 [†]	120V~60Hz 12A	12 ft. (3.7 m)

5. [†]ASTM Tested with an 8 ft. long x 2½" in. diameter Shop-Vac® hose.

HIGH PERFORMANCE RANGE

shop-vac®

STAINLESS STEEL

The Stainless Steel Series gives you the power to take the work out of cleaning.

5989300 - 5 U.S. Gallons*

18.9 Liters*, 4.5 Peak HP† - 3 Yr. Warranty

Accessories - 7' (2.1 m) x 1/4" (3.2 cm) Hose, (3) 1/4" (3.2 cm) Extension Wands, 10" (25.4 cm) Wet/Dry Nozzle 1/4" (3.2 cm) Crevice Tool, 1/4" (3.2 cm) Gulper Nozzle, Tool Holder Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5989300	5 U.S. Gal* 18.9 Liters*	4.5†	0 26282 59893 6	13 1/2" x 13 1/2" x 19 1/2"	2.06	17 lbs. (7.7 kg)	130†	58† <i>(Inches of water)</i>	240†	120V~60Hz 9.9A	6 ft. (1.8 m)

5989400 - 8 U.S. Gallons*

30.3 Liters*, 6.0 Peak HP† - 3 Yr. Warranty

Accessories - 7' (2.1 m) x 1/4" (3.2 cm) Hose, (3) 1/4" (3.2 cm) Extension Wands, 10" (25.4 cm) Wet/Dry Nozzle 1/4" (3.2 cm) Crevice Tool, 1/4" (3.2 cm) Gulper Nozzle, Tool Holder Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5989400	8 U.S. Gal* 30.3 Liters*	6.0†	0 26282 59894 3	16 3/4" x 16 3/4" x 21 1/4"	3.4	21 lbs. (9.5 kg)	145†	52† <i>(Inches of water)</i>	240†	120V~60Hz 11.8A	12 ft. (3.7 m)

†ASTM Tested with an 7 ft. long x 1/4" in. diameter Shop-Vac® hose.

STAINLESS STEEL



The SVX2 motor gives more power and better performance, when compared to standard E-Frame motor.

5989500 SVX2 - 12 U.S. Gallons*
 45.5 Liters*, 5.5 Peak HP† - 5 Yr. Warranty
Accessories - 8' (2.4 m) x 2½" (6.4 cm) Hose, (2) 2½" (6.4 cm) Extension Wands, 14" Wet/Dry Floor Nozzle, 2½" (6.4 cm) Crevice Tool, Tool Holder, Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5989500	12 U.S. Gal* 45.5 Liters*	5.5†	0 26282 59895 0	16¾" x 16¾" x 27¼"	4.4	24 lbs. (10.9 kg)	140 [†]	70 [†] <i>(inches of water)</i>	370 [†]	120V~60Hz 11.6A	18 ft. (5.5 m)

5989600 SVX2 - 16 U.S. Gallons*
 60.5 Liters*, 6.5 Peak HP† - 5 Yr. Warranty
Accessories - 8' (2.4 m) x 2½" (6.4 cm) Hose (2) 2½" (6.4 cm) Extension Wands, 14" Wet/Dry Floor Nozzle 2½" (6.4 cm) Crevice Tool, Tool Holder, Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5989600	16 U.S. Gal* 60.5 Liters*	6.5†	0 26282 59896 7	19¾" x 19¾" x 28¾"	6.5	33 lbs. (15 kg)	150 [†]	72 [†] <i>(inches of water)</i>	370 [†]	120V~60Hz 12A	18 ft. (5.5 m)

5989700 SVX2 - 16 U.S. Gallons*
 60.5 Liters*, 6.5 Peak HP† - 5 Yr. Warranty
Accessories - 8' (2.4 m) x 2½" (6.4 cm) Hose (2) 2½" (6.4 cm) Extension Wands, 14" Wet/Dry Floor Nozzle 2½" (6.4 cm) Crevice Tool, Tool Holder, Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5989700	16 U.S. Gal* 60.5 Liters*	6.5†	0 26282 59897 4	19¾" x 19¾" x 29"	6.5	39 lbs. (17.7 kg)	150 [†]	72 [†] <i>(inches of water)</i>	370 [†]	120V~60Hz 12A	18 ft. (5.5 m)

7. †ASTM Tested with an 8 ft. long x 2½ in. diameter Shop-Vac® hose.

STAINLESS STEEL

PUMP VACS

The Pump Vac gives you a wet/dry vac with a built-in water pump[§]. The built in water pump allows you to remove liquids from the vacuum's tank using a standard garden hose (not included).

5821200 - 12 U.S. Gallons*

45.5 Liters*, 5.0 Peak HP† - 3 Yr. Warranty

Accessories - 8' (2.4 m) x 2½" (6.4 cm) Hose, (2) Extension Wands, 14" (35.6 cm) Wet/Dry Floor Nozzle, Elbow Grip, Tool Holder, Hose Holder, Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5821200	12 U.S. Gal* 45.5 Liters*	5.0†	0 26282 58212 6	18¼" x 18¼" x 24½"	4.72	22.5 lbs.(10.2 kg)	135**	54** <i>(inches of water)</i>	255**	120V~60Hz 11.3A	12 ft. (3.7 m)

5821600 - 16 U.S. Gallons*

60.5 Liters*, 6.0 Peak HP† - 3 Yr. Warranty

Accessories - 8' (2.4 m) x 2½" (6.4 cm) Lock-On® Hose, (2) Extension Wands, 14" (35.6 cm) Wet/Dry Floor Nozzle, Elbow Grip, Tool Holder, Hose Holder, Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5821600	16 U.S. Gal* 60.5 Liters*	6.0†	0 26282 58216 4	19¾" x 19¾" x 24½"	5.53	26.25 lbs.(11.9 kg)	135**	52** <i>(inches of water)</i>	270**	120V~60Hz 11.8A	12 ft. (3.7 m)



HOOK IT UP



PICK IT UP



PUMP IT OUT

††ASTM Tested with an 8 ft. long x 2½" in. diameter Shop-Vac® hose. §Garden hose not included.

BLOWER VAC & ASH VAC

This Blower Vac gives you a wet/dry vacuum that can also be converted into a handheld, detachable blower.

9631200 - 12 U.S. Gallons*

45.5 Liters*, 4.5 Peak HP[†] - 3 Yr. Warranty

Accessories - 7' (2.1 m) x 1 1/4" (3.2 cm) Lock-On® Hose, (3) 1 1/4" (3.2 cm) Extension Wands, 10" (25.4 cm) x 1 1/4" (3.2 cm) Wet/Dry Nozzle, (1) 2 1/2" (6.4 cm) Extension Wand, Concentrator Nozzle, Blower Nozzle, Tool Holder, Foam Sleeve and Cartridge Filter.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
9631200	12 U.S. Gal* 45.5 Liters*	4.5 [†]	0 26282 96312 3	18 1/8" x 18 1/8" x 22 1/4"	4.23	22.25 lbs. (10.1 kg)	65 [†]	48 [†] <i>(inches of water)</i>	125 [†]	120V~60Hz 9.5A	18 ft. (5.5 m)

Specifically designed for Fireplaces, Wood/Pellet Stoves, Coal Stoves, BBQ Grills and more.

4041300 - Dry Vacuum

2 Yr. Warranty

Accessories - 4' (1.2 m) x 1 1/2" (3.8 cm) Lock-On® Hose with Metal Intake Nozzle, Metal Crevice Tool, CleanStream® HEPA Cartridge Filter and Pellet Stove Kit.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
4041300	N/A	N/A	0 26282 40413 8	12 3/4" x 12 3/4" x 18 1/2"	1.74	13.1 lbs. (5.9 kg)	65 [†]	38 [†] <i>(inches of water)</i>	95 [†]	120V~60Hz 6.3A	6 ft. (1.8 m)



DETACHABLE BLOWER



HANDHELD BLOWER



ASH VACUUM

9. [†]ASTM Tested with an 7 ft. long x 1 1/4" in. diameter Shop-Vac® hose.

BLOWER VAC & ASH VAC

shop·vac®

PORTABLES

These vacs are lightweight and portable. They can be used for quick wet and dry pick up jobs in your house, garage, workshop or vehicles. The wall mount bracket makes for easy, compact storage.

2021000 - 1.0 U.S. Gallons*

3.8 Liters*, 1.0 Peak HP† - 2 Yr. Warranty

Accessories - 4' (1.2 m) x 1/4" (3.2 cm) Hose, Gulper Nozzle, Crevice Tool, Wall Mount Bracket, Wall Mount Tool Holder Foam Sleeve and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
2021000	1.0 U.S. Gal* 3.8 Liters*	1.0†	0 26282 20210 9	10 1/4" x 10 1/4" x 11"	.67	7 lbs. (3.2 kg)	50†	45† <i>(inches of water)</i>	85†	120V~60Hz 6A	6 ft. (1.8 m)

2030100 - 1.5 U.S. Gallons*

5.6 Liters*, 2.0 Peak HP† - 2 Yr. Warranty

Accessories - 4' (1.2 m) x 1/4" (3.2 cm) Hose, Gulper Nozzle, Crevice Tool, Wall Mount Bracket, Wall Mount Tool Holder Reusable Dry Filter and Foam Sleeve.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
2030100	1.5 U.S. Gal* 5.6 Liters*	2.0†	0 26282 20301 4	11 3/4" x 10 3/4" x 11 3/4"	.86	8 lbs. (3.6 kg)	50†	46† <i>(inches of water)</i>	90†	120V~60Hz 7.8A	6 ft. (1.8 m)

2036000 - 2.5 U.S. Gallons*

9.4 Liters*, 2.5 Peak HP† - 3 Yr. Warranty

Accessories - 4' (1.2 m) x 1/4" (3.2 cm) Hose, Gulper Nozzle, Crevice Tool, Wall Mount Bracket, Wall Mount Tool Holder Reusable Dry Filter and Foam Sleeve.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
2036000	2.5 U.S. Gal* 9.4 Liters*	2.5†	0 26282 20360 1	12 1/2" x 11 1/4" x 13"	1.06	9 lbs. (4.1 kg)	60†	56† <i>(inches of water)</i>	120†	120V~60Hz 8A	6 ft. (1.8 m)

†ASTM Tested with an 4 ft. long x 1/4" in. diameter Shop-Vac® hose.

PORTABLES

HANG UP

Centralized cleaning convenience for garage, workshop, hobby area laundry room or anywhere a hands free vacuum is desired.

3940100 - 3.5 U.S. Gallons*

13.2 Liters*, 3.0 Peak HP[†] - 3 Yr. Warranty

Accessories - 18' (5.5 m) x 1¼" (3.2 cm) Lock-On® Hose (3) Extension Wands, 10" Wet/Dry Floor Nozzle, Gulper Nozzle, Crevice Tool, Round Brush, Tool Storage Bag with Wall Hook, Wall Mount Bracket Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
3940100	3.5 U.S. Gal* 13.2 Liters*	3.0 [†]	0 26282 39401 9	12 ⁷ / ₈ " x 12 ⁷ / ₈ " x 26 ¹ / ₄ "	2.52	18 lbs. (8.2 kg)	50 [‡]	50 [‡] <i>(inches of water)</i>	105 [‡]	120V~60Hz 7.2A	6 ft. (1.8 m)



shop·vac®

ALL AROUNDS

These vacs are specifically designed for household use... "All Around" the house.

AllArounds

5895100, 5895200 & 5895400

3 Yr. Warranty

Accessories - 7' (2.1 m) x 1/4" (3.2 cm) Hose, (2) Extension Wands, Bare/Carpeted Floor Nozzle, Gulper Nozzle, Crevice Tool, Round Brush, Wall Bracket, Foam Sleeve and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5895100	1.5 U.S. Gal* 5.6 Liters*	2.0 [†]	0 26282 58951 4	12 1/4" x 9 5/8" x 17 1/4"	1.2	11 lbs. (5 kg)	45 [†]	47 [†] (inches of water)	90 [†]	120V~60Hz 7.4A	18 ft. (5.5 m)
5895200	2.5 U.S. Gal* 9.4 Liters*	2.5 [†]	0 26282 58952 1	12 3/8" x 11 5/8" x 17"	1.4	12 lbs. (5.4 kg)	50 [†]	47 [†] (inches of water)	110 [†]	120V~60Hz 8A	18 ft. (5.5 m)
5895400	4.0 U.S. Gal* 15 Liters*	4.5 [†]	0 26282 58954 5	13 1/4" x 12 1/4" x 20 1/2"	1.9	14 lbs. (6.4 kg)	75 [†]	56 [†] (inches of water)	160 [†]	120V~60Hz 9A	18 ft. (5.5 m)

5870400- 4.0 U.S. Gallons*

15 Liters*, 4.5 Peak HP[†] - 3 Yr. Warranty

Accessories - 8' (2.4 m) x 1/4" (3.2 cm) Lock-On® Hose, (2) Extension Wands, Bare/Carpeted Floor Nozzle, 10" (25.4 cm) Wet/Dry Nozzle, Gulper Nozzle, Crevice Tool, Round Brush Accessory Basket, Cartridge Filter and High Efficiency Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5870400	4.0 U.S. Gal* 15 Liters*	4.5 [†]	0 26282 58704 6	20 1/2" x 12 3/4" x 16"	2.4	17 lbs. (7.7 kg)	65 [†]	54 [†] (inches of water)	135 [†]	120V~60Hz 9A	18 ft. (5.5 m)

[†]ASTM Tested with an 7 ft. long x 1/4" in. diameter Shop-Vac® hose.

ALL AROUNDS



Shop-Vac Corporation

2323 Reach Road, Williamsport, PA 17701 | Phone: 570-326-3557 | Fax: 570-326-7185 | www.shopvac.com

© 2017 Shop-Vac Corporation. All rights reserved.

Shop-Vac® is a registered trademark of the Shop-Vac Corporation.

†“Peak Horsepower” (PHP) is a term used in the wet-dry vacuum industry for consumer comparison purposes. It does not denote the operational horsepower of a wet-dry vacuum but rather the horsepower output of a motor, including the motor’s inertial contribution, achieved in laboratory testing. In actual use, Shop-Vac motors do not operate at the peak horsepower shown.

*Tank capacity refers to actual tank volume, and does not reflect capacity available during operation.

SVA0001210